


PVM-2730QM

RM-668

SERVICE MANUAL



AEP Model

Chassis No. SCC-A91A-A

Australian Model

Chassis No. SCC-B04A-A

West Germany Model

Chassis No. SCC-B05A-A

SPECIFICATIONS

Note: The service manuals for RM668 have been issued separately.

Color system	PAL, SECAM, NTSC and NTSC _{4.43} systems, switched automatically
Picture tube	Trinitron tube Approx. 67.7 cm (27 inches) (63.5 cm picture measured diagonally) 114-degree deflection, AG pitch 0.73 mm
Resolution	Video input: 420 TV lines RGB inputs: 640 × 200 dots (2000 characters)
Color temperature	9300°K
Frequency response	10 MHz (−3 dB, RGB) 5 MHz (−3 dB, composite video)
Horizontal linearity	Less than ±5%
Vertical linearity	Less than ±5%
Line pull range	Horizontal: +500 Hz Vertical: −8 Hz
Overscan of the picture	Less than +7%
Convergence	Central area: within 1.0 mm Periphery: within 1.8 mm
LINE A/B, VTR inputs	
VIDEO IN:	LINE A/B: BNC connector Composite video, 1 Vp-p ±6 dB, sync negative, 75-ohm termination switchable VTR: 8-pin connector Composite video, 1 Vp-p ±6 dB, sync negative, 75-ohm terminated
AUDIO IN:	LINE A/B: Phono jack −5 dBs, more than 47 kilohms VTR: 8-pin connector, −5 dBs, more than 47 kilohms

LINE A/B outputs (loop-through outputs)	VIDEO: BNC connector AUDIO: Phono jack
Monitor outputs	VIDEO: BNC connector Composite video, 1 Vp-p AUDIO: Phono jack Less than 1 kilohm
Digital RGB inputs	RGB: D-sub 9-pin connector (See "Signal assignment".) AUDIO: Phono jack −5 dBs, more than 47 kilohms
AV connector	21-pin connector (See "Signal assignment".)
Speaker terminals	8 ohms
Control S input/output	Minijack, 5 Vp-p
Power output	15 W + 15 W at 8 ohms
Power requirements	220 – 240 V AC, 50/60 Hz
Power consumption	175 W
Dimensions	Approx. 653 × 508 × 492 mm (w/h/d) incl. projecting parts and controls
Weight	Approx. 52 kg

Supplied accessory

Remote commander RM-668, with 2 R6 batteries..... 1

Optional accessories

TV stand SU-539, SU-541

Speaker system SS-X6A, APM-X5A

— Continued on next page —



TRINITRON COLOR VIDEO MONITOR

SONY®


MON

PVM-2730QM

RM-668

SIGNAL ASSIGNMENT


DIGITAL RGB connector (D-sub 9-pin)



Digital signal (TTL level)

Pin No.	Signal assignment
1	Ground
2	Ground
3	Red input
4	Green input
5	Blue input
6	Intensity input
7	No connection
8	H. sync input (positive/negative)
9	V. sync input (positive/negative)

AV connector (21-pin)



Pin No.	Signal	Signal level
1	Audio output B (right)	Standard level: 0.5 Vrms Output impedance: Less than 1 k ohm *
2	Audio input B (right)	Standard level: 0.5 Vrms Input impedance: More than 10 k ohms *
3	Audio output A (left)	Standard level: 0.5 Vrms Output impedance: Less than 1 k ohm *
4	Ground (audio)	
5	Ground (blue)	
6	Audio input A (left)	Standard level: 0.5 Vrms Input impedance: More than 10 k ohms *
7	Blue input	0.7 V \pm 3 dB, 75 ohms, positive
8	Function select (AV control)	High state (9.5 - 12 V): Peri mode Low state (0 - 2 V): TV mode Input impedance: More than 10 k ohms Input capacitance: Less than 2 nF

Pin No.	Signal	Signal level
9	Ground (green)	
10	Open	
11	Green input	(Same as Pin 7)
12	Open	
13	Ground (red)	
14	Ground (blanking)	
15	Red input	(Same as Pin 7)
16	Blanking input	High state (1 - 3 V) Low state (0 - 0.4 V) Input impedance: 75 ohms
17	Ground (video output)	
18	Ground (video input)	
19	Video output	1 V \pm 3 dB, 75 ohms, positive Sync: 0.3 V (\pm 3 dB)
20	Video input	1 V \pm 3 dB, 75 ohms, positive Sync: 0.3 V (\pm 3 dB)
21	Common ground (plug, shield)	

* at 20 Hz - 20 kHz

Design and specifications subject to change without notice.

TROUBLESHOOTING

If these symptoms occur when you begin operation, follow the suggestions below.


SYMPTOMS	CORRECTIONS
No controllable keys although the POWER switch is turned on.	• Press the CONTROL key.
No indication appears although the CONTROL key is pressed.	• Set the MANUAL CONTROL switch on the rear panel to ON.
Remote control is not possible.	• Set the REMOTE CONTROL switch on the rear panel to ON.

PVM-2730QM
RM-668

SECTION 1 GENERAL

1-1. LOCATION AND FUNCTION OF PARTS AND CONTROL

FRONT PANEL




- Press CONTROL key after power is turned on to illuminate the control keys or indicators.

The following control keys are effective only when MANUAL CONTROL switch on the rear panel is set to ON.

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
1. GENERAL		
1-1.	Location and Function of Parts and Control	4
1-2.	Operation	8
1-3.	System Connections	9
2. DISASSEMBLY		
2-1.	Chassis Assy and Power Block Assy Removal	13
2-2.	Key Board Unit Removal	13
2-3.	Picture Tube Removal	14
3. SETUP ADJUSTMENTS		
3-1.	Beam Landing	15
4. CIRCUIT ADJUSTMENTS		
4-1.	FA, FC Boards Adjustment	19
4-2.	D and D3 Boards Adjustment	19
4-3.	HC Board Adjustment	20
4-4.	B Board Adjustment	20
4-5.	Safety Check Adjustment	21
5. DIAGRAM		
5-1.	Circuit Boards Location	22
5-2.	Block Diagram	24
5-3.	Frame Schematic Diagram	29
5-4.	Schematic Diagram and Printed Wiring Boards	34
5-5.	Semiconductors	62
6. EXPLODED VIEWS		
6-1.	Picture Tube	65
6-2.	Chassis	66
6-3.	Back Cover	67
6-4.	Key Board Unit	68
7. ELECTRICAL PARTS LIST		69

SAFETY-RELATED COMPONENT WARNING !!

COMPONENTS IDENTIFIED BY SHADING AND MARK  ON THE SCHEMATIC DIAGRAMS, EXPLODED VIEWS AND IN THE PARTS LIST ARE CRITICAL TO SAFE OPERATION. REPLACE THESE COMPONENTS WITH SONY PARTS WHOSE PART NUMBERS APPEAR AS SHOWN IN THIS MANUAL OR IN SUPPLEMENTS PUBLISHED BY SONY. CIRCUIT ADJUSTMENTS THAT ARE CRITICAL TO SAFE OPERATION ARE IDENTIFIED IN THIS MANUAL. FOLLOW THESE PROCEDURES WHENEVER CRITICAL COMPONENTS ARE REPLACED OR IMPROPER OPERATION IS SUSPECTED.

1 NORM (normal) key

Press this key to return to the standard setting.

- This key is effective only for the control keys on the left.

2 HUE control keys

Press the GRN (green) key to make the skin tones greenish or the PUR (purple) key to make it purplish.

- These control keys are effective for the NTSC and NTSC_{4,43} color systems only.

3 COLOR control keys

Press the + key to make the color intensity vivid or the – key to make it pale.

4 BRIGHT (brightness) control keys

Press the + key to make the picture brighter or the – key to make it darker.

5 SHARP (sharpness) control keys

Press the + key to obtain a sharp picture or the – key to obtain a soft picture.

6 BALANCE control keys

Press the L key to increase the sound volume of the left speaker or the R key to increase the sound volume of the right speaker.

7 Color system indicators

PAL, SECAM, NTSC, NTSC_{4,43}

The color system of the input signal is automatically selected and the corresponding indicator illuminates. When the input signal is monochrome, no color system indicator illuminates.

8 MUTING indicator

Illuminates while the sound is muted.

- Muting is controlled only by the Remote Commander.

9 STANDBY indicator

Illuminates when the power is turned off by the Remote Commander.

10 POWER switch

Press this switch to turn the monitor on.

Press this switch again to turn it off.

- When the monitor is turned on, the settings of the monitor are the same as when it was last turned off.
- For a few seconds after turning on the monitor the color of picture may vary because the white balance is adjusted at this time. This is not a problem.

11 Remote control detector

The beam from the Remote Commander is received here.

12 CONTROL key

Press this key to illuminate the keys and indicators on the front panel.

Press this key again to extinguish them.

13 VOLUME control keys

Press the + key to raise the volume or the – key to lower it.

14 PICTURE control keys

Press the + key to make the contrast, color intensity and brightness stronger or the – key to make them weaker.

15 Input select keys

LINE A, LINE B, VTR, AV, DIGITAL

Select the input source connected to the LINE A, LINE B, VTR, AV or DIGITAL RGB connector.

When a key is pressed:

- it blinks if the other indicators and keys on the front panel illuminate.
- it illuminates if they are extinguished.

Key illumination


For the keys **1** through **7**, **13** and **14**:

- While each key is pressed, it blinks, indicating that adjustment is going on.
- During adjustment, if the adjustment value reaches the limit, the blinking speed becomes slower.

PVM-2730QM

RM-668

REAR PANEL



1 TREBLE control

Turn clockwise for more treble (high tone), or counterclockwise for less.

2 BASS control

Turn clockwise for more bass (low tone), or counterclockwise for less.

3 PICTURE (RGB) control

Adjust the contrast of the RGB signals connected to the AV connector or the DIGITAL RGB connector.

4 H CENTER (DIGITAL RGB) (horizontal centering) control

When the picture of DIGITAL RGB input is decentered horizontally, correct it with this control.

5 V HOLD (vertical hold) control

When the picture rolls vertically, correct it with this control.

6 CONTROL select switches

Normally set to ON.


REMOTE CONTROL switch

Set this switch to ON to control the monitor with a Remote Commander. If this switch is set to OFF, the remote control is not possible.

MANUAL CONTROL switch

Set this switch to ON to control the monitor manually. To make the manual control of the control keys or switches on the front panel impossible, extinguish the indicators by pressing the CONTROL key on the front panel and set this switch to OFF. (However remote control is possible if the REMOTE CONTROL switch is set to ON.)

CONNECTORS

**1 SPEAKER L/R terminals**

Connect to speakers with 8 to 16 ohm impedance.

2 CONTROL S IN/OUT connectors

Connect to the CONTROL S connectors of a VTR or another monitor.

It is then possible to control the whole system with a single Remote Commander.

3 LINE A/LINE B inputs

VIDEO IN connector (BNC type)

AUDIO L/R IN jacks (phono jack)

Connect to the video and audio outputs of a VTR or a camera.

VIDEO OUT connector (BNC type)

AUDIO L/R OUT jacks (phono jack)

Loop-through outputs of the IN connector and jacks.

Connect to the video and audio inputs of another monitor.

75-ohm termination switch

When only the VIDEO IN connector is used (nothing is connected to the VIDEO OUT connector), set this switch to ON.

When both connectors are used together for a loop-through connection, set this switch to OFF.

4 MONITOR OUT connectors

VIDEO connector (BNC type)

AUDIO L/R jacks (phono jacks)

The video and audio signals supplied from the LINE A, LINE B, VTR or AV input selected by the front panel input select keys are output from these connectors.

Connect to the video and audio inputs of another monitor, VTR, etc.

5 VTR connector (8-pin)

Connect to a VTR with an 8-pin TV connector.

6 DIGITAL AUDIO jack (phono jack)

Connect to the audio output of an audio source to listen to the sound from the connected audio source while viewing the picture from the DIGITAL RGB connector.

7 DIGITAL RGB connector (9-pin, D-sub)

Connect to the digital RGB output of a microcomputer.

8 INTENSITY switch

Normally set to OFF. When a microcomputer provided with intensity output is connected, set to ON for 16-color display.

9 AV switch

Set to ON so that the monitor is automatically switched to the AV input when a signal is input from the AV connector, taking priority over the LINE A, LINE B or VTR input previously selected by the input select keys on the front panel. Set to OFF to select the AV input manually by pressing the AV input select key.

10 SUPERIMPOSE switch

Normally set to ON.

Set to OFF to display the analog RGB signal from the microcomputer connected to the AV connector.

11 AV connector (21-pin)


Connect to the 21-pin multiconnector of an 8 mm video cassette recorder or the analog RGB multioutput connector of a microcomputer.

PVM-2730QM

RM-668

1-2. OPERATION

DISPLAYING THE PICTURE



- 1 Depress the POWER switch.
One of the input select keys illuminates.
- 2 Press the CONTROL key.
The selected input select key blinks and all control keys on the front illuminate.
(If the control keys do not appear, set the MANUAL CONTROL switch on the rear to ON.)
- 3 Press the desired input select key.
The pressed key blinks and the picture from the selected input is displayed on the screen and the sound is heard through the speakers.
(For selecting the AV or DIGITAL input, see "Notes on input selection".)
- 4 Adjust the picture and sound.
- 5 Press the CONTROL key to extinguish the controls keys so that only the selected input select key illuminates.

SUPERIMPOSING

To superimpose the data from the microcomputer connected to the AV connector over the picture, proceed as follows.
(The data should be processed for superimposition on the microcomputer.)

- 1 Set the SUPERIMPOSE switch to ON.
- 2 Press the LINE A, LINE B or VTR input select key to display the picture on which the data is to be superimposed on the monitor screen.
- 3 Press the AV input select key.
The data is superimposed over the picture.
- 4 Adjust the contrast of the superimposed data with the PICTURE (RGB) control.

NOTES ON INPUT SELECTION

AV input and SUPERIMPOSE switch

Set the SUPERIMPOSE switch on the rear as follows, according to the signal supplied to the AV connector.

SUPERIMPOSE switch	Signal to be displayed
ON	<ul style="list-style-type: none"> • To display the composite video signal from an 8 mm video cassette recorder, etc. • To perform superimposition. (See "SUPERIMPOSING".)
OFF	<ul style="list-style-type: none"> • To display the analog RGB signal from a microcomputer, etc. In this case, the sync signal should be supplied to pin 20 of the AV connector.

- When the AV input select key is pressed with the SUPERIMPOSE switch ON, the previously selected LINE A, LINE B or VTR input select key blinks together with the AV key.
- When it is pressed with the SUPERIMPOSE switch OFF, only the AV key blinks.

AV input and AV switch

When the AV switch on the rear is set to ON, the monitor is automatically switched from the LINE A, LINE B or VTR input to the AV input if a signal is input to the AV connector. Set the AV switch to OFF to select the AV input manually by pressing the AV input select key.

DIGITAL input


- To display the digital RGB signal from a microcomputer provided with intensity output in 16 colors, set the INTENSITY switch on the rear to ON.
- If necessary, center the picture from the DIGITAL RGB connector with the H CENTER control on the rear panel.

Note

The COLOR, HUE and SHARP control keys do not function when the DIGITAL input is selected or the AV input is selected with the SUPERIMPOSE switch OFF.

1-3. SYSTEM CONNECTIONS

CONNECTION DIAGRAM

**Note**


- When a microcomputer has an analog RGB output connector, connect it to the AV connector.
- When a microcomputer has only a composite video output connector, connect it to the LINE A or LINE B VIDEO IN connector.

PVM-2730QM

RM-668



CONNECTING SEVERAL MONITORS

A loop-through connection is convenient for monitoring the same signal on several monitors. Up to 10 monitors can be connected. It is recommended to use a signal distributor when several monitors are connected.





CONTROL S CONNECTION

The following connections allow remote control of several monitors and a VTR through a single monitor.

Example 1**Example 2**

PVM-2730QM
RM-668**Note**


Do not use the following loop connections.

Example 1**Example 2**


CONTROL S signal flow

SECTION 2 DISASSEMBLY

2-1. CHASSIS ASSY AND POWER BLOCK ASSY REMOVAL




2-2. KEY BOARD UNIT REMOVAL



PVM-2730QM

RM-668

2.3. PICTURE TUBE REMOVAL



SECTION 3 SETUP ADJUSTMENTS

The following adjustments should be made when a complete realignment is required or a new picture tube is installed. These adjustments should be performed with rated power supply voltage unless otherwise noted.

Perform the adjustments in order as follows:

1. Beam Landing
2. Convergence
3. SCREEN and White Balance

Note: Test Equipment Required.

1. Color-bar/Pattern Generator
2. Degausser

3-1. BEAM LANDING

Preparation:

- Feed in the white pattern.
- Before starting, degauss the entire screen.

1. Loosen deflection yoke screw.
2. Position neck ass'y as shown in Fig. 3-1.
3. Adjust purity control as shown in Fig. 3-2.
4. Slide deflection yoke as far forward as it will go.
5. Turn the raster signal of the pattern generator to red.
6. Adjust purity control to center vertical red band as shown in Fig. 3-3.
7. Slide deflection yoke back for a uniform red screen.
8. Check green and blue rasters for uniformity by performing the same way as steps 5, 6 and 7.
9. Tighten the deflection yoke screw.
10. Check if mislanding appears at corners a - d as shown in Fig. 3-4. If mislanding is observed, correct it as shown in Fig. 3-4.
11. Confirm that beam landing is correct when the receiver is faced in all directions.





Fig. 3-1.




Fig. 3-2.




Fig. 3-3.




Fig. 3-4.

PVM-2730QM


RM-668

CONVERGENCE


Preparation:

- PICTURE — fully counterclockwise
- BRIGHTNESS — fully counterclockwise
- CORNER BOW (RV2504)
- H.TILT (RV2502)
- Y.BOW (RV2503) D₂ board
- H.AMP (RV2501) mechanical center
- Y.CROSS (RV2505)
- Input a dots signal.


1. Match the horizontal convergence at the center of the screen with H.STAT VR.
2. Match the vertical convergence at the center of the screen with V.STAT Mg.



3. If the red, green and blue dots do not coincide on the center of screen with H.STAT VR, perform horizontal convergence adjustment using H.STAT VR and V.STAT magnet as shown below.
(In this case, H.STAT VR and V.STAT magnet effect each other.)




4. When the V.STAT magnet is moved in the direction of arrow a and b, Red, Green and Blue dots move as shown below.



If blue dot does not coincide with red and green dot, perform following steps.

Move BMC magnet (a) to correct insufficient H. static convergence.

In either case, repeat Beam Landing Adjustment.



DYNAMIC CONVERGENCE Adjustment**Preparation:**

- Before starting, perform Horizontal and Vertical Static Convergence Adjustment.
1. Loosen deflection yoke screw.
 2. Remove deflection yoke spacers.
 3. Move the deflection yoke for best convergence.
 4. Tighten the deflection yoke screw.
 5. Install the deflection yoke spacers.
 6. Adjust the Y.CROSS (RV2505) and Y. BOW (RV2503), so that RED and BLUE shown in Fig.-1 will become $a=b=c$.




Fig. 1

7. Match the horizontal convergence at the center of the screen with H STAT VR.
8. Adjust the CORNER BOW (RV2504), so that RED and BLUE shown in Fig.-2 will become $a=b=c$ and $d=e=f$.

Note: At this point, if the relationship between $a=c$ or $d=f$ is not established, adjust the Y • CROSS (RV2505) again.




Fig. 2

9. Match the horizontal convergence at the centre of the screen with the H STAT VR.
10. Adjust the H TILT (RV2502) so that the RED and BLUE shown in Fig.-3 will become $a=b$.




Fig. 3

11. Adjust the H AMP (RV2501) so that the RED and BLUE shown in Fig.-4 will become $a=2b$.




Fig. 4

12. Match the horizontal convergence at the center of the screen with the H STAT VR.
13. When the H AMP is adjusted repeat the procedures described in Steps 5 to 7.
14. If divergence of the convergence exists at the corner of the screen, the adjustments described in Steps after 3 should be repeated.

● H.AMP (RV2501)

● H.TILT (RV2502)

● Y.BOW (RV2503)

● CORNER BOW (RV2504)

● Y.CROSS (RV2505)

D₂ Board

(Conductor Side)

PVM-2730QM

RM-668

WHITE BALANCE ADJUSTMENT


1) SCREEN (G2) Adjustment

1. Input the dot signal.
2. Set the PICTURE control to minimum.
3. Confirm that G1 line voltage is $30 \pm 5\text{VDC}$.
4. Apply 180VDC voltage from DC POWER SUPPLY to cathodes terminal of R.G.B.
5. Adjust with the various cut off controls (RV705), (RV703) so that the cathode voltage for Red and Blue is 180V.
6. While watching the screen, adjust with the position immediately before the trace disappears with the screen control (RV701).

2) W/B Adjustment

1. Input a all white signal.
2. Set the PICTURE control to minimum and "Reset" BRIGHTNESS.
3. Adjust RV705 (cut off R) and RV703 (cut off B) for best White Balance.
4. Set PICTURE control to maximum.
5. Adjust RV3301 (B, IK) and RV3320 (G, IK) for best White Balance.
6. Reset steps 2 to 5.


C Board



(Component side)

RV701 (SCRN)
RV703 (B. CUT OFF)
RV705 (R. CUT OFF)
RV706 (SUB BRT)

B Board



(Component side)

RV1301 (G IK)
RV1302 (B IK)

PVM-2730QM
RM-668PVM-2730QM
RM-668


SECTION 4 CIRCUIT ADJUSTMENTS

4-1. FA, FC BOARDS ADJUSTMENT

+B Line Adjustment

1. Supply 220V ac to with variable auto-transformer.
2. Adjust RV651 so that the +B line is $140V \pm 0.5V$.
3. Adjust RV652 so that the pin ① of IC651 is $32 \pm 0.1V$.

FA Board

RV651 (+B ADJ)
RV652 (REF ADJ)

(Component side)

4-2. D AND D3 BOARD ADJUSTMENTS

Horizontal Position Adjustment

1. Check that H center moves so that and left with horizontal position VR (RV1503), then adjust horizontal position to center.


HV REG. ADJUSTMENT

1. Set the PICTURE control to maximum and BRIGHTNESS control for the RESET position.
2. Adjust HV REG voltage to $1.0 \pm 0.1V$ dc with RV1510.

Picture Distortion Adjustment


1. Picture distortion adjustment input a PAL color bar signal equivalent to a crosshatch signal.
2. Confirm that the voltage of connector D-10 is less than 9.98V dc when the RV1510 (HV REG VR), with fully clockwise.

• PIN PHASE (RV2603)D3 Board




(Note: NTSC PIN PHASE RV-2604)

• PIN AMP (RV2605)D3 Board




(Note: NTSC PIN AMP RV-2606)

• TOP PIN (RV2601)D3 Board




• BOTTOM PIN (RV2602)D3 Board



3. Adjust RV1505 (H. SIZE) so that H. SIZE is best.
4. Adjust RV1503 (H. CENT) so that horizontal position is center.
5. Adjust RV501 (V. SIZE) so that V. SIZE is best.
6. Adjust RV503 (V. CENT) so that V. CENT is best.
7. Adjust RV1506 (PICTURE AMP) so that picture center is best.


H. FREQ ADJUSTMENT

1. Input a color bar signal and short between IC1501 pins ① and ①.
2. Adjust RV1501 (H. FREQ VR) so that picture flow is as shown in figure.
3. After adjustment, remove the connections in step 1.



fo: suitable


D3 Board



(Component side)

RV2601 (TOP PIN)
RV2602 (BOTTOM PIN)
RV2603 (PIN PHASE 50)
RV2605 (PIN AMP 50)



D Board

RV503 (V. CENT)
RV1501 (H. FREQ)
RV1503 (H. CENT)
RV1505 (H. SIZE)
RV1506 (PICTURE AMP)
RV1510 (H.V REG)


4-3. HC BOARD ADJUSTMENT

H. CENTER Adjustment (DIGITAL RGB)

1. Connect to the digital RGB output connector of a microcomputer.
2. Press to select the RGB mode.
3. Turn the H. CENT VR (RV987--- Rear control panel) to center position.
4. Connect the oscilloscope to pin ④ of HC-2 connector and pin ① of HC-2 connector.
5. Adjust RV986 (H. CENT-2) so that the phase difference level is $\pm 0.1\mu\text{sec}$.




HC Board

RV986 (H. CENT-2)
RV987 (H. CENT VR)

4-4. B BOARD ADJUSTMENTS

Y Chroma Adjustment


1. Input a PAL color bar signal.
2. Connect an oscilloscope to pin ③⑤ of IC301, and adjust so that chroma component is minimum on pin ③⑤ of IC301 waveform while tracking with L451 (4.43 MHz).




3. Input a NTSC (3.58) color bar signal.
4. Connect an oscilloscope to pin ③⑤ of IC301 and adjust so that chroma component is minimum on pin ③⑤ of IC301 waveform while tracking with L452.

COLOR BALANCE Adjustment

1. Input a SECAM color bar signal and set PICTURE to maximum. Press "RESET" to set color to standard state.
2. Observe blue output (TP33) waveform on the oscilloscope and adjust L421 (B-Y) so that the black portion of the color bar is the same level as the pedestal.



3. Observe blue output (TP31) waveform on the oscilloscope and adjust L405 (R-Y) so that the black portion of the color bar is the same level as the pedestal.



PVM-2730QM
RM-668PVM-2730QM
RM-668

TMENT



GITAL RGB)

RGB output connector of a
mode.

(RV987— Rear control panel)

e to pin ④ of HC-2 connector
inector.

NT-2) so that the phase differ-




RV987
RV986 (H. CENT-2)
RV987 (H. CENT VR)



4.4. B BOARD ADJUSTMENTS

Y Chroma Adjustment


1. Input a PAL color bar signal.
2. Connect an oscilloscope to pin ③⑤ of IC301, and adjust so that chroma component is minimum on pin ③⑤ of IC301 waveform while tracking with L451 (4.43 MHz).




3. Input a NTSC (3.58) color bar signal.
4. Connect an oscilloscope to pin ③⑤ of IC301 and adjust so that chroma component is minimum on pin ③⑤ of IC301 waveform while tracking with L452.

COLOR BALANCE Adjustment

1. Input a SECAM color bar signal and set PICTURE to maximum. Press "RESET" to set color to standard state.
2. Observe blue output (TP33) waveform on the oscilloscope and adjust L421 (B-Y) so that the black portion of the color bar is the same level as the pedestal.



3. Observe blue output (TP31) waveform on the oscilloscope and adjust L405 (R-Y) so that the black portion of the color bar is the same level as the pedestal.



ANTI-PAL, LINE CRAWLING Adjustment

1. Input a PAL color bar signal and set PICTURE to maximum. Press "RESET" to set COLOR, HUE and BRT to standard state.
2. Confirm that there is no color on the first anti-PAL signal frames at the right and left of the picture. If sides while tracking with RV303.
3. Adjust T301 (DAT) for minimum line crawling.
4. Confirm the anti-PAL adjustment in 2, and repeat 3, and 1 if necessary.

APC Adjustment

4.43 adjustment


1. Input a PAL color bar signal.
2. Short pin ①① and pin ①② on IC301.
3. Adjust CT443 to get color sync.

3.58 adjustment

4. Input a NTSC (3.58 MHz) color bar signal.
5. Adjust CT358 to get color sync.


ACC, HUE CENT Adjustment

1. Input a PAL color bar signal and set PICTURE maximum.
2. Adjust RV302 (ACC ADJ) so that blue output (TP33) waveform is as shown in figure.




3. Input a NTSC (3.58 or 4.43) color bar signal and set PICTURE to maximum. Press "RESET" to set COLOR, HUE and BRIGHTNESS to standard state.
4. Adjust RV318 (S. HUE) so that blue output (TP33) waveform is as shown in figure.

B Board

CT358 (3.58)
CT443 (4.43)L405 (R-Y)
L421 (B-Y)
L451 (4.43 MHz)
L452 (Y/CHROMA)RV302 (ACC)
RV303 (φ)
RV318 (S. HUE)
T301 (DAT)

(Component side)

5-1. CIRCUIT BOARDS LOCATION




4.5. SAFETY CHECK Adjustment

HOLD DOWN ADJUSTMENT (※R597)

1. Turn the POWER switch ON, and receive entirely white signals and set the PICTURE and BRIGHTNESS control to maximum.
2. Confirm that the voltage of the TP85 is more than 8.7V DC when the set is operating normally with 120V AC supply.
3. Adjust ABL current to 1600 ± 30μA with PICTURE and BRIGHTNESS.
4. Confirm that there is less than 10.50V DC where by the raster disappears during operation of hold-down circuit. (HOLD DOWN check point of TP85)
5. Adjust ABL current to 290 ± 5μA with PICTURE and BRIGHTNESS.
6. Confirm that there is less than 11.00V DC where by the raster disappears during operation of hold-down circuit. (HOLD DOWN check point of TP85).



Note: If the hold-down circuit starts operating in the above case, switch OFF and POWER of the set immediately.

7. If above steps is not satisfied, select resistance value of R597 and repeat above steps 1 through 6.



SECTION 5
DIAGRAMS


5-1. CIRCUIT BOARDS LOCATION



4-5. SAFETY CHECK Adjustment


HOLD DOWN ADJUSTMENT (* R597)


1. Turn the POWER switch ON, and receive entirely white signals and set the PICTURE and BRIGHTNESS control to maximum.
 2. Confirm that the voltage of the TP85 is more than 8.7V DC when the set is operating normally with 120V AC supply.
 3. Adjust ABL current to 1600 ±30μA with PICTURE and BRIGHTNESS.
 4. Confirm that there is less than 10.50V DC where by the raster disappears during operation of hold-down circuit. (HOLD DOWN check point of TP85)
 5. Adjust ABL current to 290 ±5μA with PICTURE and BRIGHTNESS.
 6. Confirm that there is less than 11.00V DC where by the raster disappears during operation of hold-down circuit. (HOLD DOWN check point of TP85).
- Note: If the hold-down circuit starts operating in the above case, switch OFF and POWER of the set immediately.
7. If above steps is not satisfied, select resistance value of R597 and repeat above steps 1 through 6.



PVM-2730QM
RM-668


PVM-2730QM
RM-668




PVM-2730QM
RM-668**PVM-2730QM**
RM-668


PVM-2730QM
RM-668

A
B
C
D
E
F
G
H
I
J



PVM-2730QM
RM-668**PVM-2730QM**
RM-668**PVM**
RM-66

PVM-2730QM
RM-668







PVM-2730QM
RM-668

PVM-2730QM
RM-668


PVM-2730QM
RM-668

5-4. SCHEMATIC DIAGRAM AND PRINTED WIRING BOARDS



Note:

- All resistors are in ohms, 1/6W unless otherwise noted.
k Ω : 1000 Ω , M Ω : 1000k Ω .
- All capacitors are in μ F unless otherwise noted. pF : μ F.
50WV or less are not indicated except for electrolytics.
- All variable and adjustable resistors have characteristic curve B, unless otherwise noted.
-  : nonflammable resistor.
-  : fusible resistor.
-  : panel designation.
- Δ : internal component.
- Voltages are dc with respect to ground unless otherwise noted.
- Readings are taken with a color-bar signal input.
- Readings are taken with a digital multimeter (DC10M Ω).
- Voltage variations may be noted due to normal production tolerances.
-  : adjustment for repair.
- Circled numbers refer to waveforms.
- no mark : with PAL color-bar signal input.
() : with SECAM color-bar signal input.
() : with NTSC 3.58MHz color-bar signal input.
[] : with NTSC 4.43MHz color-bar signal input.
- * : Selected to yield optimum performance.

[QA BOARD]



[QB BOARD]



PVM-2730QM
RM-668PVM-2730QM
RM-668

5

6

7

8

9

10

11

12

13

14

15

16



17

18


19

20


21

QA (JACK/CONNECTOR)
BOARD

QB

ANALOG/DIGITAL
DECODER
VIDEO/AUDIO BUFF
SYNC PROCESS

PVM-2730QM
RM-668



PVM-2730QM
RM-668

PVM-2730QM
RM-668

(ANALOG/DIGITAL RECORDER
VIDEO/AUDIO BUFFER,
SYNC PROCESS)

QB

(JACK/CONNECTOR)

QA

QB

QA

K


(AUDIO OUT CONTROL)

— Conductor Side —



— K Board —

IC	1811	1809	1817	1812	1822	1781	1796	1795	1806	1802	1815	1825	1792	1826	1827	1778	1777	1819
Q	1810	1808	1807	1823	1832	1784	1794	1803	1805	1804	1814	1799	1813	1797	1791	1788	1790	1818
D	1703	1776	1775	1774	1711	1709	1707	1777, 1708, 1710	1706	1787	1784	1783	1782	1771	1770	1772	1773	1820

— QB Board —




— QA Board —



PVM-2730QM
RM-668

K



A

B

C

D

E

F


G

H


I

J

PVM-2730QM
RM-668




PVM-2730QM
RM-668



PVM-2730QM
RM-668

B

J

[illegible]

PVM-2730QM
RM-668

HB

(H. CENT)

[illegible]

PVM-2730QM
RM-668

PVM-2730QM
RM-668

PVM-2730QM
RM-668

4A

HB

HC

HA

HB

HC

HD

N

HD

N

(KEY BOARD/INDICATOR)

(H. CENT)

(SWITCH)

(INF AMP)

20

21

22

23

24

25

26

27

28

29

30




31

32


33

34


35



– HD Board –




– N Board –



PVM-2730QM
RM-668



PVM-2730QM
RM-668



PVM-2730QM
RM-668

(POWER CONTROL)

FB

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

— C Board —

— FB Board —

PVM-2730QM
RM-668

(POWER CONTROL)

FB

(CONVERGENCE, VP/HP,
V BLK, FOURPOLE MODULATION)

(FBT)

(POWER SUPPLY)


FA

(PIN PHASE)
(PIN AMP 50/60)

D3

25

— C Board —



PVM-2730QM
RM-668PVM-2730QM
RM-668PVM-2730QM
RM-668

FC

(POWER SUPPLY)

FA

(PIN PHASE
PIN AMP 50/60)

D3

FA

D3

FA

D3

20

21

22

23

24

25

26

27

28


29

30


31

32


— D2 Board —




— FC Board —



— FA Board —



— D3 Board —



[D BOARD]


A

B

C

D

E



[D2 BOARD]


F

G


H









































I

J



[C BOARD]



PVM-2730QM
RM-668**PVM-2730QM**
RM-668**PVM-2730QM**
RM-668**5-5. SEMICONDUCTORS****BA236**
LA7910**BX1387****CXA1001AP****CSA1024S****CXK1005P**
SN74LS138N
TA7630P
μPD4052BC
μPD6326C**CX175****CX23025**
NJM4558D
NJM4558S
μPC358C
μPC4558C**CX7947****MC14073BCP****NJM78L12A**
TA78L012AP**NJM7805A**
NJM7812A
NJM7812B
μPC7805H
μPC7812H**SN74LS09N**
SN74LS86N
TC4073BP
μPC1394C
μPD4066BC
μPD4073BC**TD62381P****μPC1188H****μPC1377C****μPC574J****μPC78L12****μPD8243C****μPD7508HCU-244****DTC124ES**
DTC144ES
2SA1048
2SA1115
2SC1740SET
2SC1740SQT
2SC1740SRT
2SC1740SST
2SC2458
2SC2603
2SC2603E
2SC2603F
2SC2603G**2SA1091**
2SA933S-QT
2SA933S-RT
2SA933S-ST
2SB740
2SC2551
2SD789**2SA1175**
2SC2785**2SA1220A**
2SC2611
2SC2688
2SC2690A**2SB734**
2SC2958
2SC2959
2SD773
2SD774**2SC1475**
2SD788**2SC2238B**
2SC2334
2SC2334-L
2SD795A**2SC2673****2SD1497-04****2SK523-L1****CR02AM-4**
CR02AM-8**CTU-12S****CTU-38S****EQA01-06T**
ERB12-02
HZS10E-B2TD
HZ12E-B2
RD12E-B2
RD13E-B
RD13E-N1
RD13E-N2
RD13E-N3
RD20E-B
RD20E-N1
RD20E-N2
RD20E-N3
RD24E-BZ7
RD4.7E-N2
RD4.7E-N3TN
RD5.6E-N1TN
RD5.6E-N2
RD6.2E-B1
RD6.2E-B2
RD6.2E-L2
RD6.2E-L3TN
RD6.2E-N2
RD7.5E-N2
RGP10G
1N4148-M
1N4148-T2
1SS83
1S1555
1S2076TP1
1S2473T-77
10E-2**EQA02-11C****EQA02-11CTP3**
EQB01-06
ERC14-06S
ERC25-06S
RH-1
RH-1A
RH-1Z
SIB01-02**ERC26-15S**
ERC26-15SA
GH3F
GU-3A
V11N
V19E
V30N**GP08D****HZS13N**
HZS13NB
HZS20N
HZS24N
HZS5.6NE
HZS6.8NE
RK10ES-E
RD13ES-E
RD13ES-F
RD15ES-E
RD20ES-E
RD34ES-E
RD3.6ES-
RD5.1ES-
RD5.1ES-
RD5.6ES-
RD6.2ES-
RD6.2ES-
RD6.8ES-
RD6.8ES-
RD8.2ES-
RD9.1ES-
1SS119
1SS133
1SS133T**MC911****MC931****SG264A**

PVM-2730QM
RM-668PVM-2730QM
RM-668PVM-
RM-668SECTION 6
EXPLODED VIEWS


NOTE:

- Items with no part number and no description are not stocked because they are seldom required for routine service.
- The construction parts of an assembled part are indicated with a collation number in the remark column.

- Items marked " * " are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.

The components identified by shading and mark Δ are critical for safety. Replace only with part number specified.

6-1. PICTURE TUBE



No.	Part No.	Description	Remark	No.	Part No.	Description
1	X-4374-191-1	BEZEL ASSY		14	4-303-774-XX	SPRING
2	3-703-083-00	+ BV 3X25		15	*4-371-629-01	STOPPER, WIRE
3	1-464-792-12	KEY BOARD UNIT (A)		16	4-306-034-00	FLANGE NUT, (B) 5MM
4	1-464-793-12	KEY BOARD UNIT (B)		17	Δ 1-230-712-21	RESISTOR ASSY, HIGH-VOLTAGE
5	4-376-980-01	NUT, SPECIAL, CRT		18	*4-371-182-01	SHAFT
6	Δ 8-736-652-05	CRT (A64JKJ10X) (AEP, WG ONLY)		19	*4-371-183-01	COVER, MAIN SWITCH
7	Δ 8-736-654-05	CRT (A64JKJ10X) (AUS ONLY)		20	Δ 1-554-966-12	SWITCH, PUSH (AC POWER) (1 KEY)
8	X-4374-192-1	CABINET ASSY	8	21	4-308-870-00	CLIP, LEAD WIRE
9	4-319-520-11	SCREW, SPECIAL (+PW4X30)		22	1-452-032-00	MAGNET, DISK; 10MM ϕ
10	Δ 1-451-255-22	DEFLECTION YOKE (SY-164)		23	1-452-094-00	MAGNET, ROTATING DISK; 15MM ϕ
11	1-452-146-21	MAGNET, BMC		24	X-4308-815-0	PERMALLOY ASSY, CONVERGENCE
12	Δ 1-452-351-22	NECK ASSY, CRT (NA302)		26	3-703-003-00	SPACER, DY
13	*A-1330-789-A	C BOARD, COMPLETE				
	Δ 1-426-278-21	COIL, DEMAGNETIZATION				

2SB734
2SC2958
2SC2959
2SD773
2SD7742SC1475
2SD7882SC2238B
2SC2334
2SC2334-L
2SD795A


2SC2673




2SD1497-04




2SK523-L1

CR02AM-4
CR02AM-8


CTU-12S




CTU-38S




EQA01-06T
ERB12-02
HZS10E-B2TD
HZ12E-B2
RD12E-B2
RD13E-B
RD13E-N1
RD13E-N2
RD13E-N3
RD20E-B
RD20E-N1
RD20E-N2
RD20E-N3
RD24E-BZ7
RD4.7E-N2
RD4.7E-N3TN
RD5.6E-N1TN
RD5.6E-N2
RD6.2E-B1
RD6.2E-B2
RD6.2E-L2
RD6.2E-L3TN
RD6.2E-N2
RD7.5E-N2
RGP10G
1N4148-M
1N4148-T2
1SS83
1S1555
1S2076TP1
1S2473T-77
10E-2




EQA02-11C




EQA02-11CTP3
EQB01-06
ERC14-06S
ERC25-06S
RH-1
RH-1A
RH-1Z
SIB01-02




ERC26-15S
ERC26-15SA
GH3F
GU-3A
V11N
V19E
V30N




GP08D




HZS13N
HZS13NB2
HZS20N
HZS24N
HZS5.6NB1
HZS6.8NB2TD
RK10ES-B2
RD13ES-B
RD13ES-B2
RD15ES-B
RD20ES-B
RD34ES-B
RD3.6ES-B1
RD5.1ES-B
RD5.1ES-B2
RD5.6ES-B3
RD6.2ES-B1
RD6.2ES-B2
RD6.8ES-B
RD6.8ES-B2
RD8.2ES-B2
RD9.1ES-B3
1SS119
1SS133
1SS133T




MC911





MC931





SG264A



SLR-932A

S3WB60Z
S3WB60ZS

TLP581

TLS263P
TLY263P

PVM-2730QM
RM-668

PVM-2730QM
RM-668

SECTION 6
EXPLODED VIEWS


NOTE:

- Items with no part number and no description are not stocked because they are seldom required for routine service.
- The construction parts of an assembled part are indicated with a collation number in the remark column.

- Items marked " * " are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.

The components identified by shading and mark **▲** are critical for safety. Replace only with part number specified.


6-1. PICTURE TUBE



No.	Part No.	Description	Remark	No.	Part No.	Description	Remark
1	X-4374-191-1	BEZEL ASSY	2	14	4-303-774-XX	SPRING	
2	3-703-083-00	+ BV 3X25		15	*4-371-629-01	STOPPER, WIRE	
3	1-464-792-12	KEY BOARD UNIT (A)		16	4-306-034-00	FLANGE NUT, (8) 5MM	
4	1-464-793-12	KEY BOARD UNIT (B)		17	▲1-230-712-21	RESISTOR ASSY, HIGH-VOLTAGE	
5	4-376-980-01	NUT, SPECIAL, CRT		18	*4-371-182-01	SHAFT	
6	▲8-736-652-05	CRT (A64JKJ10X) (AEP,WG ONLY)		19	*4-371-183-01	COVER, MAIN SWITCH	
7	▲8-736-654-05	CRT (A64JKJ10X) (AUS ONLY)		20	▲1-554-966-12	SWITCH, PUSH (AC POWER)(1 KEY)	
8	X-4374-192-1	CABINET ASSY	8	21	4-308-870-00	CLIP, LEAD WIRE	
9	4-319-520-11	SCREW, SPECIAL (+PW4X30)		22	1-452-032-00	MAGNET, DISK; 10MM Ø	
10	▲1-451-255-22	DEFLECTION YOKE (SY-164)		23	1-452-094-00	MAGNET, ROTATABLE DISK; 15MM Ø	
11	▲1-452-146-21	MAGNET, BMC		24	X-4308-815-0	PERMALLOY ASSY, CONVERGENCE	
12	▲1-452-351-22	NECK ASSY, CRT (NA302)		26	3-703-003-00	SPACER, DY	
13	*A-1330-789-A	C BOARD, COMPLETE					
	▲1-426-278-21	COIL, DEMAGNETIZATION					

6-2. CHASSIS

• BVTP3x12 7-685-648-79



The components identified by shading and mark **▲** are critical for safety. Replace only with part number specified.


No.	Part No.	Description	Remark	No.	Part No.	Description	Remark
51	3-703-320-00	BUSHING (A), TRANSISTOR (AEP, AUS ONLY)		60	*3-670-570-11	SPACER, SUPPORT (AEP, AUS ONLY)	
52	4-302-428-00	HEAD, WASHER, TAPPING SCREW		61	*1-621-548-11	FC BOARD	
53	4-383-101-01	WASHER (DIA.14)		62	*A-1245-387-A	FA BOARD, COMPLETE (AEP, AUS ONLY)	61
54	*4-313-732-00	CLIP, HINGE, CIRCUIT BOARD			*A-1245-411-A	FA BOARD, COMPLETE (WG, ONLY)	
55	*A-1345-699-A	D BOARD, COMPLETE		63	▲4-364-726-01	BUSHING, AC CORD (WG, ONLY)	
56	*A-1340-941-A	D3 BOARD, COMPLETE			▲4-364-745-01	BUSHING, AC CORD (AEP, AUS ONLY)	
57	▲1-439-339-13	TRANSFORMER ASSY, FLYBACK		64	▲1-534-820-13	POWER CORD (WG ONLY)	
58	*1-621-546-11	FB BOARD			▲1-534-820-13	POWER CORD (AEP, AUS ONLY)	
59	4-319-520-11	SCREW, SPECIAL (+PW4X30)		65	*A-1135-442-A	B BOARD, COMPLETE	

PVM-2730QM
RM-668

6-3. BACK COVER

●: BVTP 3x12 7-685-648-79


○: BVTP 3x10 7-685-647-79



No.	Part No.	Description	Remark	No.	Part No.	Description	Remark
101	*1-621-541-11	HD BOARD		108	4-371-181-01	CAP	
102	*A-1340-940-A	D2 BOARD, COMPLETE		109	*A-1380-192-A	K BOARD, COMPLETE	
103	4-319-520-11	SCREW, SPECIAL (+PW4X30)		110	X-4374-162-3	COVER ASSY, REAR	111
104	*A-1375-066-A	HC BOARD, COMPLETE		111	4-316-003-21	HOLDER, CORD	
105	4-381-166-01	KNOB (A), CONTROL		112	*A-1270-213-A	QB BOARD, COMPLETE	
106	4-382-005-31	PANEL, CONTROL		113	*3-703-141-00	HOLDER, PCB	
107	4-371-176-01	CAP, SQUARE		114	*A-1270-212-A	QA BOARD, COMPLETE	

PVM-2730QM RM-668

6-4. KEY BOARD



No.	Part No.	Description
1	9-990-892-01	ILLUMINATOR A
2	9-990-891-01	REFLECTOR A
3	*9-992-247-01	HA BOARD
4	9-990-895-01	SPACER
5	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
6	9-990-894-01	TAPPING SCREW
7	9-992-249-01	FRAME ASSY

Remark	No.	Part No.	Description	Remark
	1	9-990-892-01	ILLUMINATOR A	
	2	9-990-891-01	REFLECTOR A	
	3	9-990-895-01	SPACER	
	4	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
	5	9-990-894-01	TAPPING SCREW	
	6	9-990-899-01	KEY TOP	
1,2	7	9-990-902-01	COIL SPRING	
	8	9-990-900-01	STOPPER	
	9	8-741-138-70	DETECTOR (BX1387)	
	10	*9-990-898-01	N BOARD	
	11	*9-992-243-01	HB BOARD	
	12	9-992-244-01	FRAME ASSY	

1,2,6,7,8

PVM-2730QM
RM-668SECTION 7
ELECTRICAL PARTS LIST

B

NOTE:

The components identified by shading and mark **A** are critical for safety. Replace only with part number specified.

When indicating parts by reference number, please include the board name.

• Items marked " * " are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.

• All variable and adjustable resistors have characteristic curve B, unless otherwise noted.

CAPACITORS
• MF : μ F, PF : μ F

RESISTORS
• All resistors are in ohms
• F : nonflammable

COILS
• MMH : mH, UH : μ H

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
	*A-1135-442-A	B BOARD, COMPLETE *****		C139	1-123-356-00	ELECT 10MF	20% 16V
		CONNECTOR		C140	1-123-356-00	ELECT 10MF	20% 16V
B1	*1-566-054-11	PIN, CONNECTOR 2P		C141	1-123-330-00	ELECT 22MF	20% 16V
B2	*1-566-057-11	PIN, CONNECTOR 5P		C161	1-123-333-00	ELECT 100MF	20% 25V
B4	*1-566-055-11	PIN, CONNECTOR 3P		C162	1-123-321-00	ELECT 220MF	20% 16V
B5	*1-566-059-11	PIN, CONNECTOR 7P		C167	1-101-004-00	CERAMIC 0.01MF	50V
B6	*1-566-056-11	PIN, CONNECTOR 4P		C168	1-123-356-00	ELECT 10MF	20% 16V
B7	*1-566-058-11	PIN, CONNECTOR 6P		C169	1-123-356-00	ELECT 10MF	20% 25V
B8	*1-566-059-11	PIN, CONNECTOR 7P		C170	1-101-004-00	CERAMIC 0.01MF	50V
B9	*1-566-061-11	PIN, CONNECTOR 9P		C171	1-123-356-00	ELECT 10MF	20% 16V
B10	*1-566-065-11	PIN, CONNECTOR 13P		C173	1-101-004-00	CERAMIC 0.01MF	50V
B11	*1-566-061-11	PIN, CONNECTOR 9P		C174	1-101-004-00	CERAMIC 0.01MF	50V
B13	*1-566-054-11	PIN, CONNECTOR 2P		C175	1-101-006-00	CERAMIC 0.047MF	50V
B14	*1-566-057-11	PIN, CONNECTOR 5P		C177	1-119-354-00	ELECT 330MF	10V
B15	*1-508-766-00	4P PLUG (M)		C178	1-101-004-00	CERAMIC 0.01MF	50V
B16	*1-566-056-11	PIN, CONNECTOR 4P		C179	1-101-006-00	CERAMIC 0.047MF	50V
B17	*1-566-054-11	PIN, CONNECTOR 2P		C180	1-123-307-00	ELECT 100MF	20% 10V
B18	*1-566-055-11	PIN, CONNECTOR 3P		C181	1-123-332-00	ELECT 47MF	20% 16V
B19	*1-566-057-11	PIN, CONNECTOR 5P		C182	1-101-006-00	CERAMIC 0.047MF	50V
B20	*1-566-058-11	PIN, CONNECTOR 6P		C183	1-119-352-00	ELECT 100MF	10V
B21	*1-566-054-11	PIN, CONNECTOR 2P		C185	1-123-307-00	ELECT 100MF	20% 10V
		CAPACITOR		C186	1-123-356-00	ELECT 10MF	20% 16V
C101	1-123-356-00	ELECT 10MF	20% 16V	C187	1-123-330-00	ELECT 22MF	20% 16V
C103	1-102-973-00	CERAMIC 100PF	5% 50V	C301	1-123-333-00	ELECT 100MF	20% 16V
C104	1-123-306-00	ELECT 47MF	20% 10V	C302	1-101-888-00	CERAMIC 68PF	5% 50V
C105	1-136-161-00	FILM 0.047MF	5% 50V	C303	1-123-369-00	ELECT 4.7MF	20% 25V
C106	1-102-963-00	CERAMIC 33PF	5% 50V	C304	1-123-356-00	ELECT 10MF	20% 16V
C107	1-102-963-00	CERAMIC 33PF	5% 50V	C305	1-110-201-00	MYLAR 0.0033MF	5% 50V
C108	1-102-978-00	CERAMIC 220PF	5% 50V	C306	1-101-006-00	CERAMIC 0.047MF	50V
C110	1-123-333-00	ELECT 100MF	20% 25V	C307	1-101-006-00	CERAMIC 0.047MF	50V
C112	1-123-335-00	ELECT 330MF	20% 25V	C308	1-123-381-00	ELECT 2.2MF	20% 50V
C113	1-123-318-00	ELECT 33MF	20% 16V	C309	1-102-946-00	CERAMIC 9PF	0.5PF 50V
C114	1-123-333-00	ELECT 100MF	20% 25V	C310	1-123-356-00	ELECT 10MF	20% 16V
C115	1-123-333-00	ELECT 100MF	20% 16V	C311	1-136-157-00	FILM 0.022MF	5% 50V
C116	1-101-006-00	CERAMIC 0.047MF	50V	C312	1-136-157-00	FILM 0.022MF	5% 50V
C118	1-101-004-00	CERAMIC 0.01MF	50V	C313	1-102-074-00	CERAMIC 0.001MF	10% 50V
C119	1-123-330-00	ELECT 22MF	20% 16V	C314	1-101-006-00	CERAMIC 0.047MF	50V
C120	1-123-330-00	ELECT 22MF	20% 25V	C315	1-101-006-00	CERAMIC 0.047MF	50V
C123	1-101-006-00	CERAMIC 0.047MF	50V	C316	1-136-169-00	FILM 0.22MF	5% 50V
C125	1-123-380-00	ELECT 1MF	20% 50V	C317	1-102-074-00	CERAMIC 0.001MF	10% 50V
C126	1-123-380-00	ELECT 1MF	20% 50V	C322	1-101-006-00	CERAMIC 0.047MF	50V
C127	1-123-380-00	ELECT 1MF	20% 50V	C323	1-124-464-11	ELECT 0.22MF	20% 50V
C128	1-123-380-00	ELECT 1MF	20% 50V	C324	1-124-464-11	ELECT 0.22MF	20% 50V
C131	1-130-475-00	MYLAR 0.0022MF	5% 50V	C325	1-123-333-00	ELECT 100MF	20% 16V
C133	1-123-380-00	ELECT 1MF	20% 50V	C326	1-124-464-11	ELECT 0.22MF	20% 50V
C134	1-123-380-00	ELECT 1MF	20% 50V	C327	1-102-111-00	CERAMIC 270PF	10% 50V
C135	1-123-381-00	ELECT 2.2MF	20% 50V	C330	1-101-006-00	CERAMIC 0.047MF	50V
C136	1-101-006-00	CERAMIC 0.047MF	50V	C331	1-123-380-00	ELECT 1MF	20% 50V
C137	1-123-307-00	ELECT 100MF	20% 10V	C332	1-136-161-00	FILM 0.047MF	5% 50V
C138	1-123-307-00	ELECT 100MF	20% 10V	C333	1-102-959-00	CERAMIC 22PF	5% 50V
				C334	1-123-380-00	ELECT 1MF	20% 50V
				C335	1-123-307-00	ELECT 100MF	20% 10V
				C336	1-123-318-00	ELECT 33MF	20% 16V
				C337	1-102-112-00	CERAMIC 330PF	10% 50V

PVM-2730QM
RM-668**B**

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
C341	1-123-380-00	ELECT 1MF 20%	50V	C1304	1-123-356-00	ELECT 10MF 20%	16V
C346	1-123-380-00	ELECT 1MF 20%	50V	C1305	1-136-161-00	FILM 0.047MF 5%	50V
C347	1-102-111-00	CERAMIC 270PF 10%	50V	C1306	1-123-380-00	ELECT 1MF 20%	50V
C350	1-123-356-00	ELECT 10MF 20%	16V	C1316	1-123-356-00	ELECT 10MF 20%	25V
C351	1-102-074-00	CERAMIC 0.001MF 10%	50V	C1317	1-123-380-00	ELECT 1MF 20%	50V
C352	1-101-361-00	CERAMIC 150PF 5%	50V	C1318	1-123-380-00	ELECT 1MF 20%	50V
C353	1-102-959-00	CERAMIC 22PF 5%	50V	C1319	1-123-380-00	ELECT 1MF 20%	50V
C354	1-123-380-00	ELECT 1MF 20%	50V	C1320	1-123-382-00	ELECT 3.3MF 20%	50V
C355	1-101-005-00	CERAMIC 0.022MF 5%	50V	C1321	1-123-356-00	ELECT 10MF 20%	25V
C360	1-136-153-00	FILM 0.01MF 5%	50V	C1322	1-101-004-00	CERAMIC 0.01MF 50V	
C381	1-102-074-00	CERAMIC 0.001MF 10%	50V	C1323	1-123-356-00	ELECT 10MF 20%	25V
C382	1-123-332-00	ELECT 47MF 20%	16V	C1324	1-123-332-00	ELECT 47MF 20%	16V
C402	1-136-167-00	FILM 0.15MF 5%	50V	C1325	1-101-006-00	CERAMIC 0.047MF 50V	
C404	1-136-165-00	FILM 0.1MF 5%	50V	C1326	1-101-006-00	CERAMIC 0.047MF 50V	
C405	1-102-806-00	CERAMIC 27PF 5%	50V	C1329	1-123-382-00	ELECT 3.3MF 20%	50V
C406	1-101-890-00	CERAMIC 75PF 5%	50V	C1333	1-136-153-00	FILM 0.01MF 5%	50V
C408	1-123-356-00	ELECT 10MF 20%	16V	C1334	1-101-004-00	CERAMIC 0.01MF 50V	
C410	1-123-356-00	ELECT 10MF 20%	50V	C1336	1-110-203-00	MYLAR 0.0047MF 5%	50V
C411	1-136-161-00	FILM 0.047MF 5%	50V	C1338	1-136-161-00	FILM 0.047MF 5%	50V
C412	1-102-119-00	CERAMIC 0.0015MF 10%	50V	C1339	1-136-153-00	FILM 0.01MF 5%	50V
C413	1-123-380-00	ELECT 1MF 20%	50V	C1341	1-110-203-00	MYLAR 0.0047MF 5%	50V
C414	1-136-173-00	FILM 0.47MF 5%	50V	C1343	1-136-161-00	FILM 0.047MF 5%	50V
C415	1-101-005-00	CERAMIC 0.022MF 50V		C1344	1-136-153-00	FILM 0.01MF 5%	50V
C416	1-123-356-00	ELECT 10MF 20%	16V	C1346	1-110-203-00	MYLAR 0.0047MF 5%	50V
C417	1-123-356-00	ELECT 10MF 20%	16V	C1351	1-123-356-00	ELECT 10MF 20%	25V
C418	1-136-161-00	FILM 0.047MF 5%	50V	C1352	1-123-332-00	ELECT 47MF 20%	16V
C419	1-123-380-00	ELECT 1MF 20%	50V	C1353	1-102-973-00	CERAMIC 100PF 5%	50V
C420	1-101-890-00	CERAMIC 75PF 5%	50V	C1354	1-136-157-00	FILM 0.022MF 5%	50V
C421	1-102-806-00	CERAMIC 27PF 5%	50V	C1355	1-123-380-00	ELECT 1MF 20%	50V
C423	1-136-165-00	FILM 0.1MF 5%	50V	C1356	1-136-165-00	FILM 0.1MF 5%	50V
C424	1-123-356-00	ELECT 10MF 20%	16V	C1357	1-123-380-00	ELECT 1MF 20%	50V
C425	1-102-888-00	CERAMIC 150PF 5%	50V	C1358	1-123-369-00	ELECT 4.7MF 20%	50V
C426	1-101-004-00	CERAMIC 0.01MF 50V		C1359	1-102-820-00	CERAMIC 330PF 5%	50V
C427	1-101-006-00	CERAMIC 0.047MF 50V		C1360	1-102-820-00	CERAMIC 330PF 5%	50V
C428	1-102-121-00	CERAMIC 0.0022MF 10%	50V	C1361	1-102-129-00	CERAMIC 0.01MF 10%	50V
C429	1-136-161-00	FILM 0.047MF 5%	50V	C1362	1-130-475-00	MYLAR 0.0022MF 5%	50V
C430	1-102-971-00	CERAMIC 82PF 5%	50V	C1390	1-101-004-00	CERAMIC 0.01MF 50V	
C434	1-102-112-00	CERAMIC 330PF 10%	50V	C1391	1-123-356-00	ELECT 10MF 20%	16V
C452	1-136-169-00	FILM 0.22MF 5%	50V	C1392	1-123-356-00	ELECT 10MF 20%	16V
C453	1-123-333-00	ELECT 100MF 20%	16V	C1393	1-101-004-00	CERAMIC 0.01MF 50V	
C454	1-102-963-00	CERAMIC 33PF 5%	50V	TRIMMER			
C466	1-102-115-00	CERAMIC 560PF 10%	50V	CT358	1-141-181-11	CAP, TRIMMER	
C470	1-123-333-00	ELECT 100MF 20%	16V	CT443	1-141-181-11	CAP, TRIMMER	
C472	1-123-382-00	ELECT 3.3MF 20%	50V	DIODE			
C473	1-101-361-00	CERAMIC 150PF 5%	50V	D101	8-719-109-97	DIODE RD6.8ES-B2	
C474	1-102-662-00	CERAMIC 7PF 0.5PF	50V	D102	8-719-109-97	DIODE RD6.8ES-B2	
C475	1-102-662-00	CERAMIC 7PF 0.5PF	50V	D103	8-719-911-19	DIODE 1SS119	
C476	1-102-662-00	CERAMIC 7PF 0.5PF	50V	D104	8-719-109-68	DIODE RD3.6ES-B1	
C477	1-102-662-00	CERAMIC 7PF 0.5PF	50V	D108	8-719-911-19	DIODE 1SS119	
C481	1-108-614-91	MYLAR 0.001MF 10%	100V	D110	8-719-911-19	DIODE 1SS119	
C482	1-102-820-00	CERAMIC 330PF 5%	50V	D111	8-719-110-08	DIODE RD8.2ES-B2	
C484	1-136-165-00	FILM 0.1MF 5%	50V				
C1301	1-101-004-00	CERAMIC 0.01MF 50V					
C1302	1-124-656-00	ELECT 2.2MF 20%	50V				

PVM-2730QM
 RM-668

B

Ref.No.	Part No.	Description
D112	8-719-911-19	DIODE 1SS119
D113	8-719-911-19	DIODE 1SS119
D114	8-719-911-19	DIODE 1SS119
D115	8-719-109-85	DIODE RD5.1ES-B2
D116	8-719-109-90	DIODE RD5.6ES-B3
D117	8-719-911-19	DIODE 1SS119
D118	8-719-911-19	DIODE 1SS119
D120	8-719-911-19	DIODE 1SS119
D121	8-719-911-19	DIODE 1SS119
D123	8-719-911-19	DIODE 1SS119
D124	8-719-911-19	DIODE 1SS119
D125	8-719-911-19	DIODE 1SS119
D126	8-719-109-95	DIODE RD6.8ES-B
D127	8-719-109-95	DIODE RD6.8ES-B
D305	8-719-911-19	DIODE 1SS119
D306	8-719-911-19	DIODE 1SS119
D307	8-719-911-19	DIODE 1SS119
D308	8-719-911-19	DIODE 1SS119
D309	8-719-911-19	DIODE 1SS119
D334	8-719-110-15	DIODE RD10ES-B
D335	8-719-911-19	DIODE 1SS119
D339	8-719-911-19	DIODE 1SS119
D340	8-719-911-19	DIODE 1SS119
D341	8-719-911-19	DIODE 1SS119
D342	8-719-110-15	DIODE RD10ES-B
D343	8-719-110-15	DIODE RD10ES-B
D344	8-719-110-15	DIODE RD10ES-B
D345	8-719-911-19	DIODE 1SS119
D351	8-719-911-19	DIODE 1SS119
D354	8-719-911-19	DIODE 1SS119
D361	8-719-911-19	DIODE 1SS119
D362	8-719-911-19	DIODE 1SS119
D391	8-719-911-19	DIODE 1SS119
D392	8-719-911-19	DIODE 1SS119
D401	8-719-911-19	DIODE 1SS119
D442	8-719-911-19	DIODE 1SS119
D443	8-719-911-19	DIODE 1SS119
D444	8-719-911-19	DIODE 1SS119
D445	8-719-911-19	DIODE 1SS119
D450	8-719-911-19	DIODE 1SS119
D454	8-719-911-19	DIODE 1SS119
D457	8-719-911-19	DIODE 1SS119
<u>DELAY LINE</u>		
DL301	1-415-122-31	DELAY LINE, 1H (PAL)
DL401	1-415-380-11	DELAY LINE, Y
<u>IC</u>		
IC101	8-759-113-02	IC UPD7508HCU-244
IC102	8-752-321-18	IC CXK1005P
IC103	8-759-102-28	IC UPD6326C
IC104	8-759-182-43	IC UPD8243C
IC106	8-759-207-07	IC TD62381P

Remark	Ref.No.	Part No.	Description	Remark
	IC107	8-759-207-07	IC TD62381P	
	IC110	8-759-140-66	IC UPD4066BC	
	IC121	8-759-171-05	IC UPC7805H	
		*4-363-146-00	HEAT SINK, V.OUT; IC121	
	IC122	8-759-700-06	IC NJM7812B	
		*4-323-833-00	HEAT SINK, PIN OUT; IC122	
	IC301	8-752-030-86	IC CXA1001AP	
	IC302	8-752-030-31	IC CXA1024S	
	IC311	8-759-240-73	IC TC4073BP	
	IC401	8-751-750-00	IC CX175	
	IC411	8-759-135-80	IC UPC358C	
	IC412	8-759-140-66	IC UPD4066BC	
	<u>COIL</u>			
	L101	1-408-424-00	MICRO INDUCTOR 180UH	
	L104	1-408-424-00	MICRO INDUCTOR 180UH	
	L105	1-408-424-00	MICRO INDUCTOR 180UH	
	L161	1-407-364-00	COIL, SPOOK CHOKE 3.3UH	
	L333	1-408-416-00	MICRO INDUCTOR 39UH	
	L337	1-408-160-00	MICRO INDUCTOR 15MMH	
	L405	1-404-496-00	COIL	
	L406	1-408-411-00	MICRO INDUCTOR 15UH	
	L420	1-408-411-00	MICRO INDUCTOR 15UH	
	L421	1-404-496-00	COIL	
	L430	1-408-245-00	MICRO INDUCTOR 22MMH	
	L431	1-408-414-00	MICRO INDUCTOR 27UH	
	L432	1-408-415-00	MICRO INDUCTOR 33UH	
	L435	1-408-408-00	MICRO INDUCTOR 8.2UH	
	L451	1-404-495-00	COIL	
	L452	1-404-495-00	COIL	
	L455	1-408-163-00	MICRO INDUCTOR 5.6MMH	
	<u>IC LINK</u>			
	PS1	1-532-605-00	LINK, IC	
	PS2	1-532-637-00	LINK, IC	
	<u>TRANSISTOR</u>			
	Q101	8-729-117-54	TRANSISTOR 2SA1175	
	Q102	8-729-117-54	TRANSISTOR 2SA1175	
	Q103	8-729-178-54	TRANSISTOR 2SC2785	
	Q104	8-729-178-54	TRANSISTOR 2SC2785	
	Q105	8-729-178-54	TRANSISTOR 2SC2785	
	Q107	8-729-900-36	TRANSISTOR DTC124ES	
	Q108	8-729-178-54	TRANSISTOR 2SC2785	
	Q109	8-729-117-54	TRANSISTOR 2SA1175	
	Q110	8-729-117-54	TRANSISTOR 2SA1175	
	Q111	8-729-103-43	TRANSISTOR 2SB734	
	Q112	8-729-178-54	TRANSISTOR 2SC2785	
	Q113	8-729-178-54	TRANSISTOR 2SC2785	
	Q114	8-729-178-54	TRANSISTOR 2SC2785	
	Q115	8-729-900-36	TRANSISTOR DTC124ES	
	Q116	8-729-117-54	TRANSISTOR 2SA1175	

PVM-2730QM

RM-668

B

Ref.No.	Part No.	Description
Q117	8-729-178-54	TRANSISTOR 2SC2785
Q118	8-729-117-54	TRANSISTOR 2SA1175
Q119	8-729-117-54	TRANSISTOR 2SA1175
Q121	8-729-133-42	TRANSISTOR 2SC2334-L
	*4-363-146-00	HEAT SINK, V.OUT; Q121
Q122	8-729-117-54	TRANSISTOR 2SA1175
Q123	8-729-178-54	TRANSISTOR 2SC2785
Q301	8-729-117-54	TRANSISTOR 2SA1175
Q309	8-729-178-54	TRANSISTOR 2SC2785
Q310	8-729-117-54	TRANSISTOR 2SA1175
Q311	8-729-177-32	TRANSISTOR 2SD773
Q315	8-729-178-54	TRANSISTOR 2SC2785
Q316	8-729-178-54	TRANSISTOR 2SC2785
Q321	8-729-178-54	TRANSISTOR 2SC2785
Q322	8-729-178-54	TRANSISTOR 2SC2785
Q324	8-729-178-54	TRANSISTOR 2SC2785
Q331	8-729-178-54	TRANSISTOR 2SC2785
Q341	8-729-178-54	TRANSISTOR 2SC2785
Q342	8-729-178-54	TRANSISTOR 2SC2785
Q343	8-729-178-54	TRANSISTOR 2SC2785
Q353	8-729-178-54	TRANSISTOR 2SC2785
Q354	8-729-900-36	TRANSISTOR DTC124ES
Q355	8-729-178-54	TRANSISTOR 2SC2785
Q357	8-729-117-54	TRANSISTOR 2SA1175
Q358	8-729-900-36	TRANSISTOR DTC124ES
Q361	8-729-117-54	TRANSISTOR 2SA1175
Q362	8-729-117-54	TRANSISTOR 2SA1175
Q363	8-729-117-54	TRANSISTOR 2SA1175
Q371	8-729-178-54	TRANSISTOR 2SC2785
Q372	8-729-178-54	TRANSISTOR 2SC2785
Q373	8-729-178-54	TRANSISTOR 2SC2785
Q374	8-729-178-54	TRANSISTOR 2SC2785
Q390	8-729-178-54	TRANSISTOR 2SC2785
Q391	8-729-178-54	TRANSISTOR 2SC2785
Q392	8-729-178-54	TRANSISTOR 2SC2785
Q393	8-729-117-54	TRANSISTOR 2SA1175
Q400	8-729-178-54	TRANSISTOR 2SC2785
Q401	8-729-178-54	TRANSISTOR 2SC2785
Q402	8-729-178-54	TRANSISTOR 2SC2785
Q403	8-729-117-54	TRANSISTOR 2SA1175
Q405	8-729-178-54	TRANSISTOR 2SC2785
Q406	8-729-117-54	TRANSISTOR 2SA1175
Q407	8-729-178-54	TRANSISTOR 2SC2785
Q450	8-729-117-54	TRANSISTOR 2SA1175
Q451	8-729-178-54	TRANSISTOR 2SC2785
Q452	8-729-178-54	TRANSISTOR 2SC2785
Q453	8-729-117-54	TRANSISTOR 2SA1175
Q454	8-729-117-54	TRANSISTOR 2SA1175
Q455	8-729-178-54	TRANSISTOR 2SC2785
Q456	8-729-117-54	TRANSISTOR 2SA1175
Q457	8-729-178-54	TRANSISTOR 2SC2785
Q458	8-729-117-54	TRANSISTOR 2SA1175
Q459	8-729-117-54	TRANSISTOR 2SA1175

Remark	Ref.No.	Part No.	Description	Remark
	Q460	8-729-178-54	TRANSISTOR 2SC2785	
	Q461	8-729-178-54	TRANSISTOR 2SC2785	
	Q1301	8-729-178-54	TRANSISTOR 2SC2785	
	Q1302	8-729-178-54	TRANSISTOR 2SC2785	
	Q1303	8-729-117-54	TRANSISTOR 2SA1175	
	RESISTOR			
	R101	1-249-395-11	CARBON 15 5% 1/6W	
	R102	1-249-395-11	CARBON 15 5% 1/6W	
	R103	1-249-441-11	CARBON 100K 5% 1/6W	
	R104	1-249-441-11	CARBON 100K 5% 1/6W	
	R105	1-247-805-00	CARBON 82 5% 1/6W	
	R106	1-249-413-11	CARBON 470 5% 1/6W	
	R107	1-249-411-11	CARBON 330 5% 1/6W	
	R108	1-249-441-11	CARBON 100K 5% 1/6W	
	R109	1-249-433-11	CARBON 22K 5% 1/6W	
	R110	1-249-465-11	CARBON 47K 5% 1/4W	
	R111	1-249-437-11	CARBON 47K 5% 1/6W	
	R114	1-249-437-11	CARBON 47K 5% 1/6W	
	R116	1-249-414-11	CARBON 560 5% 1/6W	
	R117	1-249-429-11	CARBON 10K 5% 1/6W	
	R118	1-249-429-11	CARBON 10K 5% 1/6W	
	R119	1-249-429-11	CARBON 10K 5% 1/6W	
	R121	1-215-867-00	METAL OXIDE 470 5% 1W F	
	R122	1-249-417-11	CARBON 1K 5% 1/6W	
	R123	1-216-357-00	METAL OXIDE 4.7 5% 1W F	
	R124	1-249-433-11	CARBON 22K 5% 1/6W	
	R125	1-249-435-11	CARBON 33K 5% 1/6W	
	R126	1-249-431-11	CARBON 15K 5% 1/6W	
	R127	1-249-417-11	CARBON 1K 5% 1/6W	
	R128	1-249-434-11	CARBON 27K 5% 1/6W	
	R129	1-247-717-11	CARBON 2.2K 5% 1/4W	
	R130	1-247-706-11	CARBON 330 5% 1/4W	
	R131	1-249-409-11	CARBON 220 5% 1/6W	
	R132	1-249-409-11	CARBON 220 5% 1/6W	
	R133	1-249-421-11	CARBON 2.2K 5% 1/6W	
	R134	1-249-421-11	CARBON 2.2K 5% 1/6W	
	R135	1-249-437-11	CARBON 47K 5% 1/6W	
	R136	1-249-417-11	CARBON 1K 5% 1/6W	
	R137	1-249-421-11	CARBON 2.2K 5% 1/6W	
	R138	1-249-421-11	CARBON 2.2K 5% 1/6W	
	R139	1-249-421-11	CARBON 2.2K 5% 1/6W	
	R140	1-249-421-11	CARBON 2.2K 5% 1/6W	
	R141	1-247-717-11	CARBON 2.2K 5% 1/4W	
	R142	1-249-421-11	CARBON 2.2K 5% 1/6W	
	R143	1-249-429-11	CARBON 10K 5% 1/6W	
	R144	1-249-429-11	CARBON 10K 5% 1/6W	
	R145	1-249-437-11	CARBON 47K 5% 1/6W	
	R146	1-249-425-11	CARBON 4.7K 5% 1/6W	
	R147	1-249-441-11	CARBON 100K 5% 1/6W	
	R148	1-249-434-11	CARBON 27K 5% 1/6W	
	R149	1-249-427-11	CARBON 6.8K 5% 1/6W	
	R150	1-249-427-11	CARBON 6.8K 5% 1/6W	

PVM-2730QM
 RM-668

B

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
R151	1-249-423-11	CARBON	3.3K 5% 1/6W	R310	1-247-722-11	CARBON	5.6K 5% 1/4W
R152	1-249-421-11	CARBON	2.2K 5% 1/6W	R311	1-249-439-11	CARBON	68K 5% 1/6W
R153	1-249-421-11	CARBON	2.2K 5% 1/6W	R312	1-249-439-11	CARBON	68K 5% 1/6W
R154	1-249-421-11	CARBON	2.2K 5% 1/6W	R313	1-249-421-11	CARBON	2.2K 5% 1/6W
R155	1-247-717-11	CARBON	2.2K 5% 1/4W	R314	1-249-409-11	CARBON	220 5% 1/6W
R156	1-249-423-11	CARBON	3.3K 5% 1/6W	R315	1-249-433-11	CARBON	22K 5% 1/6W
R157	1-249-433-11	CARBON	22K 5% 1/6W	R316	1-249-435-11	CARBON	33K 5% 1/6W
R158	1-249-417-11	CARBON	1K 5% 1/6W	R317	1-249-421-11	CARBON	2.2K 5% 1/6W
R159	1-249-418-11	CARBON	1.2K 5% 1/6W	R318	1-249-409-11	CARBON	220 5% 1/6W
R160	1-249-397-11	CARBON	22 5% 1/6W	R319	1-249-433-11	CARBON	22K 5% 1/6W
R161	1-249-397-11	CARBON	22 5% 1/6W	R320	1-249-435-11	CARBON	33K 5% 1/6W
R162	1-249-397-11	CARBON	22 5% 1/6W	R321	1-249-435-11	CARBON	33K 5% 1/6W
R163	1-249-397-11	CARBON	22 5% 1/6W	R322	1-249-429-11	CARBON	10K 5% 1/6W
R164	1-249-397-11	CARBON	22 5% 1/6W	R323	1-249-441-11	CARBON	100K 5% 1/6W
R165	1-247-692-11	CARBON	22 5% 1/4W	R324	1-249-441-11	CARBON	100K 5% 1/6W
R166	1-249-397-11	CARBON	22 5% 1/6W	R326	1-249-441-11	CARBON	100K 5% 1/6W
R167	1-249-397-11	CARBON	22 5% 1/6W	R327	1-249-423-11	CARBON	3.3K 5% 1/6W
R168	1-249-397-11	CARBON	22 5% 1/6W	R328	1-249-423-11	CARBON	3.3K 5% 1/6W
R169	1-249-397-11	CARBON	22 5% 1/6W	R329	1-249-423-11	CARBON	3.3K 5% 1/6W
R170	1-249-397-11	CARBON	22 5% 1/6W	R330	1-249-417-11	CARBON	1K 5% 1/6W
R171	1-249-397-11	CARBON	22 5% 1/6W	R331	1-215-493-00	CARBON	1M 5% 1/6W
R172	1-249-397-11	CARBON	22 5% 1/6W	R332	1-215-479-00	CARBON	270K 5% 1/6W
R173	1-249-397-11	CARBON	22 5% 1/6W	R333	1-249-414-11	CARBON	560 5% 1/6W
R174	1-249-429-11	CARBON	10K 5% 1/6W	R334	1-215-473-00	CARBON	150K 5% 1/6W
R175	1-249-429-11	CARBON	10K 5% 1/6W	R335	1-249-413-11	CARBON	470 5% 1/6W
R176	1-247-725-11	CARBON	10K 5% 1/4W	R336	1-249-409-11	CARBON	220 5% 1/6W
R177	1-249-433-11	CARBON	22K 5% 1/6W	R337	1-249-427-11	CARBON	6.8K 5% 1/6W
R178	1-249-433-11	CARBON	22K 5% 1/6W	R338	1-249-421-11	CARBON	2.2K 5% 1/6W
R179	1-249-425-11	CARBON	4.7K 5% 1/6W	R339	1-249-417-11	CARBON	1K 5% 1/6W
R181	1-249-435-11	CARBON	33K 5% 1/6W	R340	1-249-421-11	CARBON	2.2K 5% 1/6W
R182	1-247-849-00	CARBON	5.6K 5% 1/6W	R341	1-249-422-11	CARBON	2.7K 5% 1/6W
R183	1-249-433-11	CARBON	22K 5% 1/6W	R342	1-249-428-11	CARBON	8.2K 5% 1/6W
R184	1-249-435-11	CARBON	33K 5% 1/6W	R343	1-249-433-11	CARBON	22K 5% 1/6W
R185	1-247-713-11	CARBON	1K 5% 1/4W	R345	1-249-439-11	CARBON	68K 5% 1/6W
R186	1-249-417-11	CARBON	1K 5% 1/6W	R346	1-247-849-00	CARBON	5.6K 5% 1/6W
R187	1-249-417-11	CARBON	1K 5% 1/6W	R350	1-249-413-11	CARBON	470 5% 1/6W
R188	1-249-417-11	CARBON	1K 5% 1/6W	R351	1-249-405-11	CARBON	100 5% 1/6W
R189	1-249-417-11	CARBON	1K 5% 1/6W	R352	1-249-433-11	CARBON	22K 5% 1/6W
R190	1-249-417-11	CARBON	1K 5% 1/6W	R353	1-249-420-11	CARBON	1.8K 5% 1/6W
R191	1-249-414-11	CARBON	560 5% 1/6W	R354	1-249-435-11	CARBON	33K 5% 1/6W
R192	1-249-417-11	CARBON	1K 5% 1/6W	R355	1-249-433-11	CARBON	22K 5% 1/6W
R193	1-249-423-11	CARBON	3.3K 5% 1/6W	R356	1-249-437-11	CARBON	47K 5% 1/6W
R194	1-249-423-11	CARBON	3.3K 5% 1/6W	R357	1-249-430-11	CARBON	12K 5% 1/6W
R195	1-249-421-11	CARBON	2.2K 5% 1/6W	R358	1-249-435-11	CARBON	33K 5% 1/6W
R196	1-249-414-11	CARBON	560 5% 1/6W	R359	1-215-473-00	CARBON	150K 5% 1/6W
R197	1-249-421-11	CARBON	2.2K 5% 1/6W	R360	1-247-708-11	CARBON	470 5% 1/4W
R198	1-249-405-11	CARBON	100 5% 1/6W	R361	1-249-417-11	CARBON	1K 5% 1/6W
R199	1-249-417-11	CARBON	1K 5% 1/6W	R362	1-249-429-11	CARBON	10K 5% 1/6W
R303	1-249-469-11	CARBON	100K 5% 1/4W	R363	1-249-417-11	CARBON	1K 5% 1/6W
R304	1-249-436-11	CARBON	39K 5% 1/6W	R364	1-249-412-11	CARBON	390 5% 1/6W
R305	1-215-473-00	CARBON	150K 5% 1/6W	R365	1-247-723-11	CARBON	6.8K 5% 1/4W
R306	1-249-435-11	CARBON	33K 5% 1/6W	R366	1-215-481-00	CARBON	330K 5% 1/6W
R308	1-249-409-11	CARBON	220 5% 1/6W	R367	1-249-437-11	CARBON	47K 5% 1/6W

PVM-2730QM
RM-668
B

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
R368	1-249-428-11	CARBON	8.2K 5% 1/6W	R435	1-249-417-11	CARBON	1K 5% 1/6W
R370	1-249-419-11	CARBON	1.5K 5% 1/6W	R436	1-249-421-11	CARBON	2.2K 5% 1/6W
R371	1-249-435-11	CARBON	33K 5% 1/6W	R437	1-249-431-11	CARBON	15K 5% 1/6W
R372	1-249-441-11	CARBON	100K 5% 1/6W	R438	1-249-431-11	CARBON	15K 5% 1/6W
R373	1-249-435-11	CARBON	33K 5% 1/6W	R439	1-249-418-11	CARBON	1.2K 5% 1/6W
R374	1-249-435-11	CARBON	33K 5% 1/6W	R440	1-249-417-11	CARBON	1K 5% 1/6W
R375	1-249-423-11	CARBON	3.3K 5% 1/6W	R441	1-249-420-11	CARBON	1.8K 5% 1/6W
R377	1-249-409-11	CARBON	220 5% 1/6W	R442	1-249-421-11	CARBON	2.2K 5% 1/6W
R378	1-249-414-11	CARBON	560 5% 1/6W	R443	1-249-408-11	CARBON	180 5% 1/6W
R379	1-249-429-11	CARBON	10K 5% 1/6W	R444	1-249-439-11	CARBON	68K 5% 1/6W
R380	1-249-437-11	CARBON	47K 5% 1/6W	R445	1-249-431-11	CARBON	15K 5% 1/6W
R381	1-249-440-11	CARBON	82K 5% 1/6W	R446	1-249-417-11	CARBON	1K 5% 1/6W
R382	1-249-438-11	CARBON	56K 5% 1/6W	R447	1-249-414-11	CARBON	560 5% 1/6W
R383	1-215-479-00	CARBON	270K 5% 1/6W	R448	1-249-393-11	CARBON	10 5% 1/6W
R384	1-249-425-11	CARBON	4.7K 5% 1/6W	R449	1-249-418-11	CARBON	1.2K 5% 1/6W
R385	1-249-414-11	CARBON	560 5% 1/6W	R450	1-249-419-11	CARBON	1.5K 5% 1/6W
R386	1-249-429-11	CARBON	10K 5% 1/6W	R451	1-249-420-11	CARBON	1.8K 5% 1/6W
R387	1-249-417-11	CARBON	1K 5% 1/6W	R452	1-249-393-11	CARBON	10 5% 1/6W
R388	1-215-483-00	CARBON	390K 5% 1/6W	R453	1-249-419-11	CARBON	1.5K 5% 1/6W
R389	1-249-433-11	CARBON	22K 5% 1/6W	R454	1-249-419-11	CARBON	1.5K 5% 1/6W
R390	1-249-433-11	CARBON	22K 5% 1/6W	R456	1-249-409-11	CARBON	220 5% 1/6W
R391	1-249-437-11	CARBON	47K 5% 1/6W	R457	1-249-435-11	CARBON	33K 5% 1/6W
R392	1-249-431-11	CARBON	15K 5% 1/6W	R458	1-249-425-11	CARBON	4.7K 5% 1/6W
R393	1-249-435-11	CARBON	33K 5% 1/6W	R460	1-249-436-11	CARBON	39K 5% 1/6W
R394	1-249-429-11	CARBON	10K 5% 1/6W	R461	1-249-431-11	CARBON	15K 5% 1/6W
R395	1-247-895-00	CARBON	470K 5% 1/6W	R462	1-249-421-11	CARBON	2.2K 5% 1/6W
R396	1-249-419-11	CARBON	1.5K 5% 1/6W	R463	1-249-422-11	CARBON	2.7K 5% 1/6W
R398	1-249-420-11	CARBON	1.8K 5% 1/6W	R464	1-249-409-11	CARBON	220 5% 1/6W
R401	1-249-412-11	CARBON	390 5% 1/6W	R465	1-249-435-11	CARBON	33K 5% 1/6W
R402	1-247-717-11	CARBON	2.2K 5% 1/4W	R466	1-247-721-11	CARBON	4.7K 5% 1/4W
R403	1-249-427-11	CARBON	6.8K 5% 1/6W	R467	1-247-866-00	CARBON	30K 5% 1/6W
R404	1-249-429-11	CARBON	10K 5% 1/6W	R468	1-249-429-11	CARBON	10K 5% 1/6W
R406	1-249-412-11	CARBON	390 5% 1/6W	R470	1-249-420-11	CARBON	1.8K 5% 1/6W
R410	1-249-422-11	CARBON	2.7K 5% 1/6W	R471	1-249-425-11	CARBON	4.7K 5% 1/6W
R411	1-215-489-00	CARBON	680K 5% 1/6W	R472	1-249-420-11	CARBON	1.8K 5% 1/6W
R412	1-249-417-11	CARBON	1K 5% 1/6W	R473	1-249-425-11	CARBON	4.7K 5% 1/6W
R413	1-249-425-11	CARBON	4.7K 5% 1/6W	R474	1-249-417-11	CARBON	1K 5% 1/6W
R414	1-249-438-11	CARBON	56K 5% 1/6W	R475	1-249-405-11	CARBON	100 5% 1/6W
R415	1-249-429-11	CARBON	10K 5% 1/6W	R476	1-249-416-11	CARBON	820 5% 1/6W
R418	1-247-720-11	CARBON	3.9K 5% 1/4W	R477	1-249-413-11	CARBON	470 5% 1/6W
R419	1-249-429-11	CARBON	10K 5% 1/6W	R478	1-249-421-11	CARBON	2.2K 5% 1/6W
R420	1-249-412-11	CARBON	390 5% 1/6W	R479	1-249-421-11	CARBON	2.2K 5% 1/6W
R421	1-249-438-11	CARBON	56K 5% 1/6W	R480	1-249-429-11	CARBON	10K 5% 1/6W
R422	1-249-427-11	CARBON	6.8K 5% 1/6W	R481	1-249-429-11	CARBON	10K 5% 1/6W
R425	1-249-408-11	CARBON	180 5% 1/6W	R482	1-249-421-11	CARBON	2.2K 5% 1/6W
R426	1-249-435-11	CARBON	33K 5% 1/6W	R483	1-249-421-11	CARBON	2.2K 5% 1/6W
R427	1-249-423-11	CARBON	3.3K 5% 1/6W	R484	1-249-433-11	CARBON	22K 5% 1/6W
R429	1-249-429-11	CARBON	10K 5% 1/6W	R485	1-249-417-11	CARBON	1K 5% 1/6W
R430	1-249-423-11	CARBON	3.3K 5% 1/6W	R486	1-249-435-11	CARBON	33K 5% 1/6W
R431	1-249-425-11	CARBON	4.7K 5% 1/6W	R487	1-249-435-11	CARBON	33K 5% 1/6W
R432	1-249-428-11	CARBON	8.2K 5% 1/6W	R488	1-249-435-11	CARBON	33K 5% 1/6W
R433	1-249-428-11	CARBON	8.2K 5% 1/6W	R1100	1-249-405-11	CARBON	100 5% 1/6W
R434	1-249-418-11	CARBON	1.2K 5% 1/6W	R1101	1-249-437-11	CARBON	47K 5% 1/6W

PVM-2730QM
 RM-668

B

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
R1102	1-249-429-11	CARBON	10K 5% 1/6W	R1366	1-249-422-11	CARBON	2.7K 5% 1/6W
R1105	1-249-431-11	CARBON	15K 5% 1/6W	R1367	1-202-730-00	SO. ID	8.2M 10% 1/2W
R1106	1-249-399-11	CARBON	33 5% 1/6W	R1368	1-249-411-11	CARBON	330 5% 1/6W
R1107	1-249-437-11	CARBON	47K 5% 1/6W	R1369	1-249-413-11	CARBON	470 5% 1/6W
R1108	1-249-405-11	CARBON	100 5% 1/6W	R1370	1-249-409-11	CARBON	220 5% 1/6W
R1109	1-249-429-11	CARBON	10K 5% 1/6W	R1371	1-249-413-11	CARBON	470 5% 1/6W
R1110	1-249-430-11	CARBON	12K 5% 1/6W	R1375	1-249-425-11	CARBON	4.7K 5% 1/6W
R1111	1-249-437-11	CARBON	47K 5% 1/6W	R1376	1-215-479-00	CARBON	270K 5% 1/6W
R1112	1-249-441-11	CARBON	100K 5% 1/6W	R1377	1-249-434-11	CARBON	27K 5% 1/6W
R1113	1-249-409-11	CARBON	220 5% 1/6W	R1378	1-249-410-11	CARBON	270 5% 1/6W
R1114	1-249-393-11	CARBON	10 5% 1/6W	R1379	1-249-405-11	CARBON	100 5% 1/6W
R1115	1-249-425-11	CARBON	4.7K 5% 1/6W	R1381	1-249-434-11	CARBON	27K 5% 1/6W
R1304	1-247-704-11	CARBON	220 5% 1/4W	R1382	1-249-424-11	CARBON	3.9K 5% 1/6W
R1305	1-247-704-11	CARBON	220 5% 1/4W	R1383	1-249-419-11	CARBON	1.5K 5% 1/6W
R1306	1-247-704-11	CARBON	220 5% 1/4W	R1384	1-249-411-11	CARBON	330 5% 1/6W
R1307	1-247-704-11	CARBON	220 5% 1/4W	R1385	1-249-393-11	CARBON	10 5% 1/6W
R1308	1-249-429-11	CARBON	10K 5% 1/6W	R1386	1-249-421-11	CARBON	2.2K 5% 1/6W
R1309	1-247-704-11	CARBON	220 5% 1/4W	R1388	1-249-425-11	CARBON	4.7K 5% 1/6W
R1310	1-249-431-11	CARBON	15K 5% 1/6W	R1389	1-249-429-11	CARBON	10K 5% 1/6W
R1311	1-249-409-11	CARBON	220 5% 1/6W	R1390	1-249-421-11	CARBON	2.2K 5% 1/6W
R1312	1-249-440-11	CARBON	82K 5% 1/6W	R1401	1-249-433-11	CARBON	22K 5% 1/6W
R1313	1-247-725-11	CARBON	10K 5% 1/4W	R1402	1-249-433-11	CARBON	22K 5% 1/6W
R1314	1-249-429-11	CARBON	10K 5% 1/6W	R1403	1-249-433-11	CARBON	22K 5% 1/6W
R1315	1-249-435-11	CARBON	33K 5% 1/6W	R1404	1-249-433-11	CARBON	22K 5% 1/6W
R1316	1-249-435-11	CARBON	33K 5% 1/6W	R1405	1-249-437-11	CARBON	47K 5% 1/6W
R1317	1-249-417-11	CARBON	1K 5% 1/6W	R1406	1-249-437-11	CARBON	47K 5% 1/6W
R1318	1-249-417-11	CARBON	1K 5% 1/6W	R1407	1-249-437-11	CARBON	47K 5% 1/6W
R1319	1-249-417-11	CARBON	1K 5% 1/6W	R1408	1-249-437-11	CARBON	47K 5% 1/6W
R1320	1-249-409-11	CARBON	220 5% 1/6W	R1409	1-247-704-11	CARBON	220 5% 1/4W
R1322	1-249-433-11	CARBON	22K 5% 1/6W	R1410	1-249-421-11	CARBON	2.2K 5% 1/6W
R1323	1-249-429-11	CARBON	10K 5% 1/6W	R1411	1-247-725-11	CARBON	10K 5% 1/4W
R1324	1-249-435-11	CARBON	33K 5% 1/6W	R1412	1-249-429-11	CARBON	10K 5% 1/6W
R1325	1-249-409-11	CARBON	220 5% 1/6W	R1413	1-249-421-11	CARBON	2.2K 5% 1/6W
R1326	1-249-409-11	CARBON	220 5% 1/6W	VARIABLE RESISTOR			
R1327	1-215-493-00	CARBON	1M 5% 1/6W	RV301	1-230-626-41	RES, ADJ, CARBON	470
R1328	1-249-417-11	CARBON	1K 5% 1/6W	RV302	1-230-631-11	RES, ADJ, CARBON	22K
R1329	1-247-895-00	CARBON	470K 5% 1/6W	RV303	1-230-630-11	RES, ADJ, CARBON	10K
R1330	1-249-417-11	CARBON	1K 5% 1/6W	RV318	1-230-271-00	RES, ADJ, CARBON	4.7K
R1331	1-247-849-00	CARBON	5.6K 5% 1/6W	RV1301	1-230-628-11	RES, ADJ, CARBON	2.2K
R1332	1-249-437-11	CARBON	47K 5% 1/6W	RV1302	1-230-628-11	RES, ADJ, CARBON	2.2K
R1333	1-249-418-11	CARBON	1.2K 5% 1/6W	TRANSFORMER			
R1334	1-249-429-11	CARBON	10K 5% 1/6W	T301	1-404-524-11	DAT	
R1335	1-249-409-11	CARBON	220 5% 1/6W	T401	1-404-584-11	COIL	
R1337	1-249-405-11	CARBON	100 5% 1/6W	CRYSTAL			
R1339	1-249-414-11	CARBON	560 5% 1/6W	X101	1-567-192-11	OSCILLATOR, CERAMIC	
R1340	1-249-409-11	CARBON	220 5% 1/6W	X358	1-567-505-11	OSCILLATOR, CRYSTAL	
R1341	1-249-437-11	CARBON	47K 5% 1/6W	X443	1-567-504-11	OSCILLATOR, CRYSTAL	
R1342	1-249-405-11	CARBON	100 5% 1/6W				
R1344	1-215-424-00	CARBON	1.3K 5% 1/6W				
R1345	1-249-409-11	CARBON	220 5% 1/6W				
R1347	1-249-405-11	CARBON	100 5% 1/6W				
R1360	1-249-414-11	CARBON	560 5% 1/6W				
R1362	1-249-414-11	CARBON	560 5% 1/6W				
R1363	1-247-901-00	CARBON	820K 5% 1/6W				
R1364	1-249-424-11	CARBON	3.9K 5% 1/6W				
R1365	1-249-437-11	CARBON	47K 5% 1/6W				

PVM-2730QM
RM-668**FB****FA**

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
	*1-621-546-12	FB BOARD *****		C676	1-123-364-00	ELECT 1000MF	20% 50V
				C677	1-136-173-00	FILM 0.47MF	5% 50V
		CONNECTOR					(AEP, AUS ONLY)
FB1	1-506-348-XX	4P PLUG		C681	1-136-153-00	FILM 0.01MF	5% 50V
FB2	*1-508-784-00	1P PLUG		C682	1-130-062-00	FILM 0.0056MF	5% 630V
		NEON LAMP		C686	1-136-173-00	FILM 0.47MF	5% 50V
							(AEP, AUS ONLY)
NL1691	1-519-237-11	LAMP, NEON				DIODE	
*****				D601	8-719-503-06	DIODE S3W860Z	
				D602	8-719-100-65	DIODE RD12E-B2	
				D605	8-719-924-06	DIODE ERC24-06S	
				D607	8-719-815-55	DIODE 1S1555	
				D608	8-719-815-55	DIODE 1S1555	
				D609	8-719-925-06	DIODE ERC25-06S	
				D651	8-719-300-53	DIODE CTU-38S	
				D653	8-719-300-59	DIODE CTU-12S	
				D654	8-719-300-59	DIODE CTU-12S	
					*4-347-706-00	HEAT SINK (TR); D654	
				D655	8-719-000-12	DIODE MC931	
				D656	8-719-300-59	DIODE CTU-12S	
					*4-347-706-00	HEAT SINK (TR); D656	
				D658	8-719-110-03	DIODE RD7.5ES-B2	
				D659	8-719-110-03	DIODE RD7.5ES-B2	
				D660	8-719-815-55	DIODE 1S1555	
				D661	8-719-815-55	DIODE 1S1555	
				D663	8-719-109-93	DIODE RD6.2ES-B2	
				D664	8-719-100-65	DIODE RD12E-B2	
				D665	8-719-300-59	DIODE CTU-12S	
				D666	8-719-911-19	DIODE 1SS119	
				D667	8-719-911-55	DIODE U05G	
						FUSE	
				F601	*1-532-299-11	FUSE, TIME-LAG 5A/250V	
					*1-533-189-11	HOLDER, FUSE; F601	
						CONNECTOR	
				FA1	*1-506-348-XX	3P PLUG (L)	
				FA2	*1-506-348-XX	3P PLUG (L)	
				FA3	*1-508-765-00	3P PLUG (M)	
				FA4	*1-508-767-00	5P PLUG	
				FA6	*1-508-765-00	3P PLUG (M)	
				FA7	*1-566-058-11	PIN, CONNECTOR 6P	
				FA8	*1-566-054-11	PIN, CONNECTOR 2P	
				FA9	*1-564-529-11	CONNECTOR, BOARD TO BOARD 5P	
				FA10	*1-564-529-11	CONNECTOR, BOARD TO BOARD 5P	
						IC	
				IC602	8-719-800-82	DIODE TLP581	
				IC651	8-759-145-58	IC UPC4558C	
						COIL	
				L601	1-407-365-00	COIL, CHOKE	
				L652	1-407-780-00	COIL, SPOOK CHOKE	
				L653	1-407-780-00	COIL, SPOOK CHOKE	
						IC LINK	
				PS651	1-532-675-00	LINK, IC	
				PS652	1-532-686-00	LINK, IC	

The components identified by shading and mark **Δ** are critical for safety. Replace only with part number specified.

PVM-2730QM
RM-668

FA

FC

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
PS653	1-532-686-00	LINK, IC		<u>VARIABLE RESISTOR</u>			
PS654	1-532-637-00	LINK, IC		RV651	1-230-230-00	RES, ADJ, CERAMIC CARBON 1K	
<u>TRANSISTOR</u>				RV652	1-226-702-00	RES, ADJ, METAL GLAZE 2.2K	
Q601	8-729-195-82	TRANSISTOR 2SC2958		<u>TRANSFORMER</u>			
Q602	8-729-802-07	TRANSISTOR 2SD1403-CA		T601	1-421-758-11	TRANSFORMER, LINE FILTER (LFT)	(AEP, AUS ONLY)
	3-701-833-01	HEAD, WASHER, TAPPING SCREW; Q602		T601	1-421-974-11	TRANSFORMER, LINE FILTER (WG ONLY)	
	4-365-216-00	SPACER, MICA; Q602		T602	1-421-758-11	TRANSFORMER, LINE FILTER (LFT)	(AEP, AUS ONLY)
Q651	8-729-109-53	TRANSISTOR 2SD795A		T602	1-421-974-11	TRANSFORMER, LINE FILTER (WG ONLY)	
	*4-347-706-00	HEAT SINK (TR); Q651		T603	1-437-079-11	TRANSFORMER, HORIZONTAL DRIVE	
Q652	8-729-178-54	TRANSISTOR 2SC2785		T605	1-448-901-11	SRT	
Q653	8-719-000-28	THYRISTOR CRO2AM-8		T607	1-421-975-11	TRANSFORMER, LINE FILTER (WG ONLY)	
<u>RESISTOR</u>				<u>THERMISTOR</u>			
R601	1-217-328-11	WIREWOUND	2.7 10% 7W F	TH651	1-800-944-00	THERMISTOR TH-4700	
R604	1-247-289-11	CARBON	8.2M 5% 1W	THP601	1-806-387-11	THERMISTOR (POSITIVE)	
R609	1-215-894-11	METAL OXIDE	2.2K 5% 2W F	*****			
R612	1-215-904-11	METAL OXIDE	100K 5% 2W F				
R613	1-215-895-11	METAL OXIDE	3.3K 5% 2W F				
R614	1-216-458-11	METAL OXIDE	1.8K 5% 2W F				
R615	1-205-737-00	CEMENTED	30 10% 7W				
R623	1-247-718-11	CARBON	2.7K 5% 1/4W				
R627	1-249-409-11	CARBON	220 5% 1/6W				
R628	1-215-479-00	CARBON	270K 5% 1/6W				
R629	1-249-427-11	CARBON	6.8K 5% 1/6W				
R630	1-247-692-11	CARBON	22 5% 1/4W F				
R631	1-217-352-11	WIREWOUND	390 10% 7W F				
R632	1-217-192-00	WIREWOUND	0.22 10% 2W F				
R652	1-216-430-11	METAL OXIDE	390 5% 1W F				
R653	1-249-425-11	CARBON	4.7K 5% 1/6W				
R654	1-216-464-11	METAL OXIDE	18K 5% 2W F				
R662	1-249-436-11	CARBON	39K 5% 1/6W				
R663	1-249-430-11	CARBON	12K 5% 1/6W				
R664	1-249-441-11	CARBON	100K 5% 1/6W				
R665	1-215-436-00	METAL	4.3K 1% 1/6W				
R666	1-247-713-11	CARBON	1K 5% 1/4W				
R667	1-247-703-11	CARBON	180 5% 1/4W				
R669	1-247-720-11	CARBON	3.9K 5% 1/4W				
R670	1-249-421-11	CARBON	2.2K 5% 1/6W				
R671	1-205-758-11	CEMENTED	100 10% 10W F				
R673	1-244-945-91	CARBON	1M 5% 1/2W				
R677	1-216-346-00	METAL OXIDE	0.56 5% 1W F				
R678	1-247-749-11	CARBON	560 5% 1/2W F				
R680	1-217-353-11	WIREWOUND	470 10% 7W F				
R681	1-246-403-75	CARBON	1.2 5% 1/4W				
			(AEP, AUS ONLY)				
	1-249-429-11	CARBON	10K 5% 1/6W				
			(WG ONLY)				
R682	1-249-429-11	CARBON	10K 5% 1/6W				
			(AEP, AUS ONLY)				
R683	1-216-488-11	METAL OXIDE	18K 5% 3W F				
R684	1-246-403-75	CARBON	1.2 5% 1/4W				
			(AEP, AUS ONLY)				
R684	1-246-405-00	CARBON	1.5 5% 1/4W				
			(WG ONLY)				
R685	1-249-440-11	CARBON	82K 5% 1/6W				
			(AEP, AUS ONLY)				
R689	1-249-429-11	CARBON	10K 5% 1/6W				
			(AEP, AUS ONLY)				
				<u>DIODE</u>			
				D603	8-719-815-55	DIODE 1S1555	
				D604	8-759-157-40	IC UPC574J	
				D606	8-719-911-19	DIODE 1SS119	
				<u>CONNECTOR</u>			
				FC1	*1-562-516-11	CONNECTOR, BOARD TO BOARD 5P	
				FC2	*1-562-516-11	CONNECTOR, BOARD TO BOARD 5P	
				<u>IC</u>			
				IC601	8-759-100-75	IC UPC1394C	
				<u>TRANSISTOR</u>			
				Q603	8-729-178-54	TRANSISTOR 2SC2785	
				<u>RESISTOR</u>			
				R605	1-215-481-00	CARBON	330K 5% 1/6W
				R606	1-249-433-11	CARBON	22K 5% 1/6W
				R608	1-249-421-11	CARBON	2.2K 5% 1/6W
				R611	1-215-457-00	METAL	33K 1% 1/6W
				R616	1-247-862-00	CARBON	20K 5% 1/6W
				R621	1-249-429-11	CARBON	10K 5% 1/6W
				R622	1-249-433-11	CARBON	22K 5% 1/6W
				R624	1-249-425-11	CARBON	4.7K 5% 1/6W
				R625	1-249-441-11	CARBON	100K 5% 1/6W
				R626	1-247-712-11	CARBON	820 5% 1/4W

The components identified by shading and mark **A** are critical for safety. Replace only with part number specified.

PVM-2730QM
RM-668
FC
QA

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
R633	1-215-477-00	CARBON 220K 5% 1/6W		C1738	1-102-973-00	CERAMIC 100PF 5% 50V	
R634	1-249-437-11	CARBON 47K 5% 1/6W		C1739	1-101-001-00	CERAMIC 0.001MF 50V	
R636	1-215-471-00	METAL 120K 1% 1/6W		C1740	1-101-001-00	CERAMIC 0.001MF 50V	
R637	1-249-433-11	CARBON 22K 5% 1/6W		C1741	1-101-884-00	CERAMIC 56PF 5% 50V	
R638	1-215-435-00	METAL 3.9K 1% 1/6W		C1743	1-102-973-00	CERAMIC 100PF 5% 50V	
R639	1-249-425-11	CARBON 4.7K 5% 1/6W		C1744	1-102-973-00	CERAMIC 100PF 5% 50V	
R674	1-249-440-11	CARBON 82K 5% 1/6W		C1747	1-102-965-00	CERAMIC 39PF 5% 50V	
<u>THERMISTOR</u>				C1748	1-102-965-00	CERAMIC 39PF 5% 50V	
TH601A	1-800-944-11	THERMISTOR TH-4700		C1749	1-102-965-00	CERAMIC 39PF 5% 50V	
*****				C1750	1-102-965-00	CERAMIC 39PF 5% 50V	
*A-1270-212-A QA BOARD, COMPLETE				C1751	1-101-001-00	CERAMIC 0.001MF 50V	
*****				C1752	1-102-973-00	CERAMIC 100PF 5% 50V	
1-537-075-11 TERMINAL BOARD, INPUT/OUTPUT				C1753	1-102-965-00	CERAMIC 39PF 5% 50V	
1-537-076-11 TERMINAL BOARD, INPUT/OUTPUT				<u>DIODE</u>			
<u>CAPACITOR</u>				D1703	8-719-100-38	DIODE RD6.2E-B2	
C1700	1-124-236-00	ELECT 47MF 20% 16V		D1706	8-719-100-38	DIODE RD6.2E-B2	
C1701	1-124-247-00	ELECT 10MF 20% 25V		D1707	8-719-100-38	DIODE RD6.2E-B2	
C1702	1-124-247-00	ELECT 10MF 20% 25V		D1708	8-719-100-38	DIODE RD6.2E-B2	
C1703	1-124-236-00	ELECT 47MF 20% 16V		D1709	8-719-100-38	DIODE RD6.2E-B2	
C1704	1-124-247-00	ELECT 10MF 20% 25V		D1710	8-719-100-38	DIODE RD6.2E-B2	
C1705	1-124-247-00	ELECT 10MF 20% 25V		D1711	8-719-100-38	DIODE RD6.2E-B2	
C1706	1-124-247-00	ELECT 10MF 20% 25V		<u>JACK</u>			
C1707	1-124-247-00	ELECT 10MF 20% 25V		J25	1-561-534-41	SOCKET 21P	
C1708	1-124-236-00	ELECT 47MF 20% 16V		<u>CONNECTOR</u>			
C1709	1-124-247-00	ELECT 10MF 20% 25V		QA1	*1-566-055-11	PIN, CONNECTOR 3P	
C1710	1-102-965-00	CERAMIC 39PF 5% 50V		QA2	*1-560-278-00	PLUG, CONNECTOR 3P	
C1712	1-102-965-00	CERAMIC 39PF 5% 50V		<u>RESISTOR</u>			
C1714	1-102-965-00	CERAMIC 39PF 5% 50V		R1700	1-247-104-00	CARBON 75 5% 1/4W	
C1715	1-124-247-00	ELECT 10MF 20% 25V		R1701	1-249-417-11	CARBON 1K 5% 1/6W	
C1716	1-124-247-00	ELECT 10MF 20% 25V		R1702	1-247-901-00	CARBON 820K 5% 1/6W	
C1717	1-124-247-00	ELECT 10MF 20% 25V		R1703	1-249-417-11	CARBON 1K 5% 1/6W	
C1718	1-124-247-00	ELECT 10MF 20% 25V		R1704	1-247-901-00	CARBON 820K 5% 1/6W	
C1719	1-124-236-00	ELECT 47MF 20% 16V		R1705	1-247-104-00	CARBON 75 5% 1/4W	
C1720	1-124-236-00	ELECT 47MF 20% 16V		R1706	1-249-417-11	CARBON 1K 5% 1/6W	
C1721	1-124-236-00	ELECT 47MF 20% 16V		R1707	1-247-901-00	CARBON 820K 5% 1/6W	
C1722	1-124-236-00	ELECT 47MF 20% 16V		R1708	1-249-417-11	CARBON 1K 5% 1/6W	
C1723	1-124-247-00	ELECT 10MF 20% 25V		R1709	1-247-901-00	CARBON 820K 5% 1/6W	
C1726	1-102-973-00	CERAMIC 100PF 5% 50V		R1710	1-247-104-00	CARBON 75 5% 1/4W	
C1727	1-102-973-00	CERAMIC 100PF 5% 50V		R1711	1-249-414-11	CARBON 560 5% 1/6W	
C1728	1-102-973-00	CERAMIC 100PF 5% 50V		R1712	1-215-485-00	CARBON 470K 5% 1/6W	
C1729	1-102-973-00	CERAMIC 100PF 5% 50V		R1713	1-249-414-11	CARBON 560 5% 1/6W	
C1730	1-101-884-00	CERAMIC 56PF 5% 50V		R1714	1-215-485-00	CARBON 470K 5% 1/6W	
C1731	1-102-973-00	CERAMIC 100PF 5% 50V					
C1732	1-102-973-00	CERAMIC 100PF 5% 50V					
C1733	1-101-884-00	CERAMIC 56PF 5% 50V					
C1734	1-101-001-00	CERAMIC 0.001MF 50V					
C1737	1-101-884-00	CERAMIC 56PF 5% 50V					

The components identified by shading and mark **A** are critical for safety. Replace only with part number specified.

PVM-2730QM
RM-668

QA**QB**

Ref.No.	Part No.	Description				Remark	Ref.No.	Part No.	Description			Remark
R1715	1-247-104-00	CARBON	75	5%	1/4W		SW5	1-570-145-11	SWITCH, SLIDE			
R1716	1-249-417-11	CARBON	1K	5%	1/6W							
R1717	1-247-901-00	CARBON	820K	5%	1/6W		*****					
R1718	1-247-708-11	CARBON	470	5%	1/4W							
R1719	1-249-408-11	CARBON	180	5%	1/6W			*A-1270-213-A	QB BOARD, COMPLETE			

R1720	1-249-421-11	CARBON	2.2K	5%	1/6W							
R1721	1-247-708-11	CARBON	470	5%	1/4W				CAPACITOR			
R1722	1-249-408-11	CARBON	180	5%	1/6W							
R1723	1-249-421-11	CARBON	2.2K	5%	1/6W		C1779	1-124-475-11	ELECT	470MF	20%	16V
R1724	1-247-708-11	CARBON	470	5%	1/4W		C1781	1-101-004-00	CERAMIC	0.01MF		50V
							C1788	1-124-247-00	ELECT	10MF	20%	25V
R1725	1-249-408-11	CARBON	180	5%	1/6W							
R1726	1-215-485-00	CARBON	470K	5%	1/6W		C1789	1-124-247-00	ELECT	10MF	20%	25V
R1727	1-247-713-11	CARBON	1K	5%	1/4W		C1790	1-124-236-00	ELECT	47MF	20%	16V
R1728	1-247-901-00	CARBON	820K	5%	1/6W		C1791	1-124-236-00	ELECT	47MF	20%	16V
R1729	1-247-710-11	CARBON	560	5%	1/4W		C1792	1-102-959-00	CERAMIC	22PF	5%	50V
							C1793	1-101-004-00	CERAMIC	0.01MF		50V
R1730	1-247-895-00	CARBON	470K	5%	1/6W							
R1731	1-247-713-11	CARBON	1K	5%	1/4W		C1794	1-124-236-00	ELECT	47MF	20%	16V
R1732	1-247-901-00	CARBON	820K	5%	1/6W		C1795	1-101-004-00	CERAMIC	0.01MF		50V
R1733	1-247-104-00	CARBON	75	5%	1/4W		C1799	1-124-471-00	ELECT	1000MF	20%	6.3V
R1735	1-247-104-00	CARBON	75	5%	1/4W		C1800	1-124-236-00	ELECT	47MF	20%	16V
							C1801	1-124-475-11	ELECT	470MF	20%	16V
R1736	1-247-104-00	CARBON	75	5%	1/4W							
R1737	1-247-104-00	CARBON	75	5%	1/4W		C1802	1-102-971-00	CERAMIC	82PF	5%	50V
R1738	1-249-417-11	CARBON	1K	5%	1/6W		C1803	1-124-471-00	ELECT	1000MF	20%	6.3V
R1739	1-247-104-00	CARBON	75	5%	1/4W		C1804	1-102-971-00	CERAMIC	82PF	5%	50V
R1740	1-249-429-11	CARBON	10K	5%	1/6W		C1806	1-101-361-00	CERAMIC	150PF	5%	50V
							C1807	1-102-111-00	CERAMIC	270PF	10%	50V
R1742	1-249-412-11	CARBON	390	5%	1/6W							
R1743	1-247-713-11	CARBON	1K	5%	1/4W		C1808	1-101-004-00	CERAMIC	0.01MF		50V
R1744	1-247-901-00	CARBON	820K	5%	1/6W		C1810	1-124-236-00	ELECT	47MF	20%	16V
R1745	1-249-429-11	CARBON	10K	5%	1/6W		C1811	1-124-236-00	ELECT	47MF	20%	16V
R1746	1-249-406-11	CARBON	120	5%	1/6W		C1813	1-124-236-00	ELECT	47MF	20%	16V
R1750	1-249-417-11	CARBON	1K	5%	1/6W		C1820	1-124-236-00	ELECT	47MF	20%	16V
R1751	1-247-104-00	CARBON	75	5%	1/4W		C1821	1-101-004-00	CERAMIC	0.01MF		50V
R1752	1-249-401-11	CARBON	47	5%	1/6W		C1823	1-124-268-00	ELECT	0.22MF	20%	50V
R1753	1-249-401-11	CARBON	47	5%	1/6W		C1824	1-124-268-00	ELECT	0.22MF	20%	50V
R1754	1-249-401-11	CARBON	47	5%	1/6W		C1825	1-124-268-00	ELECT	0.22MF	20%	50V
R1755	1-249-418-11	CARBON	1.2K	5%	1/6W		C1827	1-101-880-00	CERAMIC	47PF	5%	50V
R1756	1-249-418-11	CARBON	1.2K	5%	1/6W		C1828	1-123-611-00	ELECT	1MF	20%	50V
R1760	1-215-483-00	CARBON	390K	5%	1/6W		C1830	1-124-236-00	ELECT	47MF	20%	16V
R1761	1-215-483-00	CARBON	390K	5%	1/6W		C1831	1-101-004-00	CERAMIC	0.01MF		50V
R1762	1-215-483-00	CARBON	390K	5%	1/6W		C1832	1-124-236-00	ELECT	47MF	20%	16V
R1763	1-215-483-00	CARBON	390K	5%	1/6W		C1833	1-101-004-00	CERAMIC	0.01MF		50V
R1768	1-249-406-11	CARBON	120	5%	1/6W		C1834	1-101-004-00	CERAMIC	0.01MF		50V
R1769	1-247-710-11	CARBON	560	5%	1/4W		C1835	1-124-236-00	ELECT	47MF	20%	16V
							C1837	1-124-963-11	ELECT	33MF	20%	16V
							C1838	1-101-880-00	CERAMIC	47PF	5%	50V
							C1839	1-124-236-00	ELECT	47MF	20%	16V

PVIM-2730QIM
RM-668

QB

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
D1772	8-719-911-19	DIODE 1SS119		Q1799	8-729-178-54	TRANSISTOR 2SC2785	
D1773	8-719-911-19	DIODE 1SS119		Q1802	8-729-900-36	TRANSISTOR DTC124ES	
D1774	8-719-911-19	DIODE 1SS119		Q1803	8-729-178-54	TRANSISTOR 2SC2785	
D1775	8-719-911-19	DIODE 1SS119		Q1804	8-729-178-54	TRANSISTOR 2SC2785	
D1776	8-719-911-19	DIODE 1SS119		Q1805	8-729-178-54	TRANSISTOR 2SC2785	
D1777	8-719-911-19	DIODE 1SS119		Q1806	8-729-178-54	TRANSISTOR 2SC2785	
D1780	8-719-911-19	DIODE 1SS119		Q1807	8-729-178-54	TRANSISTOR 2SC2785	
D1781	8-719-911-19	DIODE 1SS119		Q1808	8-729-178-54	TRANSISTOR 2SC2785	
D1782	8-719-911-19	DIODE 1SS119		Q1809	8-729-178-54	TRANSISTOR 2SC2785	
D1783	8-719-931-06	DIODE EQ801-06		Q1810	8-729-178-54	TRANSISTOR 2SC2785	
D1784	8-719-110-14	DIODE RD9.1ES-B3		Q1811	8-729-178-54	TRANSISTOR 2SC2785	
D1787	8-719-109-90	DIODE RD5.6ES-B3		Q1812	8-729-178-54	TRANSISTOR 2SC2785	
D1788	8-719-911-19	DIODE 1SS119		Q1813	8-729-178-54	TRANSISTOR 2SC2785	
D1789	8-719-911-19	DIODE 1SS119		Q1814	8-729-178-54	TRANSISTOR 2SC2785	
		IC		Q1815	8-729-178-54	TRANSISTOR 2SC2785	
IC1770	8-759-800-65	IC LA7910		Q1816	8-729-178-54	TRANSISTOR 2SC2785	
IC1771	8-759-140-66	IC UPD4066BC		Q1817	8-729-178-54	TRANSISTOR 2SC2785	
IC1772	8-759-102-37	IC UPD4052BC		Q1818	8-729-900-36	TRANSISTOR DTC124ES	
IC1773	8-759-102-37	IC UPD4052BC		Q1819	8-729-900-36	TRANSISTOR DTC124ES	
IC1774	8-759-900-86	IC SN74LS86N		Q1820	8-729-900-36	TRANSISTOR DTC124ES	
IC1775	8-759-901-38	IC SN74LS138N		Q1822	8-729-178-54	TRANSISTOR 2SC2785	
IC1776	8-759-900-09	IC SN74LS09N		Q1823	8-729-178-54	TRANSISTOR 2SC2785	
		COIL		Q1825	8-729-178-54	TRANSISTOR 2SC2785	
L1770	1-408-239-00	MICRO INDUCTOR 4.7MMH		Q1826	8-729-178-54	TRANSISTOR 2SC2785	
		TRANSISTOR		Q1827	8-729-178-54	TRANSISTOR 2SC2785	
Q1773	8-729-117-54	TRANSISTOR 2SA1175		Q1828	8-729-178-54	TRANSISTOR 2SC2785	
Q1774	8-729-178-54	TRANSISTOR 2SC2785		Q1829	8-729-178-54	TRANSISTOR 2SC2785	
Q1775	8-729-117-54	TRANSISTOR 2SA1175		Q1830	8-729-177-43	TRANSISTOR 2SD774	
Q1776	8-729-178-54	TRANSISTOR 2SC2785		Q1831	8-729-900-36	TRANSISTOR DTC124ES	
Q1777	8-729-178-54	TRANSISTOR 2SC2785		Q1832	8-729-178-54	TRANSISTOR 2SC2785	
Q1778	8-729-178-54	TRANSISTOR 2SC2785		Q1891	8-729-900-36	TRANSISTOR DTC124ES	
Q1779	8-729-117-54	TRANSISTOR 2SA1175				CONNECTOR	
Q1780	8-729-117-54	TRANSISTOR 2SA1175		QB11	*1-566-058-11	PIN, CONNECTOR 6P	
Q1781	8-729-178-54	TRANSISTOR 2SC2785		QB12	*1-566-056-11	PIN, CONNECTOR 4P	
Q1784	8-729-900-89	TRANSISTOR DTC144ES		QB13	*1-566-056-11	PIN, CONNECTOR 4P	
Q1785	8-729-178-54	TRANSISTOR 2SC2785		QB14	*1-566-054-11	PIN, CONNECTOR 2P	
Q1786	8-729-178-54	TRANSISTOR 2SC2785		QB15	*1-566-057-11	PIN, CONNECTOR 5P	
Q1787	8-729-177-43	TRANSISTOR 2SD774		QB16	*1-566-056-11	PIN, CONNECTOR 4P	
Q1788	8-729-117-54	TRANSISTOR 2SA1175		QB17	*1-566-059-11	PIN, CONNECTOR 7P	
Q1789	8-729-178-54	TRANSISTOR 2SC2785				RESISTOR	
Q1790	8-729-177-43	TRANSISTOR 2SD774		R1771	1-249-469-11	CARBON 100K 5% 1/4W	
Q1791	8-729-900-36	TRANSISTOR DTC124ES		R1776	1-249-405-11	CARBON 100 5% 1/6W	
Q1792	8-729-178-54	TRANSISTOR 2SC2785		R1777	1-249-405-11	CARBON 100 5% 1/6W	
Q1793	8-729-117-54	TRANSISTOR 2SA1175		R1778	1-249-405-11	CARBON 100 5% 1/6W	
Q1794	8-729-178-54	TRANSISTOR 2SC2785		R1779	1-249-441-11	CARBON 100K 5% 1/6W	
Q1795	8-729-178-54	TRANSISTOR 2SC2785		R1780	1-249-433-11	CARBON 22K 5% 1/6W	
Q1796	8-729-178-54	TRANSISTOR 2SC2785		R1781	1-249-441-11	CARBON 100K 5% 1/6W	
Q1797	8-729-178-54	TRANSISTOR 2SC2785		R1782	1-249-425-11	CARBON 4.7K 5% 1/6W	
Q1798	8-729-117-54	TRANSISTOR 2SA1175		R1783	1-249-469-11	CARBON 100K 5% 1/4W	
				R1784	1-249-433-11	CARBON 22K 5% 1/6W	

PVM-2730QM
RM-668
QB

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
R1785	1-249-441-11	CARBON	100K 5% 1/6W	R1847	1-249-437-11	CARBON	47K 5% 1/6W
R1786	1-249-441-11	CARBON	100K 5% 1/6W	R1848	1-249-428-11	CARBON	8.2K 5% 1/6W
R1787	1-249-433-11	CARBON	22K 5% 1/6W	R1849	1-249-437-11	CARBON	47K 5% 1/6W
R1788	1-249-413-11	CARBON	470 5% 1/6W	R1850	1-249-428-11	CARBON	8.2K 5% 1/6W
R1794	1-215-485-00	CARBON	470K 5% 1/6W	R1851	1-249-465-11	CARBON	47K 5% 1/4W
R1795	1-249-422-11	CARBON	2.7K 5% 1/6W	R1852	1-249-428-11	CARBON	8.2K 5% 1/6W
R1796	1-249-440-11	CARBON	82K 5% 1/6W	R1853	1-249-416-11	CARBON	820 5% 1/6W
R1797	1-249-434-11	CARBON	27K 5% 1/6W	R1854	1-249-416-11	CARBON	820 5% 1/6W
R1798	1-249-425-11	CARBON	4.7K 5% 1/6W	R1855	1-249-417-11	CARBON	1K 5% 1/6W
R1799	1-249-419-11	CARBON	1.5K 5% 1/6W	R1856	1-249-417-11	CARBON	1K 5% 1/6W
R1800	1-249-425-11	CARBON	4.7K 5% 1/6W	R1857	1-247-713-11	CARBON	1K 5% 1/4W
R1801	1-249-440-11	CARBON	82K 5% 1/6W	R1858	1-249-433-11	CARBON	22K 5% 1/6W
R1802	1-249-434-11	CARBON	27K 5% 1/6W	R1859	1-249-417-11	CARBON	1K 5% 1/6W
R1804	1-249-429-11	CARBON	10K 5% 1/6W	R1860	1-249-429-11	CARBON	10K 5% 1/6W
R1805	1-249-429-11	CARBON	10K 5% 1/6W	R1861	1-249-417-11	CARBON	1K 5% 1/6W
R1806	1-249-406-11	CARBON	120 5% 1/6W	R1862	1-249-417-11	CARBON	1K 5% 1/6W
R1807	1-247-849-00	CARBON	5.6K 5% 1/6W	R1863	1-249-433-11	CARBON	22K 5% 1/6W
R1808	1-247-849-00	CARBON	5.6K 5% 1/6W	R1864	1-249-417-11	CARBON	1K 5% 1/6W
R1809	1-249-408-11	CARBON	180 5% 1/6W	R1865	1-249-425-11	CARBON	4.7K 5% 1/6W
R1810	1-247-832-00	CARBON	1.1K 5% 1/6W	R1866	1-249-412-11	CARBON	390 5% 1/6W
R1811	1-249-413-11	CARBON	470 5% 1/6W	R1867	1-249-417-11	CARBON	1K 5% 1/6W
R1813	1-249-413-11	CARBON	470 5% 1/6W	R1868	1-249-412-11	CARBON	390 5% 1/6W
R1814	1-249-413-11	CARBON	470 5% 1/6W	R1869	1-249-421-11	CARBON	2.2K 5% 1/6W
R1815	1-249-412-11	CARBON	390 5% 1/6W	R1870	1-249-421-11	CARBON	2.2K 5% 1/6W
R1816	1-249-413-11	CARBON	470 5% 1/6W	R1871	1-249-421-11	CARBON	2.2K 5% 1/6W
R1817	1-247-832-00	CARBON	1.1K 5% 1/6W	R1872	1-249-433-11	CARBON	22K 5% 1/6W
R1819	1-249-413-11	CARBON	470 5% 1/6W	R1873	1-249-429-11	CARBON	10K 5% 1/6W
R1820	1-249-406-11	CARBON	120 5% 1/6W	R1874	1-249-413-11	CARBON	470 5% 1/6W
R1821	1-249-406-11	CARBON	120 5% 1/6W	R1875	1-247-842-00	CARBON	3K 5% 1/6W
R1822	1-249-406-11	CARBON	120 5% 1/6W	R1876	1-249-420-11	CARBON	1.8K 5% 1/6W
R1823	1-249-406-11	CARBON	120 5% 1/6W	R1877	1-249-429-11	CARBON	10K 5% 1/6W
R1824	1-247-881-00	CARBON	120K 5% 1/6W	R1879	1-249-469-11	CARBON	100K 5% 1/4W
R1825	1-247-881-00	CARBON	120K 5% 1/6W	R1880	1-249-417-11	CARBON	1K 5% 1/6W
R1826	1-247-881-00	CARBON	120K 5% 1/6W	R1881	1-249-422-11	CARBON	2.7K 5% 1/6W
R1827	1-249-429-11	CARBON	10K 5% 1/6W	R1882	1-249-417-11	CARBON	1K 5% 1/6W
R1828	1-249-417-11	CARBON	1K 5% 1/6W	R1883	1-249-433-11	CARBON	22K 5% 1/6W
R1829	1-249-429-11	CARBON	10K 5% 1/6W	R1884	1-249-417-11	CARBON	1K 5% 1/6W
R1830	1-249-429-11	CARBON	10K 5% 1/6W	R1885	1-249-416-11	CARBON	820 5% 1/6W
R1831	1-249-417-11	CARBON	1K 5% 1/6W	R1886	1-249-417-11	CARBON	1K 5% 1/6W
R1832	1-249-429-11	CARBON	10K 5% 1/6W	R1887	1-247-715-11	CARBON	1.5K 5% 1/4W
R1833	1-249-429-11	CARBON	10K 5% 1/6W	R1888	1-249-417-11	CARBON	1K 5% 1/6W
R1834	1-249-417-11	CARBON	1K 5% 1/6W	R1892	1-249-415-11	CARBON	680 5% 1/6W
R1835	1-249-428-11	CARBON	8.2K 5% 1/6W	R1893	1-249-433-11	CARBON	22K 5% 1/6W
R1836	1-249-422-11	CARBON	2.7K 5% 1/6W	R1894	1-249-428-11	CARBON	8.2K 5% 1/6W
R1837	1-249-417-11	CARBON	1K 5% 1/6W	R1896	1-249-415-11	CARBON	680 5% 1/6W
R1838	1-247-849-00	CARBON	5.6K 5% 1/6W	R1898	1-247-849-00	CARBON	5.6K 5% 1/6W
R1839	1-247-849-00	CARBON	5.6K 5% 1/6W	R1899	1-247-849-00	CARBON	5.6K 5% 1/6W
R1841	1-249-433-11	CARBON	22K 5% 1/6W	R1902	1-249-417-11	CARBON	1K 5% 1/6W
R1842	1-249-433-11	CARBON	22K 5% 1/6W	R1903	1-249-412-11	CARBON	390 5% 1/6W
R1843	1-249-462-11	CARBON	22K 5% 1/4W	R1921	1-249-424-11	CARBON	3.9K 5% 1/6W
R1844	1-249-405-11	CARBON	100 5% 1/6W	R1922	1-249-424-11	CARBON	3.9K 5% 1/6W
R1845	1-249-433-11	CARBON	22K 5% 1/6W				
R1846	1-247-714-11	CARBON	1.2K 5% 1/4W				

C

—82—

PVM-2730QM
RM-668
C
D2

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
Q702	8-729-178-54	TRANSISTOR 2SC2785		R732	1-247-719-11	CARBON 3.3K 5% 1/4W	F
Q703	8-729-200-17	TRANSISTOR 2SA1091		R733	1-247-719-11	CARBON 3.3K 5% 1/4W	F
Q704	8-729-326-11	TRANSISTOR 2SC2611		R734	1-247-714-11	CARBON 1.2K 5% 1/4W	
Q705	8-729-178-54	TRANSISTOR 2SC2785		R735	1-247-714-11	CARBON 1.2K 5% 1/4W	
Q706	8-729-200-17	TRANSISTOR 2SA1091		R736	1-246-476-00	CARBON 1.3K 5% 1/4W	
Q707	8-729-200-17	TRANSISTOR 2SA1091		R737	1-249-440-11	CARBON 82K 5% 1/6W	
Q708	8-729-326-11	TRANSISTOR 2SC2611		R739	1-215-471-00	CARBON 120K 5% 1/6W	
Q709	8-729-178-54	TRANSISTOR 2SC2785		R740	1-215-902-11	METAL OXIDE 47K 5% 2W	F
Q710	8-729-255-12	TRANSISTOR 2SC2551		R741	1-249-438-11	CARBON 56K 5% 1/6W	
Q712	8-729-255-12	TRANSISTOR 2SC2551		R742	1-247-725-11	CARBON 10K 5% 1/4W	F
Q714	8-729-200-17	TRANSISTOR 2SA1091		R743	1-247-725-11	CARBON 10K 5% 1/4W	F
Q715	8-729-200-17	TRANSISTOR 2SA1091		R744	1-247-725-11	CARBON 10K 5% 1/4W	F
Q716	8-729-200-17	TRANSISTOR 2SA1091		R745	1-247-713-11	CARBON 1K 5% 1/4W	F
Q751	8-729-178-54	TRANSISTOR 2SC2785		R746	1-215-879-51	METAL OXIDE 47K 5% 1W	F
Q752	8-729-178-54	TRANSISTOR 2SC2785		R747	1-247-725-11	CARBON 10K 5% 1/4W	F
Q753	8-729-178-54	TRANSISTOR 2SC2785		R751	1-249-409-11	CARBON 220 5% 1/6W	
Q754	8-729-177-43	TRANSISTOR 2SD774		R752	1-249-409-11	CARBON 220 5% 1/6W	
Q755	8-729-178-54	TRANSISTOR 2SC2785		R753	1-249-418-11	CARBON 1.2K 5% 1/6W	
Q756	8-729-374-02	TRANSISTOR 2SB740		R754	1-249-412-11	CARBON 390 5% 1/6W	
Q757	8-729-177-43	TRANSISTOR 2SD774		R755	1-215-871-11	METAL OXIDE 2.2K 5% 1W	F
RESISTOR				R756	1-249-414-11	CARBON 560 5% 1/6W	
R701	1-212-352-00	METAL OXIDE 0.22 5% 1W	F	R757	1-247-849-00	CARBON 5.6K 5% 1/6W	
R702	1-202-846-00	SOLID 470K 10% 1/2W		R758	1-249-435-11	CARBON 33K 5% 1/6W	
R703	1-202-844-00	SOLID 330K 10% 1/2W		R759	1-249-393-11	CARBON 10 5% 1/6W	F
R704	1-202-815-11	SOLID 47K 10% 1/2W		R760	1-249-411-11	CARBON 330 5% 1/6W	
R705	1-202-846-00	SOLID 470K 10% 1/2W		R761	1-249-409-11	CARBON 220 5% 1/6W	
R706	1-202-720-00	SOLID 1.2M 10% 1/2W		R762	1-249-409-11	CARBON 220 5% 1/6W	
R707	1-202-842-11	SOLID 220K 10% 1/2W		R763	1-249-437-11	CARBON 47K 5% 1/6W	
R708	1-202-818-00	SOLID 1K 10% 1/2W		R764	1-249-397-11	CARBON 22 5% 1/6W	F
R709	1-202-818-00	SOLID 1K 10% 1/2W		R765	1-249-417-11	CARBON 1K 5% 1/6W	
R710	1-202-818-00	SOLID 1K 10% 1/2W		R766	1-249-435-11	CARBON 33K 5% 1/6W	
R711	1-202-549-00	SOLID 100 10% 1/2W		R767	1-249-441-11	CARBON 100K 5% 1/6W	
R712	1-202-543-00	SOLID 56 10% 1/2W		R768	1-249-435-11	CARBON 33K 5% 1/6W	
R713	1-216-486-00	METAL OXIDE 8.2K 5% 3W	F	R769	1-249-417-11	CARBON 1K 5% 1/6W	
R714	1-249-409-11	CARBON 220 5% 1/6W		R770	1-249-389-11	CARBON 4.7 5% 1/6W	F
R715	1-249-429-11	CARBON 10K 5% 1/6W		R771	1-249-389-11	CARBON 4.7 5% 1/6W	F
R716	1-216-486-00	METAL OXIDE 8.2K 5% 3W	F	R772	1-249-402-11	CARBON 56 5% 1/6W	
R717	1-249-409-11	CARBON 220 5% 1/6W		VARIABLE RESISTOR			
R718	1-249-429-11	CARBON 10K 5% 1/6W		RV701	1-226-157-00	RES, ADJ, METAL GLAZE 1M	
R719	1-249-429-11	CARBON 10K 5% 1/6W		RV703	1-228-729-00	RES, ADJ, CERAMIC CARBON 220K	
R720	1-216-486-00	METAL OXIDE 8.2K 5% 3W	F	RV705	1-228-728-00	RES, ADJ, CERAMIC CARBON 100K	
R721	1-249-409-11	CARBON 220 5% 1/6W		RV706	1-228-724-00	RES, ADJ, CERAMIC CARBON 10K	
R722	1-249-405-11	CARBON 100 5% 1/6W		*****			
R723	1-247-700-11	CARBON 100 5% 1/4W		*A-1340-940-A D2 BOARD, COMPLETE			
R724	1-249-405-11	CARBON 100 5% 1/6W		*****			
R725	1-249-429-11	CARBON 10K 5% 1/6W		CAPACITOR			
R726	1-249-408-11	CARBON 180 5% 1/6W		C2501	1-108-618-91	MYLAR 0.0022MF 10% 100V	
R727	1-249-429-11	CARBON 10K 5% 1/6W		C2502	1-108-632-81	MYLAR 0.033MF 10% 100V	
R728	1-215-402-00	CARBON 160 5% 1/6W		C2503	1-108-620-91	MYLAR 0.0033MF 10% 100V	
R729	1-249-441-11	CARBON 100K 5% 1/6W		C2504	1-102-074-00	CERAMIC 0.001MF 10% 50V	
R730	1-215-402-00	CARBON 160 5% 1/6W					
R731	1-247-719-11	CARBON 3.3K 5% 1/4W	F				

PVM-2730QM
 RM-668

D2

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
C2505	1-106-367-00	MYLAR 0.01MF	10% 100V	L2506	1-459-123-00	COIL, DUST CORE(PAC)	
C2506	1-108-620-91	MYLAR 0.0033MF	10% 100V			TRANSISTOR	
C2507	1-106-367-00	MYLAR 0.01MF	10% 100V	Q2501	8-729-178-54	TRANSISTOR 2SC2785	
C2508	1-123-379-00	ELECT 0.47MF	20% 50V	Q2502	8-729-178-54	TRANSISTOR 2SC2785	
C2509	1-123-356-00	ELECT 10MF	20% 50V	Q2503	8-729-178-54	TRANSISTOR 2SC2785	
C2510	1-123-356-00	ELECT 10MF	20% 50V	Q2504	8-729-178-54	TRANSISTOR 2SC2785	
C2511	1-123-359-00	ELECT 47MF	20% 50V	Q2505	8-729-178-54	TRANSISTOR 2SC2785	
C2512	1-123-359-00	ELECT 47MF	20% 50V	Q2506	8-729-122-02	TRANSISTOR 2SA1220A	
C2513	1-123-357-00	ELECT 22MF	20% 50V	Q2507	8-729-169-02	TRANSISTOR 2SC2690A	
C2514	1-123-361-00	ELECT 220MF	20% 50V	Q2510	8-729-195-82	TRANSISTOR 2SC2958	
C2515	1-123-333-00	ELECT 100MF	20% 25V	Q2511	8-729-117-54	TRANSISTOR 2SA1175	
C2516	1-123-360-00	ELECT 100MF	20% 50V	Q2512	8-729-122-02	TRANSISTOR 2SA1220A	
C2517	1-129-701-00	FILM 0.01MF	5% 100V	Q2515	8-729-117-54	TRANSISTOR 2SA1175	
C2518	1-102-231-11	CERAMIC 47PF	10% 500V	Q2516	8-729-178-54	TRANSISTOR 2SC2785	
C2520	1-123-380-00	ELECT 1MF	20% 50V			RESISTOR	
C2521	1-108-849-00	MYLAR 0.1MF	10% 50V	R2501	1-249-435-11	CARBON 33K 5% 1/6W	
C2522	1-123-332-00	ELECT 47MF	20% 25V	R2502	1-249-429-11	CARBON 10K 5% 1/6W	
C2523	1-108-637-00	MYLAR 0.082MF	10% 100V	R2503	1-249-435-11	CARBON 33K 5% 1/6W	
C2524	1-106-222-00	MYLAR 0.12MF	10% 100V	R2504	1-249-429-11	CARBON 10K 5% 1/6W	
C2525	1-123-379-00	ELECT 0.47MF	20% 50V	R2505	1-249-420-11	CARBON 1.8K 5% 1/6W	
C2526	1-108-634-81	MYLAR 0.047MF	10% 100V	R2506	1-249-429-11	CARBON 10K 5% 1/6W	
C2527	1-108-614-91	MYLAR 0.001MF	10% 100V	R2507	1-249-437-11	CARBON 47K 5% 1/6W	
C2530	1-106-224-00	MYLAR 0.15MF	10% 100V	R2508	1-249-437-11	CARBON 47K 5% 1/6W	
C2532	1-106-367-00	MYLAR 0.01MF	10% 100V	R2509	1-249-418-11	CARBON 1.2K 5% 1/6W	
C2535	1-108-630-91	MYLAR 0.022MF	10% 100V	R2510	1-249-438-11	CARBON 56K 5% 1/6W	
C2536	1-123-379-00	ELECT 0.47MF	20% 50V	R2511	1-249-439-11	CARBON 68K 5% 1/6W	
C2537	1-123-332-00	ELECT 47MF	20% 25V	R2512	1-249-429-11	CARBON 10K 5% 1/6W	
C2538	1-123-369-00	ELECT 4.7MF	20% 50V	R2513	1-249-417-11	CARBON 1K 5% 1/6W	
<u>CONNECTOR</u>				R2514	1-247-700-11	CARBON 100 5% 1/4W	
D21	*1-566-058-11	PIN, CONNECTOR 6P		R2515	1-249-439-11	CARBON 68K 5% 1/6W	
D22	*1-508-767-00	5P PLUG		R2516	1-249-425-11	CARBON 4.7K 5% 1/6W	
D23	*1-508-766-00	4P PLUG (M)		R2517	1-249-439-11	CARBON 68K 5% 1/6W	
D24	*1-508-765-00	3P PLUG (M)		R2518	1-249-439-11	CARBON 68K 5% 1/6W	
D25	*1-508-784-00	1P PLUG		R2519	1-249-437-11	CARBON 47K 5% 1/6W	
D26	*1-566-054-11	PIN, CONNECTOR 2P		R2520	1-249-421-11	CARBON 2.2K 5% 1/6W	
<u>DIODE</u>				R2521	1-249-439-11	CARBON 68K 5% 1/6W	
D2501	8-719-911-19	DIODE 1SS119		R2522	1-249-430-11	CARBON 12K 5% 1/6W	
D2502	8-719-200-02	DIODE 10E2		R2523	1-249-423-11	CARBON 3.3K 5% 1/6W	
D2503	8-719-200-02	DIODE 10E2		R2524	1-247-849-00	CARBON 5.6K 5% 1/6W	
D2504	8-719-911-19	DIODE 1SS119		R2525	1-247-849-00	CARBON 5.6K 5% 1/6W	
D2505	8-719-911-19	DIODE 1SS119		R2526	1-249-423-11	CARBON 3.3K 5% 1/6W	
D2506	8-719-200-02	DIODE 10E2		R2527	1-249-433-11	CARBON 22K 5% 1/6W	
D2507	8-719-110-51	DIODE RD20ES-B		R2528	1-249-425-11	CARBON 4.7K 5% 1/6W	
<u>COIL</u>				R2529	1-249-433-11	CARBON 22K 5% 1/6W	
L2501	1-407-877-00	MICRO INDUCTOR 15MMH		R2530	1-249-423-11	CARBON 3.3K 5% 1/6W	
L2502	1-459-119-00	COIL, DUST CORE(ARC)		R2531	1-249-401-11	CARBON 47 5% 1/6W	F
L2503	1-407-504-00	MICRO INDUCTOR 10MMH		R2532	1-249-401-11	CARBON 47 5% 1/6W	F
L2504	1-459-583-11	COIL (WITH CORE)		R2533	1-249-399-11	CARBON 33 5% 1/6W	F
L2505	1-443-012-00	TRANSFORMER, DYNAMIC CONVERSION		R2534	1-249-429-11	CARBON 10K 5% 1/6W	
				R2540	1-249-434-11	CARBON 27K 5% 1/6W	

PVM-2730QM
RM-668

D2

D3

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
R2541	1-215-473-00	CARBON	150K 5% 1/6W	C2612	1-124-259-00	ELECT	4.7MF 20% 50V
R2542	1-216-426-11	METAL OX IDE	82 5% 1W F	C2613	1-124-259-00	ELECT	4.7MF 20% 50V
R2543	1-212-960-00	FUSIBLE	12 5% 1/2W F	C2615	1-101-004-00	CERAMIC	0.01MF 50V
R2544	1-215-884-11	METAL OX IDE	47 5% 2W F				
R2545	1-249-421-11	CARBON	2.2K 5% 1/6W			DIODE	
R2546	1-247-706-11	CARBON	330 5% 1/4W	D2601	8-719-000-12	DIODE MC931	
R2547	1-249-435-11	CARBON	33K 5% 1/6W	D2602	8-719-000-12	DIODE MC931	
R2548	1-249-439-11	CARBON	68K 5% 1/6W	D2603	8-719-110-60	DIODE RD24ES-B	
R2549	1-249-441-11	CARBON	100K 5% 1/6W	D2604	8-719-911-19	DIODE 1SS119	
R2550	1-249-424-11	CARBON	3.9K 5% 1/6W			IC	
R2554	1-215-485-00	CARBON	470K 5% 1/6W	IC2601	8-759-700-08	IC NJM4558S	
R2555	1-249-424-11	CARBON	3.9K 5% 1/6W	IC2602	8-759-909-70	IC CX23025	
R2556	1-249-425-11	CARBON	4.7K 5% 1/6W			TRANSISTOR	
R2557	1-249-429-11	CARBON	10K 5% 1/6W				
R2558	1-249-425-11	CARBON	4.7K 5% 1/6W				
R2559	1-249-429-11	CARBON	10K 5% 1/6W	Q2601	8-729-178-54	TRANSISTOR 2SC2785	
R2560	1-249-430-11	CARBON	12K 5% 1/6W	Q2602	8-729-900-36	TRANSISTOR DTC124ES	
R2561	1-249-429-11	CARBON	10K 5% 1/6W	Q2603	8-729-178-54	TRANSISTOR 2SC2785	
R2562	1-247-704-11	CARBON	220 5% 1/4W	Q2604	8-729-178-54	TRANSISTOR 2SC2785	
R2563	1-249-425-11	CARBON	4.7K 5% 1/6W	Q2605	8-729-178-54	TRANSISTOR 2SC2785	
R2564	1-249-437-11	CARBON	47K 5% 1/6W	Q2606	8-729-178-54	TRANSISTOR 2SC2785	
R2565	1-249-441-11	CARBON	100K 5% 1/6W	Q2607	8-729-105-72	TRANSISTOR 2SK523-L1	
R2566	1-249-409-11	CARBON	220 5% 1/6W			RESISTOR	
R2567	1-249-421-11	CARBON	2.2K 5% 1/6W				
		VARIABLE RESISTOR		R2601	1-249-438-11	CARBON	56K 5% 1/6W
				R2602	1-249-435-11	CARBON	33K 5% 1/6W
RV2501	1-228-727-00	RES, ADJ, CERAMIC CARBON	47K	R2603	1-249-424-11	CARBON	3.9K 5% 1/6W
RV2502	1-228-727-00	RES, ADJ, CERAMIC CARBON	47K	R2604	1-249-424-11	CARBON	3.9K 5% 1/6W
RV2503	1-228-727-00	RES, ADJ, CERAMIC CARBON	47K	R2605	1-247-704-11	CARBON	220 5% 1/4W
RV2504	1-228-724-00	RES, ADJ, CERAMIC CARBON	10K				
RV2505	1-228-724-00	RES, ADJ, CERAMIC CARBON	10K	R2609	1-249-441-11	CARBON	100K 5% 1/6W
		TRANSFORMER		R2610	1-249-441-11	CARBON	100K 5% 1/6W
T2501	1-407-849-00	TRANSFORMER, D.F		R2611	1-247-725-11	CARBON	10K 5% 1/4W
				R2612	1-249-438-11	CARBON	56K 5% 1/6W
				R2613	1-215-471-00	CARBON	120K 5% 1/6W
*****				R2614	1-249-429-11	CARBON	10K 5% 1/6W
*A-1340-941-A	D3 BOARD, COMPLETE			R2615	1-249-429-11	CARBON	10K 5% 1/6W
	*****			R2616	1-249-429-11	CARBON	10K 5% 1/6W
*1-566-057-11	PIN, CONNECTOR 5P			R2617	1-249-429-11	CARBON	10K 5% 1/6W
*1-566-058-11	PIN, CONNECTOR 6P			R2618	1-249-429-11	CARBON	10K 5% 1/6W
		CAPACITOR		R2619	1-249-441-11	CARBON	100K 5% 1/6W
C2601	1-124-598-11	ELECT	22MF 20% 25V	R2620	1-249-441-11	CARBON	100K 5% 1/6W
C2602	1-123-381-00	ELECT	2.2MF 20% 50V	R2622	1-249-429-11	CARBON	10K 5% 1/6W
C2603	1-123-381-00	ELECT	2.2MF 20% 50V	R2623	1-249-429-11	CARBON	10K 5% 1/6W
C2604	1-123-369-00	ELECT	4.7MF 20% 50V	R2624	1-249-417-11	CARBON	1K 5% 1/6W
C2606	1-101-004-00	CERAMIC	0.01MF 50V				
C2607	1-123-333-00	ELECT	100MF 20% 25V	R2625	1-249-429-11	CARBON	10K 5% 1/6W
C2608	1-123-381-00	ELECT	2.2MF 20% 50V	R2626	1-249-433-11	CARBON	22K 5% 1/6W
C2609	1-124-598-11	ELECT	22MF 20% 25V	R2627	1-249-433-11	CARBON	22K 5% 1/6W
C2610	1-124-259-00	ELECT	4.7MF 20% 50V	R2628	1-249-429-11	CARBON	10K 5% 1/6W
C2611	1-123-816-00	ELECT	10MF 20% 50V	R2629	1-249-405-11	CARBON	100 5% 1/6W
				R2630	1-249-405-11	CARBON	100 5% 1/6W
				R2631	1-247-700-11	CARBON	100 5% 1/4W
				R2632	1-249-423-11	CARBON	3.3K 5% 1/6W
				R2633	1-249-423-11	CARBON	3.3K 5% 1/6W

PVM-2730QM
RM-668
D3
D

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
R2634	1-247-700-11	CARBON 100 5% 1/4W		C551	1-123-357-00	ELECT 22MF 20% 50V	
R2635	1-247-722-11	CARBON 5.6K 5% 1/4W		C552	1-123-356-00	ELECT 10MF 20% 50V	
R2636	1-249-427-11	CARBON 6.8K 5% 1/6W		C555	1-123-379-00	ELECT 0.47MF 20% 50V	
R2637	1-249-433-11	CARBON 22K 5% 1/6W		C556	1-136-175-00	FILM 0.68MF 5% 50V	
R2638	1-249-431-11	CARBON 15K 5% 1/6W		C557	1-136-169-00	FILM 0.22MF 5% 50V	
R2639	1-249-437-11	CARBON 47K 5% 1/6W		C1501	1-136-161-00	FILM 0.047MF 5% 50V	
R2640	1-249-429-11	CARBON 10K 5% 1/6W		C1502	1-106-220-00	MYLAR 0.1MF 10% 100V	
R2642	1-249-424-11	CARBON 3.9K 5% 1/6W		C1503	1-106-371-00	MYLAR 0.015MF 10% 100V	
R2643	1-249-423-11	CARBON 3.3K 5% 1/6W		C1504	1-123-330-00	ELECT 22MF 20% 16V	
R2644	1-247-885-00	CARBON 180K 5% 1/6W		C1505	1-108-630-91	MYLAR 0.022MF 10% 100V	
R2645	1-249-429-11	CARBON 10K 5% 1/6W		C1506	1-123-356-00	ELECT 10MF 20% 25V	
VARIABLE RESISTOR				C1507	1-123-332-00	ELECT 47MF 20% 25V	
RV2601	1-228-728-00	RES, ADJ, CERAMIC CARBON 100K		C1508	1-130-868-00	FILM 0.0056MF 5% 50V	
RV2602	1-228-728-00	RES, ADJ, CERAMIC CARBON 100K		C1509	1-123-369-00	ELECT 4.7MF 20% 25V	
RV2603	1-228-724-00	RES, ADJ, CERAMIC CARBON 10K		C1510	1-102-820-00	CERAMIC 330PF 5% 50V	
RV2604	1-228-724-00	RES, ADJ, CERAMIC CARBON 10K		C1511	1-123-321-00	ELECT 220MF 20% 16V	
RV2605	1-228-725-00	RES, ADJ, CERAMIC CARBON 22K		C1512	1-123-379-00	ELECT 0.47MF 20% 50V	
RV2606	1-228-727-00	RES, ADJ, CERAMIC CARBON 47K		C1520	1-102-125-00	CERAMIC 0.0047MF 10% 50V	
*****				C1521	1-108-631-81	MYLAR 0.027MF 10% 100V	
*A-1345-699-A D BOARD, COMPLETE				C1522	1-123-333-00	ELECT 100MF 20% 25V	
*****				C1523	1-102-978-00	CERAMIC 220PF 5% 50V	
CAPACITOR				C1524	1-106-379-12	MYLAR 0.033MF 10% 200V	
C501	1-123-380-00	ELECT 1MF 20% 50V		C1525	1-162-117-00	CERAMIC 100PF 10% 500V	
C502	1-108-622-91	MYLAR 0.0047MF 10% 100V		C1526	1-102-157-00	CERAMIC 560PF 10% 500V	
C503	1-108-618-91	MYLAR 0.0022MF 10% 100V		C1527	1-102-038-00	CERAMIC 0.001MF 500V	
C504	1-123-323-00	ELECT 470MF 20% 16V		C1528	1-106-379-12	MYLAR 0.033MF 10% 200V	
C505	1-123-379-00	ELECT 0.47MF 20% 50V		C1529	1-102-820-00	CERAMIC 330PF 5% 50V	
C506	1-123-318-00	ELECT 33MF 20% 16V		C1530	1-123-361-00	ELECT 220MF 20% 50V	
C507	1-123-379-00	ELECT 0.47MF 20% 50V		C1531	1-125-294-00	ELECT(BLOCK) 560MF 20% 160V	
C508	1-136-173-00	FILM 0.47MF 5% 50V		C1532	1-124-006-11	ELECT 10MF 20% 25V	
C509	1-123-357-00	ELECT 22MF 20% 50V		C1533A	1-162-115-51	CERAMIC 330PF 10% 2KV	
C512	1-136-162-00	FILM 0.056MF 5% 50V		C1534A	1-136-330-11	FILM 0.014MF 3% 1.6KV	
C514	1-124-609-11	ELECT 470MF 10% 50V		C1535	1-129-953-00	FILM 0.068MF 20% 1.5KV	
C515	1-124-625-11	ELECT 22MF 10% 50V		C1536	1-123-333-00	ELECT 100MF 20% 16V	
C516	1-123-336-00	ELECT 470MF 20% 25V		C1537	1-123-333-00	ELECT 100MF 20% 16V	
C520	1-102-244-00	CERAMIC 220PF 10% 500V		C1539A	1-162-116-11	CERAMIC 680PF 10% 2KV	
C521	1-123-364-00	ELECT 1000MF 20% 50V		C1540	1-162-115-00	CERAMIC 330PF 10% 2KV	
C522	1-123-875-91	ELECT 10MF 20% 50V		C1541	1-108-630-91	MYLAR 0.022MF 10% 100V	
C523	1-106-387-00	MYLAR 0.1MF 10% 200V		C1542	1-136-179-00	FILM 1.5MF 5% 200V	
C524	1-106-381-12	MYLAR 0.039MF 10% 200V		C1543	1-102-820-00	CERAMIC 330PF 5% 50V	
C525	1-102-244-00	CERAMIC 220PF 10% 500V		C1544	1-136-328-11	FILM 1MF 5% 400V	
C526	1-124-342-00	ELECT 3.3MF 20% 160V		C1549	1-106-367-00	MYLAR 0.01MF 10% 100V	
C527	1-108-694-81	MYLAR 0.015MF 10% 200V		C1550	1-102-973-00	CERAMIC 100PF 5% 50V	
C528	1-162-318-11	CERAMIC 0.001MF 10% 500V		C1551	1-102-030-00	CERAMIC 330PF 10% 500V	
C531	1-123-379-00	ELECT 0.47MF 20% 50V		C1552	1-106-367-00	MYLAR 0.01MF 10% 100V	
C545	1-123-330-00	ELECT 22MF 20% 25V		C1553	1-123-379-00	ELECT 0.47MF 20% 50V	
C546	1-123-381-00	ELECT 2.2MF 20% 50V		C1554	1-106-367-00	MYLAR 0.01MF 10% 100V	
C547	1-123-333-00	ELECT 100MF 20% 25V		C1555	1-102-110-00	CERAMIC 220PF 10% 50V	
C548	1-123-321-00	ELECT 220MF 20% 16V		C1556	1-123-333-00	ELECT 100MF 20% 25V	
				C1557	1-108-622-91	MYLAR 0.0047MF 10% 100V	
				C1558	1-123-330-00	ELECT 22MF 20% 16V	
				C1559	1-123-379-00	ELECT 0.47MF 20% 50V	
				C1560	1-123-379-00	ELECT 0.47MF 20% 50V	

The components identified by shading and mark **A** are critical for safety. Replace only with part number specified.

PVM-2730QM
 RM-668

D

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
C1565	1-106-220-00	MYLAR 0.1MF 10%	100V	D510	8-719-109-88	DIODE RD5.6ES-B1	
C1566	1-162-115-51	CERAMIC 330PF 10%	2KV	D511	8-719-815-55	DIODE 1S1555	
C1567	1-162-115-51	CERAMIC 330PF 10%	2KV	D513	8-719-110-38	DIODE RD15ES-B	
C1568	1-130-706-11	FILM 0.008MF 3%	1.6KV	D520	8-719-190-00	DIODE RD24E-BZ7	
C1569	1-129-747-11	FILM 0.047MF 10%	400V	D521	8-719-815-55	DIODE 1S1555	
C1570	1-129-751-00	FILM 0.1MF 20%	400V	D522	8-719-101-61	DIODE RD6.2E-L2	
C1571	1-102-030-00	CERAMIC 330PF 10%	500V	D1502	8-719-815-55	DIODE 1S1555	
C1572	1-123-321-00	ELECT 220MF 20%	16V	D1503	8-719-110-38	DIODE RD15ES-B	
C1576	1-123-332-00	ELECT 47MF 20%	25V	D1508	8-719-815-55	DIODE 1S1555	
C1577	1-123-318-00	ELECT 33MF 20%	16V	D1509	8-719-200-02	DIODE 10E2	
C1578	1-108-630-91	MYLAR 0.022MF 10%	100V	D1510	8-719-300-76	DIODE RH1A	
C1579	1-106-220-00	MYLAR 0.1MF 10%	100V	D1511	8-719-300-76	DIODE RH1A	
C1585	1-123-357-00	ELECT 22MF 20%	50V	D1512	8-719-300-76	DIODE RH1A	
C1586	1-108-621-91	MYLAR 0.0039MF 10%	100V	D1513	8-719-901-19	DIODE V11N	
C1587	1-131-351-00	TANTALUM 4.7MF 10%	35V	D1515	8-719-200-02	DIODE 10E2	
C1591	1-124-005-11	ELECT 4.7MF 20%	50V	D1516	8-719-903-09	DIODE V30N	
C1592	1-106-367-00	MYLAR 0.01MF 10%	200V	D1517	8-719-906-15	DIODE ERC26-15S	
C1593	1-136-171-00	FILM 0.33MF 5%	50V	D1517A	8-719-906-15	DIODE ERC26-15S	
C1595	1-123-381-00	ELECT 2.2MF 20%	50V	D1518	8-719-928-08	DIODE ERD28-08S	
C1596	1-123-369-00	ELECT 4.7MF 20%	50V	D1518A	8-719-928-08	DIODE ERD28-08S	
C1597	1-136-175-00	FILM 0.68MF 5%	50V	D1525	8-719-815-55	DIODE 1S1555	
C1598	1-102-816-00	CERAMIC 120PF 5%	50V	D1527	8-719-300-76	DIODE RH1A	
C1599	1-106-367-00	MYLAR 0.01MF 10%	100V	D1528	8-719-926-16	DIODE ERC26-15SA	
C1601	1-106-367-00	MYLAR 0.01MF 10%	100V	D1529	8-719-300-76	DIODE RH1A	
C1602	1-106-367-00	MYLAR 0.01MF 10%	100V	D1530	8-719-300-76	DIODE RH1A	
C1603	1-106-367-00	MYLAR 0.01MF 10%	100V	D1531	8-719-300-38	DIODE GU-3A	
C1604	1-106-367-00	MYLAR 0.01MF 10%	100V	D1535	8-719-110-60	DIODE RD24ES-B	
C1605	1-123-381-00	ELECT 2.2MF 20%	50V	D1536	8-719-102-65	DIODE RD4.7E-N2	
C1606	1-123-985-00	ELECT 1000MF 20%	16V	D1537	8-719-102-74	DIODE RD6.2E-N2	
C1607	1-136-162-00	FILM 0.056MF 5%	50V	D1538	8-719-815-55	DIODE 1S1555	
CONNECTOR				D1540	8-719-102-71	DIODE RD5.6E-N2	
D1	*1-508-766-00	4P PLUG (M)		D1541	8-719-300-76	DIODE RH1A	
D2	*1-566-055-11	PIN, CONNECTOR 3P		IC			
D3	*1-566-054-11	PIN, CONNECTOR 2P		IC501	8-759-178-12	IC UPC78L12	
D4	*1-508-767-00	5P PLUG		IC503	8-759-178-12	IC UPC78L12	
D5	*1-506-348-XX	4P PLUG		IC1501	8-759-100-60	IC UPC1377C	
D6	*1-508-767-00	5P PLUG		IC1502	8-759-700-08	IC NJM4558S	
D7	*1-566-056-11	PIN, CONNECTOR 4P		IC1503	8-759-700-08	IC NJM4558S	
D8	*1-508-765-00	3P PLUG (M)		COIL			
D9	*1-508-765-00	3P PLUG (M)		L501	1-459-060-00	COIL, DYNAMIC CONVERSION CHOKE	
D10	*1-508-768-00	6P PLUG		L1501	1-407-364-00	COIL, SPOOK CHOKE 3.3UH	
D11	*1-508-768-00	6P PLUG		L1502	1-459-215-00	CORE COIL	
D12	*1-566-055-11	PIN, CONNECTOR 3P		L1503	1-407-365-00	COIL, CHOKE	
D15	*1-566-058-11	PIN, CONNECTOR 6P		L1504	1-407-365-00	COIL, CHOKE	
D27	*1-566-058-11	PIN, CONNECTOR 6P		L1505	1-407-365-00	COIL, CHOKE	
D28	*1-566-057-11	PIN, CONNECTOR 5P		L1506	1-459-104-00	COIL, DUST CORE	
DIODE				L1507	1-407-365-00	COIL, CHOKE	
D501	8-719-815-55	DIODE 1S1555		L1508	1-421-390-11	COIL, FERRITE (PMC)	
D502	8-719-200-02	DIODE 10E2		L1510	1-407-365-00	COIL, CHOKE	
D503	8-719-300-76	DIODE RH1A		L1511	1-407-365-00	COIL, CHOKE	
D504	8-719-300-76	DIODE RH1A		L1512	1-459-308-31	COIL, HORIZONTAL LINEARITY	
D506	8-719-200-02	DIODE 10E2					
D508	8-719-110-34	DIODE RD13ES-B					

The components identified by shading and mark **A** are critical for safety. Replace only with part number specified.

PVM-2730QM RM-668

D

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
<u>IC LINK</u>				R506	1-249-435-11	CARBON 33K 5% 1/6W	
PS501	1-532-727-11	LINK, IC		R507	1-249-424-11	CARBON 3.9K 5% 1/6W	
<u>TRANSISTOR</u>				R508	1-247-726-11	CARBON 33K 5% 1/4W	
Q501	8-729-178-54	TRANSISTOR 2SC2785		R509	1-249-428-11	CARBON 8.2K 5% 1/6W	
Q502	8-729-178-54	TRANSISTOR 2SC2785		R510	1-249-431-11	CARBON 15K 5% 1/6W	
Q503	8-729-117-54	TRANSISTOR 2SA1175		R511	1-249-432-11	CARBON 18K 5% 1/6W	
Q505	8-729-117-54	TRANSISTOR 2SA1175		R512	1-247-158-00	CARBON 13K 5% 1/4W	
Q506	8-729-178-54	TRANSISTOR 2SC2785		R513	1-249-430-11	CARBON 12K 5% 1/6W	
Q510	8-729-195-82	TRANSISTOR 2SC2958		R514	1-215-466-00	CARBON 75K 5% 1/6W	
Q511	8-729-122-02	TRANSISTOR 2SA1220A		R515	1-249-468-11	CARBON 82K 5% 1/4W	
Q512	8-729-169-02	TRANSISTOR 2SC2690A		R516	1-247-713-11	CARBON 1K 5% 1/4W	
Q515	8-729-117-54	TRANSISTOR 2SA1175		R517	1-249-420-11	CARBON 1.8K 5% 1/6W	
Q516	8-729-177-43	TRANSISTOR 2SD774		R518	1-247-721-11	CARBON 4.7K 5% 1/4W	
Q518	8-729-178-54	TRANSISTOR 2SC2785		R519	1-247-715-11	CARBON 1.5K 5% 1/4W	
Q522	8-729-117-54	TRANSISTOR 2SA1175		R520	1-249-429-11	CARBON 10K 5% 1/6W	
Q523	8-729-117-54	TRANSISTOR 2SA1175		R521	1-249-434-11	CARBON 27K 5% 1/6W	
Q1501	8-729-117-54	TRANSISTOR 2SA1175		R522	1-249-438-11	CARBON 56K 5% 1/6W	
Q1503	8-729-203-81	TRANSISTOR 2SC22388		R523	1-214-765-00	METAL 33K 1% 1/4W	
Q1504	8-729-301-74	TRANSISTOR 2SD1497-04		R525	1-216-353-00	METAL OXIDE 2.2 5% 1W	F
	4-374-410-01	SPACER, MICA; Q1504		R526	1-249-423-11	CARBON 3.3K 5% 1/6W	
	*4-374-413-01	RETAINER (A), TR; Q1504		R527	1-249-420-11	CARBON 1.8K 5% 1/6W	
Q1505	8-729-177-43	TRANSISTOR 2SD774		R528	1-249-413-11	CARBON 470 5% 1/6W	
Q1506	8-729-103-43	TRANSISTOR 2SB734		R529	1-249-414-11	CARBON 560 5% 1/6W	
Q1507	8-726-420-00	THYRISTOR SG-264A		R530	1-247-705-11	CARBON 270 5% 1/4W	
	3-703-320-00	BUSHING (A), TRANSISTOR; Q1507		R536	1-249-393-11	CARBON 10 5% 1/6W	F
	4-303-844-00	SPACER, MICA (4) MD-17; Q1507		R537	1-249-399-11	CARBON 33 5% 1/6W	F
	*4-309-762-00	RETAINER (MD-17), TRANSISTOR; Q1507		R538	1-215-869-11	METAL OXIDE 1K 5% 1W	F
Q1508	8-729-301-74	TRANSISTOR 2SD1497-04		R539	1-216-350-11	METAL OXIDE 1.2 5% 1W	F
	4-374-410-01	SPACER, MICA; Q1508		R540	1-249-405-11	CARBON 100 5% 1/6W	F
	*4-374-413-01	RETAINER (A), TR; Q1508		R541	1-216-350-11	METAL OXIDE 1.2 5% 1W	F
Q1511	8-729-103-43	TRANSISTOR 2SB734		R542	1-215-865-11	METAL OXIDE 220 5% 1W	F
Q1512	8-729-117-54	TRANSISTOR 2SA1175		R543	1-249-382-11	CARBON 1.2 5% 1/6W	F
Q1513	8-729-178-54	TRANSISTOR 2SC2785		R544	1-215-869-11	METAL OXIDE 1K 5% 1W	F
Q1514	8-729-178-54	TRANSISTOR 2SC2785		R546	1-247-715-11	CARBON 1.5K 5% 1/4W	
Q1515	8-729-178-54	TRANSISTOR 2SC2785		R551	1-216-432-00	METAL OXIDE 820 5% 1W	F
Q1520	8-729-168-82	TRANSISTOR 2SC2688		R552	1-247-720-11	CARBON 3.9K 5% 1/4W	
	4-377-115-01	SPACER, MICA; Q1520		R553	1-215-891-11	METAL OXIDE 680 5% 2W	F
	*4-381-170-01	HOLDER, TR; Q1520		R554	1-247-721-11	CARBON 4.7K 5% 1/4W	
Q1521	8-729-900-36	TRANSISTOR DTC124ES		R557	1-247-725-11	CARBON 10K 5% 1/4W	
Q1522	8-729-900-36	TRANSISTOR DTC124ES		R558	1-249-427-11	CARBON 6.8K 5% 1/6W	
Q1523	8-729-900-36	TRANSISTOR DTC124ES		R560	1-249-417-11	CARBON 1K 5% 1/6W	
Q1524	8-729-900-36	TRANSISTOR DTC124ES		R561	1-247-708-11	CARBON 470 5% 1/4W	
Q1525	8-729-900-36	TRANSISTOR DTC124ES		R562	1-247-704-11	CARBON 220 5% 1/4W	
Q1526	8-729-900-36	TRANSISTOR DTC124ES		R563	1-247-704-11	CARBON 220 5% 1/4W	
<u>RESISTOR</u>				R564	1-247-711-11	CARBON 680 5% 1/4W	
R501	1-215-485-00	CARBON 470K 5% 1/6W		R581	1-249-427-11	CARBON 6.8K 5% 1/6W	
R502	1-249-427-11	CARBON 6.8K 5% 1/6W		R582	1-249-441-11	CARBON 100K 5% 1/6W	
R503	1-249-425-11	CARBON 4.7K 5% 1/6W		R593	1-215-926-00	METAL OXIDE 33K 5% 3W	F
R504	1-249-429-11	CARBON 10K 5% 1/6W		R593A	1-215-926-00	METAL OXIDE 33K 5% 3W	F
R505	1-249-421-11	CARBON 2.2K 5% 1/6W		R594	1-249-460-11	CARBON 15K 5% 1/4W	
				R595	1-249-431-11	CARBON 15K 5% 1/6W	
				R596	1-246-488-00	CARBON 4.3K 5% 1/4W	
				R597	1-249-461-11	CARBON 18K 5% 1/4W	
				R598	1-214-750-00	METAL 7.5K 1% 1/4W	

PVM-2730QM
RM-668
D

Ref.No.	Part No.	Description	Remark			Ref.No.	Part No.	Description	Remark		
R599	1-214-741-00	METAL	3.3K	1%	1/4W	R1563	1-249-422-11	CARBON	2.7K	5%	1/6W
R1501	1-249-411-11	CARBON	330	5%	1/6W	R1564	1-249-405-11	CARBON	100	5%	1/6W
R1502	1-247-723-11	CARBON	6.8K	5%	1/4W	R1565	1-249-462-11	CARBON	22K	5%	1/4W
R1503	1-249-405-11	CARBON	100	5%	1/6W	R1566	1-249-439-11	CARBON	68K	5%	1/6W
R1504	1-249-435-11	CARBON	33K	5%	1/6W	R1567	1-249-435-11	CARBON	33K	5%	1/6W
R1505	1-249-436-11	CARBON	39K	5%	1/6W	R1568	1-247-713-11	CARBON	1K	5%	1/4W
R1506	1-247-894-00	CARBON	430K	5%	1/6W	R1571	1-249-382-11	CARBON	1.2	5%	1/6W
R1507	1-249-462-11	CARBON	22K	5%	1/4W	R1572	1-249-448-11	CARBON	1.2	5%	1/4W
R1508	1-249-429-11	CARBON	10K	5%	1/6W	R1573	1-249-382-11	CARBON	1.2	5%	1/6W
R1509	1-249-405-11	CARBON	100	5%	1/6W	R1574	1-216-424-11	METAL OXIDE	39	5%	1W
R1510	1-249-433-11	CARBON	22K	5%	1/6W	R1575	1-249-382-11	CARBON	1.2	5%	1/6W
R1511	1-215-471-00	CARBON	120K	5%	1/6W	R1576	1-215-869-11	METAL OXIDE	1K	5%	1W
R1512	1-249-440-11	CARBON	82K	5%	1/6W	R1577	1-249-425-11	CARBON	4.7K	5%	1/6W
R1513	1-249-423-11	CARBON	3.3K	5%	1/6W	R1578	1-202-723-00	SOLID	2.2M	10%	1/2W
R1514	1-247-868-00	CARBON	36K	5%	1/6W	R1579	1-247-718-11	CARBON	2.7K	5%	1/4W
R1516	1-249-430-11	CARBON	12K	5%	1/6W	R1580	1-249-439-11	CARBON	68K	5%	1/6W
R1518	1-249-429-11	CARBON	10K	5%	1/6W	R1581	1-249-441-11	CARBON	100K	5%	1/6W
R1520	1-249-435-11	CARBON	33K	5%	1/6W	R1582	1-249-429-11	CARBON	10K	5%	1/6W
R1521	1-247-701-11	CARBON	120	5%	1/4W	R1583	1-249-427-11	CARBON	6.8K	5%	1/6W
R1525	1-247-723-11	CARBON	6.8K	5%	1/4W	R1584	1-249-421-11	CARBON	2.2K	5%	1/6W
R1530	1-247-700-11	CARBON	100	5%	1/4W	R1585	1-247-713-11	CARBON	1K	5%	1/4W
R1531	1-247-713-11	CARBON	1K	5%	1/4W	R1588	1-215-871-11	METAL OXIDE	2.2K	5%	1W
R1532	1-215-922-11	METAL OXIDE	6.8K	5%	3W	R1589	1-247-726-11	CARBON	33K	5%	1/4W
R1532A	1-215-922-11	METAL OXIDE	6.8K	5%	3W	R1590	1-247-726-11	CARBON	33K	5%	1/4W
R1533	1-247-721-11	CARBON	4.7K	5%	1/4W	R1592	1-214-779-00	METAL	120K	1%	1/4W
R1534	1-215-918-00	METAL OXIDE	1.5K	5%	3W	R1593	1-214-781-00	METAL	150K	1%	1/4W
R1534A	1-216-482-11	METAL OXIDE	1.8K	5%	3W	R1594	1-247-722-11	CARBON	5.6K	5%	1/4W
R1535	1-216-388-11	METAL OXIDE	0.82	5%	3W	R1595	1-214-777-00	METAL	100K	1%	1/4W
R1536	1-247-697-11	CARBON	56	5%	1/4W	R1597	1-214-752-00	METAL	9.1K	1%	1/4W
R1537	1-249-385-11	CARBON	2.2	5%	1/6W	R1598	1-214-749-00	METAL	6.8K	1%	1/4W
R1538	1-249-385-11	CARBON	2.2	5%	1/6W	R1599	1-215-473-00	CARBON	150K	5%	1/6W
R1539	1-216-434-11	METAL OXIDE	1.8K	5%	1W	R1600	1-249-405-11	CARBON	100	5%	1/6W
R1541	1-215-915-11	METAL OXIDE	470	5%	3W	R1601	1-246-531-00	CARBON	270K	5%	1/4W
R1541A	1-216-479-11	METAL OXIDE	560	5%	3W	R1602	1-215-477-00	CARBON	220K	5%	1/6W
R1542	1-215-880-00	METAL OXIDE	10	5%	2W	R1603	1-247-725-11	CARBON	10K	5%	1/4W
R1543	1-215-869-11	METAL OXIDE	1K	5%	1W	R1604	1-247-725-11	CARBON	10K	5%	1/4W
R1544	1-216-448-11	METAL OXIDE	39	5%	2W	R1605	1-247-725-11	CARBON	10K	5%	1/4W
R1545	1-247-693-11	CARBON	27	5%	1/4W	R1606	1-247-725-11	CARBON	10K	5%	1/4W
R1546	1-216-371-00	METAL OXIDE	1.5	5%	2W	R1607	1-247-725-11	CARBON	10K	5%	1/4W
R1547	1-247-697-11	CARBON	56	5%	1/4W	R1608	1-249-469-11	CARBON	100K	5%	1/4W
R1548	1-249-382-11	CARBON	1.2	5%	1/6W	R1609	1-249-433-11	CARBON	22K	5%	1/6W
R1549	1-249-382-11	CARBON	1.2	5%	1/6W	R1610	1-247-725-11	CARBON	10K	5%	1/4W
R1552	1-247-725-11	CARBON	10K	5%	1/4W	R1611	1-249-433-11	CARBON	22K	5%	1/6W
R1553	1-249-425-11	CARBON	4.7K	5%	1/6W	R1612	1-249-422-11	CARBON	2.7K	5%	1/6W
R1554	1-247-705-11	CARBON	270	5%	1/4W	R1613	1-249-451-11	CARBON	2.2	5%	1/4W
R1555	1-249-465-11	CARBON	47K	5%	1/4W	R1614	1-247-700-11	CARBON	100	5%	1/4W
R1556	1-249-425-11	CARBON	4.7K	5%	1/6W	VARIABLE RESISTOR					
R1557	1-249-429-11	CARBON	10K	5%	1/6W	RV501	1-228-717-00	RES, ADJ, CERAMIC CARBON	220		
R1558	1-249-425-11	CARBON	4.7K	5%	1/6W	RV503	1-228-727-00	RES, ADJ, CERAMIC CARBON	47K		
R1559	1-249-417-11	CARBON	1K	5%	1/6W	RV1501	1-228-723-00	RES, ADJ, CERAMIC CARBON	4.7K		
R1560	1-247-862-00	CARBON	20K	5%	1/6W	RV1503	1-228-720-00	RES, ADJ, CERAMIC CARBON	1K		
R1561	1-214-746-00	METAL	5.1K	1%	1/4W	RV1505	1-228-720-00	RES, ADJ, CERAMIC CARBON	1K		
R1562	1-247-713-11	CARBON	1K	5%	1/4W						

PVM-2730QM
RM-668

D	HD	HC	K
----------	-----------	-----------	----------

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
RV1506	1-228-727-00	RES, ADJ, CERAMIC CARBON 47K		R986	1-249-429-11	CARBON 10K 5% 1/6W	
RV1510	1-228-720-00	RES, ADJ, CERAMIC CARBON 1K		R988	1-249-405-11	CARBON 100 5% 1/6W	
RV1511	1-228-729-00	RES, ADJ, CERAMIC CARBON 220K		R989	1-249-417-11	CARBON 1K 5% 1/6W	
<u>SPARK GAP</u>				R990	1-249-432-11	CARBON 18K 5% 1/6W	
SG1501	1-519-063-XX	DISCHARGING GAP		R991	1-249-408-11	CARBON 180 5% 1/6W	
<u>TRANSFORMER</u>				R992	1-249-427-11	CARBON 6.8K 5% 1/6W	
T1501A	1-437-089-11	TRANSFORMER, HORIZONTAL DRIVE		R993	1-249-418-11	CARBON 1.2K 5% 1/6W	
T1502	1-437-089-00	TRANSFORMER, HORIZONTAL DRIVE		R994	1-249-420-11	CARBON 1.8K 5% 1/6W	
T1503A	1-439-356-11	HOT		<u>VARIABLE RESISTOR</u>			
T1513A	1-421-388-11	LOT		RV982	1-237-349-11	RES, VAR, CARBON 10K	
<u>THERMISTOR</u>				RV983	1-237-712-11	RES, VAR, CARBON 10K	
TH501	1-800-070-XX	THERMISTOR TH-4700		RV984	1-237-712-11	RES, VAR, CARBON 10K	
*****				RV985	1-237-350-11	RES, VAR, CARBON 20K	
*1-621-541-11	HD BOARD	*****		RV986	1-230-631-11	RES, ADJ, CARBON 22K	
<u>SWITCH</u>				RV987	1-237-348-11	RES, VAR, CARBON 5K	
S996	1-570-145-11	SWITCH, SLIDE		*****			
S997	1-570-145-11	SWITCH, SLIDE		*A-1380-192-A	K BOARD, COMPLETE	*****	
*****				4-309-378-00	WASHER		
*A-1375-066-A	HC BOARD, COMPLETE	*****		<u>CAPACITOR</u>			
<u>CAPACITOR</u>				C201	1-123-379-00	ELECT 0.47MF 20% 50V	
C982	1-130-023-00	FILM 0.0027MF 5% 50V		C202	1-124-042-91	ELECT 0.47MF 20% 50V	
C983	1-130-028-00	FILM 0.0068MF 5% 50V		C203	1-123-332-00	ELECT 47MF 20% 16V	
C984	1-108-837-00	MYLAR 0.01MF 10% 50V		C204	1-123-332-00	ELECT 47MF 20% 16V	
C985	1-123-617-00	ELECT 10MF 20% 16V		C205	1-108-850-11	MYLAR 0.12MF 10% 50V	
C986	1-123-356-00	ELECT 10MF 20% 25V		C206	1-102-125-00	CERAMIC 0.0047MF 10% 50V	
<u>DIODE</u>				C207	1-102-125-00	CERAMIC 0.0047MF 10% 50V	
D971	8-719-109-85	DIODE RD5.1ES-B2		C208	1-108-850-11	MYLAR 0.12MF 10% 50V	
<u>CONNECTOR</u>				C209	1-123-369-00	ELECT 4.7MF 20% 25V	
HC1	*1-566-057-11	PIN, CONNECTOR 5P		C210	1-123-369-00	ELECT 4.7MF 20% 25V	
HC2	*1-566-056-11	PIN, CONNECTOR 4P		C211	1-123-369-00	ELECT 4.7MF 20% 25V	
HC3	*1-566-054-11	PIN, CONNECTOR 2P		C212	1-123-369-00	ELECT 4.7MF 20% 25V	
HC4	*1-566-054-11	PIN, CONNECTOR 2P		C213	1-123-321-00	ELECT 220MF 20% 16V	
<u>IC</u>				C218	1-124-555-00	ELECT 1000MF 20% 16V	
IC985	8-759-933-23	IC BA236		C219	1-123-973-00	ELECT 100MF 20% 16V	
<u>RESISTOR</u>				C220	1-124-042-91	ELECT 0.47MF 20% 50V	
R982	1-249-429-11	CARBON 10K 5% 1/6W		C221	1-124-042-91	ELECT 0.47MF 20% 50V	
R983	1-249-417-11	CARBON 1K 5% 1/6W		C222	1-162-283-31	CERAMIC 120PF 10% 50V	
R984	1-249-429-11	CARBON 10K 5% 1/6W		C223	1-162-283-31	CERAMIC 120PF 10% 50V	
R985	1-249-417-11	CARBON 1K 5% 1/6W		C224	1-124-034-91	ELECT 33MF 20% 16V	
				C225	1-123-332-00	ELECT 47MF 20% 16V	
				C227	1-108-849-00	MYLAR 0.1MF 10% 50V	
				C228	1-123-379-00	ELECT 0.47MF 20% 50V	
				C229	1-124-042-91	ELECT 0.47MF 20% 50V	
				C230	1-162-283-31	CERAMIC 120PF 10% 50V	
				C231	1-162-283-31	CERAMIC 120PF 10% 50V	
				C232	1-124-034-91	ELECT 33MF 20% 16V	
				C233	1-123-332-00	ELECT 47MF 20% 16V	
				C235	1-108-849-00	MYLAR 0.1MF 10% 50V	
				C236	1-124-471-00	ELECT 1000MF 20% 6.3V	

The components identified by shading and mark **A** are critical for safety. Replace only with part number specified.

PVM-2730QM
RM-668

K

HA

Ref.No.	Part No.	Description	Remark	Ref.No.	Part No.	Description	Remark
C237	1-102-074-00	CERAMIC 0.001MF	10% 50V	R222	1-249-429-11	CARBON 10K 5%	1/6W
C238	1-102-074-00	CERAMIC 0.001MF	10% 50V	R223	1-249-432-11	CARBON 18K 5%	1/6W
C239	1-101-006-00	CERAMIC 0.047MF	50V	R224	1-249-437-11	CARBON 47K 5%	1/6W
C240	1-101-006-00	CERAMIC 0.047MF	50V	R225	1-249-409-11	CARBON 220 5%	1/6W
C241	1-101-006-00	CERAMIC 0.047MF	50V	R227	1-249-430-11	CARBON 12K 5%	1/6W
C242	1-125-296-00	ELECT(BLOCK) 4700MF	35V	R228	1-249-390-11	CARBON 5.6 5%	1/6W F
C243	1-125-296-00	ELECT(BLOCK) 4700MF	35V	R229	1-249-429-11	CARBON 10K 5%	1/6W
C244	1-123-332-00	ELECT 47MF	20% 16V	R230	1-249-432-11	CARBON 18K 5%	1/6W
C246	1-123-356-00	ELECT 10MF	20% 16V	R231	1-249-437-11	CARBON 47K 5%	1/6W
C251	1-123-356-00	ELECT 10MF	20% 25V	R232	1-249-409-11	CARBON 220 5%	1/6W
C252	1-123-875-91	ELECT 10MF	20% 50V	R234	1-249-430-11	CARBON 12K 5%	1/6W
<u>DIODE</u>				R235	1-249-390-11	CARBON 5.6 5%	1/6W F
D201	8-719-109-93	DIODE RD6.2ES-B2		R236	1-249-429-11	CARBON 10K 5%	1/6W
D202	8-719-911-19	DIODE 1SS119		R237	1-249-429-11	CARBON 10K 5%	1/6W
D203	8-719-110-36	DIODE RD13ES-B2		R238	1-249-423-11	CARBON 3.3K 5%	1/6W
D204	8-719-110-36	DIODE RD13ES-B2		R239	1-249-437-11	CARBON 47K 5%	1/6W
<u>IC</u>				R240	1-249-430-11	CARBON 12K 5%	1/6W
IC201	8-759-276-30	IC TA7630P		R241	1-249-441-11	CARBON 100K 5%	1/6W
IC204	8-759-111-88	IC UPC1188H		R242	1-249-429-11	CARBON 10K 5%	1/6W
IC205	8-759-111-88	IC UPC1188H		R243	1-249-417-11	CARBON 1K 5%	1/6W
<u>CONNECTOR</u>				R244	1-249-417-11	CARBON 1K 5%	1/6W
K1	*1-566-057-11	PIN, CONNECTOR 5P		R245	1-249-417-11	CARBON 1K 5%	1/6W
K2	*1-508-767-00	5P PLUG		R246	1-249-417-11	CARBON 1K 5%	1/6W
K3	*1-566-056-11	PIN, CONNECTOR 4P		R252	1-249-419-11	CARBON 1.5K 5%	1/6W
K4	*1-566-054-11	PIN, CONNECTOR 2P		R257	1-249-423-11	CARBON 3.3K 5%	1/6W
K5	*1-508-765-00	3P PLUG (M)		*****			
K7	*1-566-054-11	PIN, CONNECTOR 2P		*9-992-247-01 HA BOARD (KEY BOARD UNIT A)			
<u>COIL</u>				*****			
L201	1-408-424-00	MICRO INDUCTOR 180UH		<u>DIODE</u>			
<u>TRANSISTOR</u>				D905	8-719-911-19	DIODE 1SS119	
Q201	8-729-178-54	TRANSISTOR 2SC2785		D906	8-719-911-19	DIODE 1SS119	
Q204	8-729-178-54	TRANSISTOR 2SC2785		D907	8-719-911-19	DIODE 1SS119	
Q205	8-729-178-54	TRANSISTOR 2SC2785		D908	8-719-911-19	DIODE 1SS119	
Q206	8-729-117-54	TRANSISTOR 2SA1175		D909	8-719-911-19	DIODE 1SS119	
Q209	8-729-117-54	TRANSISTOR 2SA1175		D910	8-719-911-19	DIODE 1SS119	
Q211	8-729-177-43	TRANSISTOR 2SD774		D911	9-990-893-01	LED TLY263P	
<u>RESISTOR</u>				D912	9-990-893-01	LED TLY263P	
R201	1-249-441-11	CARBON 100K 5%	1/6W	D913	9-990-893-01	LED TLY263P	
R202	1-249-441-11	CARBON 100K 5%	1/6W	D914	9-990-893-01	LED TLY263P	
R203	1-249-419-11	CARBON 1.5K 5%	1/6W	D915	9-990-893-01	LED TLY263P	
R204	1-249-429-11	CARBON 10K 5%	1/6W	D916	9-990-893-01	LED TLY263P	
R205	1-249-430-11	CARBON 12K 5%	1/6W	D917	9-990-893-01	LED TLY263P	
R206	1-249-430-11	CARBON 12K 5%	1/6W	D918	9-990-893-01	LED TLY263P	
R207	1-249-419-11	CARBON 1.5K 5%	1/6W	D919	9-990-893-01	LED TLY263P	
R208	1-249-419-11	CARBON 1.5K 5%	1/6W	D920	9-990-893-01	LED TLY263P	
R211	1-249-420-11	CARBON 1.8K 5%	1/6W	D921	9-990-893-01	LED TLY263P	
R221	1-249-403-11	CARBON 68 5%	1/6W F	D922	9-990-893-01	LED TLY263P	
				D923	9-990-893-01	LED TLY263P	
				D924	9-990-893-01	LED TLY263P	
				D925	9-990-893-01	LED TLY263P	
				D926	9-990-893-01	LED TLY263P	

PVM-2730QM
RM-668**HA****HB****N**

Ref.No.	Part No.	Description
D927	9-990-893-01	LED TLY263P
D928	9-990-893-01	LED TLY263P
D929	9-990-893-01	LED TLY263P
D930	9-990-893-01	LED TLY263P
D931	9-990-893-01	LED TLY263P

RESISTOR

R905	1-247-700-11	CARBON	100	5%	1/4W
R906	1-247-704-11	CARBON	220	5%	1/4W
R907	1-247-700-11	CARBON	100	5%	1/4W
R908	1-247-704-11	CARBON	220	5%	1/4W
R909	1-247-700-11	CARBON	100	5%	1/4W
R910	1-247-704-11	CARBON	220	5%	1/4W
R911	1-247-700-11	CARBON	100	5%	1/4W
R912	1-247-704-11	CARBON	220	5%	1/4W
R913	1-247-700-11	CARBON	100	5%	1/4W
R914	1-247-704-11	CARBON	220	5%	1/4W
R915	1-247-700-11	CARBON	100	5%	1/4W
R916	1-247-704-11	CARBON	220	5%	1/4W
R917	1-247-704-11	CARBON	220	5%	1/4W
R918	1-247-704-11	CARBON	220	5%	1/4W
R919	1-247-704-11	CARBON	220	5%	1/4W

SWITCH

S905	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S906	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S907	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S908	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S909	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S910	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S911	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S912	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S913	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S914	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S915	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)

*9-992-243-01 HB BOARD (KEY BOARD UNIT B)
*****DIODE

D940	8-719-911-19	DIODE 1SS119
D941	8-719-911-19	DIODE 1SS119
D942	8-719-911-19	DIODE 1SS119
D943	8-719-911-19	DIODE 1SS119
D944	8-719-911-19	DIODE 1SS119
D945	8-719-911-19	DIODE 1SS119
D946	8-719-911-19	DIODE 1SS119
D947	8-719-911-19	DIODE 1SS119
D948	9-990-901-01	LED TLS263P
D949	9-990-901-01	LED TLS263P
D950	9-990-893-01	LED TLY263P
D951	9-990-893-01	LED TLY263P

Remark	Ref.No.	Part No.	Description	Remark
	D952	9-990-893-01	LED TLY263P	
	D953	9-990-893-01	LED TLY263P	
	D954	9-990-893-01	LED TLY263P	
	D955	9-990-893-01	LED TLY263P	
	D956	9-990-893-01	LED TLY263P	

D957	9-990-893-01	LED TLY263P
D958	9-990-893-01	LED TLY263P
D959	9-990-893-01	LED TLY263P
D960	9-990-893-01	LED TLY263P
D961	9-990-893-01	LED TLY263P
D962	9-990-893-01	LED TLY263P
D963	9-990-893-01	LED TLY263P
D964	9-990-893-01	LED TLY263P
D965	9-990-893-01	LED TLY263P
D968	9-990-901-01	LED TLS263P

RESISTOR

R940	1-247-703-11	CARBON	180	5%	1/4W
R941	1-247-700-11	CARBON	100	5%	1/4W
R942	1-247-704-11	CARBON	220	5%	1/4W
R943	1-247-700-11	CARBON	100	5%	1/4W
R944	1-247-704-11	CARBON	220	5%	1/4W
R945	1-247-700-11	CARBON	100	5%	1/4W
R946	1-247-700-11	CARBON	100	5%	1/4W
R947	1-247-700-11	CARBON	100	5%	1/4W
R948	1-247-700-11	CARBON	100	5%	1/4W
R949	1-247-700-11	CARBON	100	5%	1/4W
R950	1-247-700-11	CARBON	100	5%	1/4W
R951	1-247-700-11	CARBON	100	5%	1/4W

SWITCH

S940	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S941	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S942	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S943	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S944	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S945	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S946	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S947	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S948	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)
S949	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)

*9-990-898-01 N BOARD (KEY BOARD UNIT B)
*****IC

IC935	8-741-138-70	IC BX1387 (DETECTOR)
-------	--------------	----------------------

PVM-2730QM
 RM-668

Ref.No.	Part No.	Description	Remark
MISCELLANEOUS *****			
	△1-230-712-21	RESISTOR ASSY, HIGH-VOLTAGE	
	△1-426-278-21	COIL, DEMAGNETIZATION	
	△1-451-255-22	DEFLECTION YOKE (SY-164)	
	1-452-032-00	MAGNET, DISK; 10MM φ	
	1-452-094-00	MAGNET, ROTATABLE DISK; 15MM φ	
	1-452-146-21	MAGNET, BMC	
	△1-452-351-22	NECK ASSY, CRT (NA302)	
	1-464-792-12	KEY BOARD UNIT (A)	
	1-464-793-12	KEY BOARD UNIT (B)	
	△1-534-820-13	POWER CORD (AEP, AUS ONLY)	
	△1-534-820-13	POWER CORD (WG ONLY)	
S1901	△1-554-966-12	SWITCH, PUSH (AC POWER)(1 KEY)	
T1691	△1-439-339-13	TRANSFORMER ASSY, FLYBACK	
V901	△8-736-652-05	CRT (A64JKJ10X)(AEP, WG ONLY)	
	△8-736-654-05	CRT (A64JKJ10X)(AUS ONLY)	

 ACCESSORIES AND PACKING MATERIALS

Part No.	Description	Remark
A-1470-789-A	COMMANDER ASSY (RM-668)	
*4-371-192-01	CUSHION (FRONT)	
*4-380-432-01	BAG, PROTECTION	
*4-382-051-01	CUSHION (LOWER) (ASSY)	
*4-382-053-01	CUSHION (UPPER) (ASSY)	
4-385-601-01	INDIVIDUAL CARTON	
4-482-400-11	MANUAL, INSTRUCTION	

The components identified by shading and mark △ are critical for safety. Replace only with part number specified.

PVM-2730QM

RM-668

SONY[®] SERVICE MANUAL

SUPPLEMENT

AEP Model

Chassis No. SCC-A91A-A

Serial No 2,000,100 and later

Australian Model

Chassis No. SCC-B04A-A

Serial No 2,000,601 and later

West Germany Model

Chassis No. SCC-B05A-A

Serial No 2,000,301 and later

No. 1

SUBJECT : CIRCUIT MODIFICATION

File this supplement with the service manual.

INTRODUCTIONS

1. B, FA, FC, QB and K board have been added.
2. B, QA, QB, D₂ and D board have been modified.





MON

PVM-2730QM

RM-668

SCHEMATIC DIAGRAM AND PRINTED WIRING BOARDS.


➡ : Added

B board (Page 43)**QB board (Page 37)**

PVM-2730QM

RM-668

K board (Page 36)



SCHEMATIC DIAGRAMS

: Modified

Board	Page	Ref	Description
B	44	R310	CARBON 5.6 K 1/4W→22K 1/4W
QA	35	R1738	CARBON 1K 1/6W→220 1/4W
D ₂	55	R2525	CARBON 5.6 K 1/6W→1K 1/4W
D	52 52	C1505 R1513	MYLAR 0.002 MF 100V→0.01FM 100V CARBON 3.3 K 1/6W→4.7K 1/4W
QB	37	C1823 C1824 C1825	FILM 0.22MF 50V→0.1MF 50V FILM 0.22MF 50V→0.1MF 50V FILM 0.22MF 50V→0.1MF 50V

: Delete

QA	35	C1730	CERAMIC 56PF 5% 50V
		C1733	CERAMIC 56PF 5% 50V
		C1734	CERAMIC 0.001 MF 50V
		C1737	CERAMIC 56PF 5% 50V
		C1739	CERAMIC 0.001 MF 50V
		C1740	CERAMIC 0.001 MF 50V
		C1741	CERAMIC 56PF 5% 50V
		C1751	CERAMIC 0.001 MF 50V

PVM-2730QM

RM-668

ELECTRICAL PARTS LIST

: Modified

B BOARD

C486	1-102-980-91	CERAMIC 270 PF 5% 50V
R310	1-249-462-11	CARBON 22K 5% 1/4W

FA BOARD

R679	1-215-924-51	METAL OXIDE 15K 5% 3W F
------	--------------	-------------------------

FC BOARD

C615	1-102-074-91	CERAMIC 0.001 MF 10% 50V
------	--------------	--------------------------

QA BOARD

R1738	1-249-409-11	CARBON 220 5% 1/4W
-------	--------------	--------------------

QB BOARD

C1823	1-136-165-51	FILM 0.1 MF 5% 50V
C1824	1-136-165-51	FILM 0.1 MF 5% 50V
C1825	1-136-165-51	FILM 0.1 MF 5% 50V

D₂ BOARD

R2525	1-249-417-11	CARBON 1K 5% 1/4W
-------	--------------	-------------------

D BOARD

C1505	1-106-367-00	MYLAR 0.01MF 10% 100V
R1513	1-249-425-11	CARBON 4.7 K 5% 1/4W

K BOARD

R280	1-249-449-11	CARBON 1.5 5% 1/4W
------	--------------	--------------------

PVM-2730QM

RM-668

SONY[®] SERVICE MANUAL

AEP Model

Chassis No. SCC-A91A-A

Serial No 2,000,100 and later

Australian Model

Chassis No. SCC-B04A-A

Serial No 2,000,601 and later

West Germany Model

Chassis No. SCC-B05A-A

Serial No 2,000,301 and later

SUPPLEMENT-2

SUBJECT : CIRCUIT MODIFICATION

File this supplement with the service manual.


INTRODUCTION

1. D board have been added.




5-3. SCHEMATIC DIAGRAMS AND PRINTED WIRING BOARDS


D board (Page 52) D1533




D board (page 57) D1533



D board (page 53, 54) D505, NL501, R1524



D board (page 58) D505, NL501, R1524



PVM-2730QM
RM-668**SECTION 7 ELECTRICAL PARTS LIST**

Page	Board	Ref.No.	Part No.	Description
87	D	D505	8-719-110-60	DIODE RD24ESB
87		D1533	8-719-200-02	DIODE 10E-2
87		NL501	1-151-108-XX	LAMP, NEON
89		R1524	1-247-717-11	CARBON 2.2K 5% 1/4W

PVM-2730QM

RM-668

SONY SERVICE MANUAL

AEP Model

Serial No. 2,012,151 and later

Chassis No. SCC-A91A-A

Australian Model

Serial No. 2,001,921 and later

Chassis No. SCC-B04A-A

West Germany Model

Serial No. 2,004,151 and later

Chassis No. SCC-B05A-A

SUPPLEMENT-3

File this Supplement with the Service Manual.

SPECIFICATIONS

Color system	PAL, SECAM, NTSC and NTSC _{4.43} systems, switched automatically
Picture tube	Trinitron tube Approx. 67.7 cm (27 inches) (63.5 cm picture measured diagonally) 114-degree deflection, AG pitch 0.73 mm
Resolution	Video input: 420 TV lines S video input: 560 TV lines RGB inputs: 640 × 200 dots (2000 characters)
Color temperature	9300°K
Frequency response	10 MHz (−3 dB, RGB) 5 MHz (−3 dB, composite video) 6 MHz (−3 dB, S video)
Horizontal linearity	Less than ±5%
Vertical linearity	Less than ±5%
Line pull range	Horizontal: + 500 Hz Vertical: −8 Hz
Overscan of the picture	Less than + 7%
LINE A/B, VTR inputs	
S VIDEO:	4-pin, mini-DIN Y (luminance signal); 1 Vp-p, sync negative, 75-ohm termination switchable C (chrominance signal); 300 m Vp-p (burst signal), 75-ohms
VIDEO IN:	LINE A/B: BNC connector Composite video, 1 Vp-p ±6 dB, sync negative, 75-ohm termination switchable VTR: 8-pin connector Composite video, 1 Vp-p ±6 dB, sync negative, 75-ohm terminated
AUDIO IN:	LINE A/B: Phono jack −5 dBs, more than 47 kilohms VTR: 8-pin connector, −5 dBs, more than 47 kilohms

LINE A/B outputs (loop-through outputs)	S VIDEO: 4-pin, mini-DIN VIDEO: BNC connector AUDIO: Phono jack
Digital RGB inputs	RGB: D-sub 9-pin connector (See "Signal assignment".) AUDIO: Phono jack −5 dBs, more than 47 kilohms
AV connector	21-pin connector (See "Signal assignment".)
Speaker terminals	8 ohms
Control S input/output	Minijack, 5 Vp-p
Power output	15 W + 15 W at 8 ohms
Power requirements	220 - 240 V AC, 50/60 Hz
Power consumption	175 W
Dimensions	Approx. 653 × 508 × 492 mm (w/h/d) incl. projecting parts and controls
Weight	Approx. 52 kg

Supplied accessory

Remote commander RM-668, with 2 R6 batteries..... 1

Optional accessories

TV stand
Speaker system SS-X6A, APM-X5A
SU-539, SU-541

— Continued on page 2 —




PVM-2730QM

RM-668


SIGNAL ASSIGNMENT

DIGITAL RGB connector


(D-sub 9-pin)



S VIDEO connector (4-pin mini DIN)



AV connector (21-pin)



Digital signal (TTL level)

Pin No.	Signal assignment
1	Ground
2	Ground
3	Red input
4	Green input
5	Blue input
6	Intensity input
7	No connection
8	H. sync input (positive/negative)
9	V. sync input (positive/negative)

Pin No.	Signal	Signal level
1	Audio output B (right)	Standard level: 0.5 Vrms Output impedance: Less than 1 k ohm *
2	Audio input B (right)	Standard level: 0.5 Vrms Input impedance: More than 10 k ohms *
3	Audio output A (left)	Standard level: 0.5 Vrms Output impedance: Less than 1 k ohm *
4	Ground (audio)	
5	Ground (blue)	
6	Audio input A (left)	Standard level: 0.5 Vrms Input impedance: More than 10 k ohms *
7	Blue input	0.7 V \pm 3 dB, 75 ohms, positive
8	Function select (AV control)	High state (9.5 - 12 V): Peri mode Low state (0 - 2 V): TV mode Input impedance: More than 10 k ohms Input capacitance: Less than 2 nF

Pin No.	Signal	Signal level
9	Ground (green)	
10	Open	
11	Green input	(Same as Pin 7)
12	Open	
13	Ground (red)	
14	Ground (blanking)	
15	Red input	(Same as Pin 7)
16	Blanking input	High state (1 - 3 V) Low state (0 - 0.4 V) Input impedance: 75 ohms
17	Ground (video output)	
18	Ground (video input)	
19	Video output	1 V \pm 3 dB, 75 ohms, positive Sync: 0.3 V (\pm 3 dB)
20	Video input	1 V \pm 3 dB, 75 ohms, positive Sync: 0.3 V (\pm 3 dB)
21	Common ground (plug, shield)	

* at 20 Hz - 20 kHz

Design and specifications subject to change without notice.

TROUBLESHOOTING

If these symptoms occur when you begin operation, follow the suggestions below.


SYMPTOMS	CORRECTIONS
No controllable keys although the POWER switch is turned on.	• Press the CONTROL key.
No indication appears although the CONTROL key is pressed.	• Set the MANUAL CONTROL switch on the rear panel to ON.
Remote control is not possible.	• Set the REMOTE CONTROL switch on the rear panel to ON.

If the problem still cannot be solved, contract your authorized Sony dealer.

SECTION 1 GENERAL

1-1. LOCATION AND FUNCTION OF PATRS AND CONTROLS

FRONT PANEL




• Press CONTROL key after power is turned on to illuminate the control keys or indicators.

The following control keys are effective only when MANUAL CONTROL switch on the rear panel is set to ON.

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
1. GENERAL		
1-1.	Location and Function of Parts and Controls	4
1-2.	Operation	8
1-3.	System Connections	9
4. CIRCUIT ADJUSTMENTS		
4-1.	D3 Board Adjustments	13
5. DIAGRAMS		
5-1.	Circuit Boards Location	14
5-2.	Block Diagram	16
5-3.	Frame Schematic Diagram	21
5-4.	Schematic Diagram and Printed Wiring Boards	26
5-5.	Semiconductors	54
6. EXPLODED VIEWS		
6-1.	Picture Tube	57
6-2.	Chassis	58
6-3.	Back Cover	59
6-4.	Key Board Unit	60
7. ELECTRICAL PARTS LIST		61

SAFETY-RELATED COMPONENT WARNING !!

COMPONENTS IDENTIFIED BY SHADING AND MARK  ON THE SCHEMATIC DIAGRAMS, EXPLODED VIEWS AND IN THE PARTS LIST ARE CRITICAL TO SAFE OPERATION. REPLACE THESE COMPONENTS WITH SONY PARTS WHOSE PART NUMBERS APPEAR AS SHOWN IN THIS MANUAL OR IN SUPPLEMENTS PUBLISHED BY SONY.

1 NORM (normal) key

Press this key to return to the standard setting.

- This key is effective only for the control keys on the left.

2 HUE control keys

Press the GRN (green) key to make the skin tones greenish or the PUR (purple) key to make it purplish.

- These control keys are effective for the NTSC and NTSC_{4.43} color systems only.

3 COLOR control keys

Press the + key to make the color intensity vivid or the – key to make it pale.

4 BRIGHT (brightness) control keys

Press the + key to make the picture brighter or the – key to make it darker.

5 SHARP (sharpness) control keys

Press the + key to obtain a sharp picture or the – key to obtain a soft picture.

6 BALANCE control keys

Press the L key to increase the sound volume of the left speaker or the R key to increase the sound volume of the right speaker.

7 Color system indicators

PAL, SECAM, NTSC, NTSC_{4.43}

The color system of the input signal is automatically selected and the corresponding indicator illuminates. When the input signal is monochrome, no color system indicator illuminates.

8 MUTING indicator

Illuminates while the sound is muted.

- Muting is controlled only by the Remote Commander.

9 STANDBY indicator

Illuminates when the power is turned off by the Remote Commander.

10 POWER switch

Press this switch to turn the monitor on.

Press this switch again to turn it off.

- When the monitor is turned on, the settings of the monitor are the same as when it was last turned off.
- For a few seconds after turning on the monitor the color of picture may vary because the white balance is adjusted at this time. This is not a problem.

11 Remote control detector

The beam from the Remote Commander is received here.

12 CONTROL key

Press this key to illuminate the keys and indicators on the front panel.

Press this key again to extinguish them.

13 VOLUME control keys

Press the + key to raise the volume or the – key to lower it.

14 PICTURE control keys

Press the + key to make the contrast, color intensity and brightness stronger or the – key to make them weaker.

15 Input select keys

LINE A, LINE B, VTR, AV, DIGITAL

Select the input source connected to the LINE A, LINE B, VTR, AV or DIGITAL RGB connector.

When a key is pressed:


- it blinks if the other indicators and keys on the front panel illuminate.
- it illuminates if they are extinguished.

Key illumination

For the keys **1** through **7**, **13** and **14**:

- While each key is pressed, it blinks, indicating that adjustment is going on.
- During adjustment, if the adjustment value reaches the limit, the blinking speed becomes slower.

REAR PANEL



1 TREBLE control

Turn clockwise for more treble (high tone), or counterclockwise for less.

2 BASS control

Turn clockwise for more bass (low tone), or counterclockwise for less.

3 PICTURE (RGB) control

Adjust the contrast of the RGB signals connected to the AV connector or the DIGITAL RGB connector.

4 H CENTER (DIGITAL RGB) (horizontal centering) control

When the picture of DIGITAL RGB input is decentered horizontally, correct it with this control.

5 V HOLD (vertical hold) control

When the picture rolls vertically, correct it with this control.

6 CONTROL select switches

Normally set to ON.

REMOTE CONTROL switch


Set this switch to ON to control the monitor with a Remote Commander.
If this switch is set to OFF, the remote control is not possible.

MANUAL CONTROL switch

Set this switch to ON to control the monitor manually.
To make the manual control of the control keys or switches on the front panel impossible, extinguish the indicators by pressing the CONTROL key on the front panel and set this switch to OFF.
(However remote control is possible if the REMOTE CONTROL switch is set to ON.)

1-2. OPERATION

DISPLAYING THE PICTURE



- 1 Depress the POWER switch.
One of the input select keys illuminates.
- 2 Press the CONTROL key.
The selected input select key blinks and all control keys on the front illuminate.
(If the control keys do not appear, set the MANUAL CONTROL switch on the rear to ON.)
- 3 Press the desired input select key.
The pressed key blinks and the picture from the selected input is displayed on the screen and the sound is heard through the speakers.
(For selecting the AV or DIGITAL input, see "Notes on input selection".)
- 4 Adjust the picture and sound.
- 5 Press the CONTROL key to extinguish the control keys so that only the selected input select key illuminates.

SUPERIMPOSING

To superimpose the data from the microcomputer connected to the AV connector over the picture, proceed as follows.
(The data should be processed for superimposition on the microcomputer.)

- 1 Set the SUPERIMPOSE switch to ON.
- 2 Press the LINE A, LINE B or VTR input select key to display the picture on which the data is to be superimposed on the monitor screen.
- 3 Press the AV input select key.
The data is superimposed over the picture.
- 4 Adjust the contrast of the superimposed data with the PICTURE (RGB) control.

Note

The data cannot be superimposed over the picture input from S VIDEO IN connector.

NOTES ON INPUT SELECTION

AV input and SUPERIMPOSE switch

Set the SUPERIMPOSE switch on the rear as follows, according to the signal supplied to the AV connector.

SUPERIMPOSE switch	Signal to be displayed
ON	<ul style="list-style-type: none"> To display the composite video signal from an 8 mm video cassette recorder, etc. To perform superimposition. (See "SUPERIMPOSING".)
OFF	<ul style="list-style-type: none"> To display the analog RGB signal from a microcomputer, etc. In this case, the sync signal should be supplied to pin 20 of the AV connector.

- When the AV input select key is pressed with the SUPERIMPOSE switch ON, the previously selected LINE A, LINE B or VTR input select key blinks together with the AV key.
- When it is pressed with the SUPERIMPOSE switch OFF, only the AV key blinks.

AV input and AV switch

When the AV switch on the rear is set to ON, the monitor is automatically switched from the LINE A, LINE B or VTR input to the AV input if a signal is input to the AV connector.
Set the AV switch to OFF to select the AV input manually by pressing the AV input select key.



DIGITAL input

- To display the digital RGB signal from a microcomputer provided with intensity output in 16 colors, set the INTENSITY switch on the rear to ON.
- If necessary, center the picture from the DIGITAL RGB connector with the H CENTER control on the rear panel.

Note

The COLOR, HUE and SHARP control keys do not function when the DIGITAL input is selected or the AV input is selected with the SUPERIMPOSE switch OFF.

CONNECTORS

**1 SPEAKER L/R terminals**

Connect to speakers with 8 to 16 ohm impedance.

2 CONTROL S IN/OUT connectors

Connect to the CONTROL S connectors of a VTR or another monitor.

It is then possible to control the whole system with a single Remote Commander.

3 LINE A/LINE B inputs

S VIDEO IN connector (4-pin, mini-DIN) *

VIDEO IN connector (BNC type)

AUDIO L/R IN jacks (phono jack)

Connect to the video and audio outputs of a VTR or a camera.

S VIDEO OUT connector (4-pin, mini-DIN) *

VIDEO OUT connector (BNC type)

AUDIO L/R OUT jacks (phono jack)

Loop-through outputs of the IN connector and jacks.

Connect to the video and audio inputs of another monitor.

* For LINE B only.

75-ohm termination switch

When only the VIDEO IN connector is used (nothing is connected to the VIDEO OUT connector), set this switch to ON.

When both connectors are used together for a loop-through connection, set this switch to OFF.

Note

The VIDEO IN connector is disconnected automatically when a cable is connected to the S VIDEO IN connector.

4 VTR connector (8-pin)

Connect to a VTR with an 8-pin TV connector.

5 DIGITAL AUDIO jack (phono jack)

Connect to the audio output of an audio source to listen to the sound from the connected audio source while viewing the picture from the DIGITAL RGB connector.

6 DIGITAL RGB connector (9-pin, D-sub)

Connect to the digital RGB output of a microcomputer.

7 INTENSITY switch

Normally set to OFF. When a microcomputer provided with intensity output is connected, set to ON for 16-color display.

8 AV switch

Set to ON so that the monitor is automatically switched to the AV input when a signal is input from the AV connector, taking priority over the LINE A, LINE B or VTR input previously selected by the input select keys on the front panel. Set to OFF to select the AV input manually by pressing the AV input select key.

9 SUPERIMPOSE switch

Normally set to ON.


Set to OFF to display the analog RGB signal from the microcomputer connected to the AV connector.

10 AV connector (21-pin)

Connect to the 21-pin multiconnector of an 8 mm video cassette recorder or the analog RGB multioutput connector of a microcomputer.


1-3. SYSTEM CONNECTIONS

CONNECTION DIAGRAM



CONNECTING SEVERAL MONITORS


A loop-through connection is convenient for monitoring the same signal on the monitors. Up to 10 monitors can be connected. It is recommended to use a signal distributor when several monitors are connected.




CONTROL S CONNECTION

The following connections allow remote control of several monitors and a VTR through a single monitor.

Example 1




Example 2




Note

Do not use the following loop connections.

Example 1



Example 2




CONTROL S signal flow

SECTION 4 CIRCUIT ADJUSTMENTS


Note

Do not use the following loop connections.

Example 1



Example 2




 CONTROL S signal flow


4-1. D3 BOARD ADJUSTMENTS

V • ANGLE ADJUSTMENT (RV2607)

Adjust V • ANGLE with RV2607



D3 Board



RV2601 (TOP PIN)
RV2602 (BOTTOM PIN)
RV2603 (PIN PHASE 50)
RV2605 (PIN AMP 50)
RV2607 (V • ANGLE)

(Component side)


5-1. CIRCUIT E

PVM-2730QM
RM-668

PVM-2730QM
RM-668

PVM-2730QM
RM-668

SECTION 4 CUI T ADJUSTMENTS



RV2603




RV2605

RV2601 (TOP PIN)
RV2602 (BOTTOM PIN)
RV2603 (PIN PHASE 50)
RV2605 (PIN AMP 50)
RV2607 (V • ANGLE)

SECTION 5 DIAGRAMS

5-1. CIRCUIT BOARDS LOCATION




PVM-2730QM
BM-668

The schematic diagram illustrates the internal circuitry of a VCR, organized into three main functional blocks: QA, QB, and B.

- QA (Left):** This section handles the input signals. It includes video input buffers (Q1773, Q1780, Q1798), audio input buffers (Q1785, Q1786), and various switches (SW1, SW2, SW5, SW6) for selecting between different input sources (LINE, VTR, S VIDEO, D SUB 9 PIN, SENSELEC, V IN, AUDIO, IBM INTENSITY, SUPER IMPOSE). It also features a video decoder (IC1771) and an audio decoder (IC1772).
- QB (Middle):** This section is responsible for video processing. It includes a video amplifier (Q1776), a video buffer (Q1777), and a video decoder (IC1771). It also features a video buffer (Q1778), a video buffer (Q1779), and a video buffer (Q1780). It includes a video decoder (IC1771) and an audio decoder (IC1772).
- B (Right):** This section handles the video output and control logic. It includes a video amplifier (Q451), a video buffer (Q452), and a video decoder (IC1771). It also features a video buffer (Q453), a video buffer (Q454), and a video buffer (Q455). It includes a video decoder (IC1771) and an audio decoder (IC1772).


The diagram includes numerous integrated circuits (ICs), transistors, diodes, and passive components, with detailed pin connections and signal flow. A legend at the bottom right identifies components like IC101, IC102, IC104, IC106, IC107, and IC108.

PVM-2730QM
RM-668



PVM-2730QM
RM-668PVM-2730QM
RM-668

5-3. FRAME SCHEMATIC DIAGRAM



M
68PVM-2730QM
RM-668PVM-2730QM
RM-668

10

11

12

13

14

15

16

17

18

19


20

21

22

23

See Page 43-51




See Page 52-61

PVM-2730QM
RM-668

PVM-2730QM
RM-668

PVM-2730QM
RM-668

19 20 21 22 23







PVM-2730QM
RM-668

PVM-2730QM
RM-668


PVM-2730QM
RM-668

5-4. SCHEMATIC DIAGRAM AND PRINTED WIRING BOARDS


Note:

- All resistors are in ohms, 1/6W unless otherwise noted.
k Ω : 1000 Ω , M Ω : 1000k Ω .
- All capacitors are in μ F unless otherwise noted. pF: μ F.
50WV or less are not indicated except for electrolytics.
- All variable and adjustable resistors have characteristic curve B, unless otherwise noted.
-  : nonflammable resistor.
-  : fusible resistor.
-  : panel designation.
- Δ : internal component.
- Voltages are dc with respect to ground unless otherwise noted.
- Readings are taken with a color-bar signal input.
- Readings are taken with a digital multimeter (DC10M Ω).
- Voltage variations may be noted due to normal production tolerances.
-  : adjustment for repair.
- Circled numbers refer to waveforms.
- no mark: with PAL color-bar signal input.
() : with SECAM color-bar signal input.
() : with NTSC 3.58MHz color-bar signal input.
[] : with NTSC 4.43MHz color-bar signal input.
- * : Selected to yield optimum performance.


[QA BOARD]



[QB BOARD]






A
B
C
D
E
F
G
H
I
J



PVM-2730QM
RM-668PVM-2730QM
RM-668


PVM-

6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22



PVM-2730QM
RM-668

30



PVM-2730QM
RM-668

PVM-2730QM
RM-668

ANALOG/DIGITAL DECODER,
VIDEO/AUDIO BUFF SYNC PROCES

JACK/CONNECTOR
BOARD

QB


QA

QB


QA

— Conductor Side —

— QB Board —



— QA Board —



— QB BOARD —

IC			
IC1770	B-9	Q1808	B-1
IC1771	C-7	Q1809	B-1
IC1772	C-9	Q1810	B-1
IC1773	B-2	Q1811	A-1
IC1774	B-5	Q1812	A-2
IC1775	C-4	Q1813	B-5
IC1776	C-4	Q1814	B-5
IC1777	B-7	Q1815	B-5
IC1778	B-7	Q1816	C-5
		Q1817	A-2
		Q1818	A-9
		Q1819	A-9
		Q1820	B-9
		Q1822	B-2
		Q1823	B-1
		Q1825	A-6
		Q1826	A-7
		Q1827	A-7
		Q1831	C-1
		Q1832	C-1
		Q1891	A-9
		Q1990	B-6
TRANSISTOR		DIODE	
Q1773	C-8	D1770	B-8
Q1774	B-7	D1772	A-9
Q1775	B-8	D1773	A-9
Q1776	B-8	D1774	C-2
Q1777	B-8	D1775	C-2
Q1780	C-7	D1776	C-2
Q1781	B-3	D1777	C-3
Q1784	C-2	D1780	A-3
Q1785	B-9	D1781	B-9
Q1786	B-9	D1782	A-6
Q1787	C-6	D1784	C-6
Q1788	C-6	D1787	B-5
Q1789	B-6	D1788	C-8
Q1794	C-3	D1789	C-7
Q1795	C-3		
Q1796	C-3		
Q1797	B-6		
Q1798	C-7		
Q1799	C-5		
Q1802	B-4		
Q1803	B-3		
Q1804	B-4		
Q1805	B-3		
Q1806	B-3		
Q1807	B-1		



PVM-2730QM
RM-668

K

U

[S VIDEO
CONTROLOR]


- U Board -



PVM-2730QM
RM-668



PVM-2730QM
RM-668



PVM-2730QM
RM-668

PVM-2730QM
RM-668


SECAM/PAL/NTSC DETECT, Y/CHROMA
PROCESS, AUTO MATIC WHITE BALANCE,
VIDEO D/A CONVERT, REMOTO CONTROL
DECORDER, LAST MEMORY
LED DRIVE

B

B

— Conductor Side —

— B Board —



— B BOARD —

IC		DIODE	
IC101	D-12	D101	B-13
IC102	F-13	D102	B-13
IC103	A-9	D103	C-11
IC104	F-11	D104	D-12
IC106	G-13	D108	G-9
IC107	G-11	D110	C-10
IC110	A-13	D111	G-9
IC121	F-10	D112	C-9
IC122	E-9	D113	E-11
IC301	D-6	D114	E-11
IC302	B-3	D115	D-9
IC311	G-8	D116	E-11
IC401	G-5	D117	C-10
IC411	E-9	D118	D-18
IC412	F-6	D120	A-9
		D121	B-8
		D123	B-10
		D124	B-10
		D125	B-10
		D126	A-13
		D127	B-13
		D305	D-8
		D306	E-10
		D307	D-6
		D308	A-7
		D309	A-7
		D334	D-2
		D335	C-2
		D339	C-7
		D340	C-2
		D341	C-8
		D342	A-2
		D343	A-3
		D344	C-3
		D345	C-2
		D351	E-8
		D354	E-8
		D361	B-8
		D362	B-8
		D391	G-1
		D392	E-2
		D401	E-7
		D442	H-7
		D443	H-7
		D444	H-8
		D445	H-7
		D450	G-7
		D454	E-7
		D457	E-2

TRANSISTOR		VARIABLE RESISTOR	
Q101	B-13	RV301	E-6
Q102	C-13	RV302	D-7
Q103	C-12	RV303	A-3
Q104	C-13	RV318	E-3
Q105	C-12	RV1301	C-1
Q107	A-12	RV1302	C-1
Q108	D-13		
Q109	A-8		
Q110	E-11		
Q111	E-10		
Q112	A-8		
Q113	E-12		
Q114	C-12		
Q115	A-12		
Q116	B-11		
Q117	C-11		
Q118	E-11		
Q119	A-8		
Q121	F-9		
Q122	B-9		
Q123	B-11		
Q301	B-8		
Q309	C-3		
Q310	A-6		
Q311	C-2		
Q315	F-8		
Q316	F-8		
Q321	A-7		
Q322	A-7		
Q324	G-8		

I-2730QM
RM-668

PVM-2730QM
RM-668

ROMA
ANCE,
NTROL

B

B

PVM-2730QM
RM-668

[KEY BOARD
INDICATOR]


HA

[KEY BOARD
INDICATOR]

HB

[H. CENT]


HC




- B BOARD -

IC		DIODE	
IC101	D-12	D101	B-13
IC102	F-13	D102	B-13
IC103	A-9	D103	C-11
IC104	F-11	D104	D-12
IC106	G-13	D108	G-9
IC107	G-11	D110	C-10
IC110	A-13	D111	G-9
IC121	F-10	D112	C-9
IC122	E-9	D113	E-11
IC301	D-6	D114	E-11
IC302	B-3	D115	D-9
IC311	G-8	D116	E-11
IC401	G-5	D117	C-10
IC411	E-9	D118	D-18
IC412	F-6	D120	A-9
TRANSISTOR		D121	B-8
		D123	B-10
Q101	B-13	D124	B-10
Q102	C-13	D125	B-10
Q103	C-12	D126	A-13
Q104	C-13	D127	B-13
Q105	C-12	D305	D-8
Q107	A-12	D306	E-10
Q108	D-13	D307	D-6
Q109	A-8	D308	A-7
Q110	E-11	D309	A-7
Q111	E-10	D334	D-2
Q112	A-8	D335	C-2
Q113	E-12	D339	C-7
Q114	C-12	D340	C-2
Q115	A-12	D341	C-8
Q116	B-11	D342	A-2
Q117	C-11	D343	A-3
Q118	E-11	D344	C-3
Q119	A-8	D345	C-2
Q121	F-9	D351	E-8
Q122	B-9	D354	E-8
Q123	B-11	D361	B-8
Q301	B-8	D362	B-8
Q309	C-3	D391	G-1
Q310	A-6	D392	E-2
Q311	C-2	D401	E-7
Q315	F-8	D442	H-7
Q316	F-8	D443	H-7
Q321	A-7	D444	H-8
Q322	A-7	D445	H-7
Q324	G-8	D450	G-7
VARIABLE RESISTOR		D454	E-7
		D457	E-2
RV301	E-6		
RV302	D-7		
RV303	A-3		
RV318	E-3		
RV1301	C-1		
RV1302	C-1		


- HA Board -





- HB Board -




- HC Board -




HD	N
----	---



PVM-2730QM
RM-668**PVM-2730QM**
RM-668**PVM-2730QM**
RM-668


PVM

26



PVM-2730QM
RM-668

35





PVM-2730QM
RM-668


D

[F

- C Board -




PVM-2

FA


PVM-2730QM
RM-668

[PIN PHASE .]
[PIN AMP 50/60]







































- D3 Board -



【C BOARD】



5-5. SEMICONDUCTORS



PVM-2730QM
 RM-668

PVM-2730QM
 RM-668

SECTION 6 EXPLODED VIEWS


The components identified by shading and mark Δ are critical for safety. Replace only with part number specified.

NOTE:


- Items with no part number and no description are not stocked because they are seldom required for routine service.
- The construction parts of an assembled part are indicated with a collation number in the remark column.
- Items marked "★" are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.

6-1. PICTURE TUBE

- Δ : +BVTP 4×12 7-685-661-14
 \odot : BOLT, HEXAGON 5×20 7-683-340-07
 \circ : +BVTP 4×20 7-685-664-79
 \blacksquare : +BVTP 3×8 7-685-646-79



No.	Part No.	Description	Remark	No.	Part No.	Description
1	X-4374-191-1	BEZEL ASSY	2	14	4-303-774-XX	SPRING
2	3-703-083-00	+ BV 3X25		15	*4-371-629-01	STOPPER, WI
3	1-464-792-11	KEY BOARD UNIT (A)		16	4-306-034-00	FLANGE NUT,
4	1-464-793-11	KEY BOARD UNIT (B)		17	Δ 1-230-712-22	RESISTOR AS
5	4-376-980-01	NUT, SPECIAL, PICTURE TUBE		18	*4-371-182-01	SHAFT
6	Δ 8-736-652-05	PICTURE TUBE (A64JKJ10X) (AEP, WG ONLY)		19	*4-371-183-01	COVER, MAIN
7	Δ 8-736-654-05	PICTURE TUBE (A64JKJ10X) (AUS ONLY)		20	Δ 1-554-966-12	SWITCH, PUS
8	X-4374-192-1	CABINET ASSY	8	21	4-308-870-00	CLIP, LEAD
9	Δ 1-451-255-23	DEFLECTION YOKE (Y27FXA)		22	1-452-032-00	MAGNET, DIS
10	1-452-146-21	MAGNET, BMC		23	1-452-094-00	MAGNET, ROT
11	Δ 1-452-351-22	NECK ASSY, PICTURE TUBE (NA302)		24	X-4308-815-0	PERMALLOY A
12	*A-1330-789-A	C BOARD, COMPLETE		26	3-703-003-00	SPACER, DY
13	Δ 1-426-278-22	COIL, DEMAGNETIZATION				



PVM-2730QM
RM-668

PVM-2730QM
RM-668

SECTION 6
EXPLODED VIEWS


NOTE:

- Items with no part number and no description are not stocked because they are seldom required for routine service.
- The construction parts of an assembled part are indicated with a collation number in the remark column.
- Items marked "★" are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.

The components identified by shading and mark Δ are critical for safety.
Replace only with part number specified.

6-1. PICTURE TUBE


- Δ : +BVTP 4x12 7-685-661-14
- \odot : BOLT, HEXAGON 5x20 7-683-340-07
- \circ : +BVTP 4x20 7-685-664-79
- \blacksquare : +BVTP 3x8 7-685-646-79



No.	Part No.	Description	Remark	No.	Part No.	Description	Remark
1	X-4374-191-1	BEZEL ASSY	2	14	4-303-774-XX	SPRING	
2	3-703-083-00	+ BV 3X25		15	*4-371-629-01	STOPPER, WIRE	
3	1-464-792-11	KEY BOARD UNIT (A)		16	4-306-034-00	FLANGE NUT, (B) 5MM	
4	1-464-793-11	KEY BOARD UNIT (B)		17	Δ 1-230-712-22	RESISTOR ASSY, HIGH-VOLTAGE	
5	4-376-980-01	NUT, SPECIAL, PICTURE TUBE		18	*4-371-182-01	SHAFT	
6	Δ 8-736-652-05	PICTURE TUBE (A64JKJ10X) (AEP, WG ONLY)		19	*4-371-183-01	COVER, MAIN SWITCH	
	Δ 8-736-654-05	PICTURE TUBE (A64JKJ10X) (AUS ONLY)		20	Δ 1-554-966-12	SWITCH, PUSH (AC POWER)(1 KEY)	
7	X-4374-192-1	CABINET ASSY	8	21	4-308-870-00	CLIP, LEAD WIRE	
8	4-319-520-11	SCREW, SPECIAL (+PW4X30)		22	1-452-032-00	MAGNET, DISK; 10MM \phi	
9	Δ 1-451-255-23	DEFLECTION YOKE (Y27FXA)		23	1-452-094-00	MAGNET, ROTATABLE DISK; 15MM \phi	
10	1-452-146-21	MAGNET, BMC		24	X-4308-815-0	PERMALLOY ASSY, CONVERGENCE	
11	Δ 1-452-351-22	NECK ASSY, PICTURE TUBE (NA302)		25	3-703-003-00	SPACER, DY	
12	*A-1330-789-A	C BOARD, COMPLETE					
13	Δ 1-426-278-22	COIL, DEMAGNETIZATION					

6-2. CHASSIS

- \bullet : +BVTP 3x12 7-685-648-79
- \blacksquare : +BVTP 3x8 7-685-646-79
- \square : +P 3x12 7-682-150-01
- Δ : +BVTP 4x12 7-685-661-14




The components identified by shading and mark Δ are critical for safety.
Replace only with part number specified.

No.	Part No.	Description	Remark	No.	Part No.	Description	Remark
51	3-703-320-00	BUSHING (A), TRANSISTOR		61	*1-621-548-11	FC BOARD	
52	4-383-101-01	WASHER (DIA.14)		62	*A-1245-387-A	FA BOARD, COMPLETE (AEP, AUS ONLY)	61
53	*4-313-732-00	CLIP, HINGE, CIRCUIT BOARD			*A-1245-411-A	FA BOARD, COMPLETE (WG, ONLY)	61
54	*A-1345-699-A	D BOARD, COMPLETE		63	Δ *4-364-726-01	BUSHING, AC CORD (WG, ONLY)	
55	*A-1340-941-A	D3 BOARD, COMPLETE			Δ *4-364-745-01	BUSHING, AC CORD (AEP, AUS ONLY)	
56	Δ 1-439-339-14	TRANSFORMER ASSY, FLYBACK		64	Δ 1-559-409-12	POWER CORD (WG ONLY)	
57	*1-621-546-13	FB BOARD			Δ 1-534-820-13	POWER CORD (AEP, AUS ONLY)	
58	4-319-520-11	SCREW, SPECIAL (+PW4X30)		65	*A-1135-442-A	B BOARD, COMPLETE	

PVM-2730QM RM-668

6-4. KEY BOARD UNIT




No.	Part No.	Description	Remark	No.	Part No.	Description	Remark
1	9-990-892-01	ILLUMINATOR A		1	9-990-892-01	ILLUMINATOR A	
2	9-990-891-01	REFLECTOR A		2	9-990-891-01	REFLECTOR A	
3	*9-992-308-01	HA BOARD		4	9-990-895-01	SPACER	
4	9-990-895-01	SPACER		5	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
5	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		6	9-990-894-01	TAPPING SCREW	
6	9-990-894-01	TAPPING SCREW		7	9-990-899-01	KEY TOP	
7	9-992-310-01	FRAME ASSY	1,2	8	9-990-902-01	COIL SPRING	
8	9-992-309-01	HARNESS		9	9-990-900-01	STOPPER	
9	1-464-803-11	KEY BOARD UNIT(A)	1-8	10	8-741-138-70	DETECTOR (BX1387)	
				11	*9-990-898-01	N BOARD	
				12	*9-992-401-01	HB BOARD	
				13	9-992-402-01	FRAME ASSY	1,2,7,8,9
				14	1-464-804-11	KEY BOARD UNIT(B)	1-13

PVM-2730QM
 RM-668

6-3. BACK COVER

- : +BVTP 3×12 7-685-648-79
 ○ : +BVTP 3×10 7-685-647-79
 ▲ : +BVTP 4×12 7-685-661-14



No.	Part No.	Description
101	*1-621-541-11	HD. BOARD
102	*A-1340-940-A	D2 BOARD, COMPLETE.
103	4-319-520-11	SCREW, SPECIAL (+PW4X30)
104	*A-1375-066-A	HC BOARD, COMPLETE
105	4-381-166-01	KNØS (A), CONTROL
106	4-382-005-31	PANEL, CONTROL
107	4-371-176-01	CAP, SQUARE

Remark	No.	Part No.	Description	Remark
	108	4-371-181-01	CAP	
	109	*A-1380-192-A	K BOARD, COMPLETE	
	110	X-4374-448-3	COVER ASSY, REAR	111
	111	4-316-003-21	HOLDER, CORD	
	112	*A-1270-282-A	QB BOARD, COMPLETE	
	113	*3-703-141-00	HOLDER, PCB	
	114	*A-1270-281-A	QA BOARD, COMPLETE	
	115	4-353-620-02	HINGE PC BOARD	

SECTION 7 ELECTRICAL PARTS LIST

PVM-2730QM
 RM-668

B

NOTE:

The components identified by shading and mark Δ are critical for safety.
 Replace only with part number specified.

• Items marked " * " are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.

• All variable and adjustable resistors have characteristic curve B, unless otherwise noted.

RESISTORS

• All resistors are in ohms
 • F : nonflammable

When indicating parts by reference number, please include the board name.

CAPACITORS

• MF : μ F, PF : μ F

COILS

• MMH : mH, UH : μ H

Note: In this parts list, the mounting diagram is for a different product.
 Therefore, an excess of parts is listed.

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
	*A-1135-442-A	B BOARD, COMPLETE *****					
		<CONNECTOR>					
B1	*1-566-054-11	PIN, CONNECTOR 2P		C136	1-101-006-00	CERAMIC 0.047MF	50V
B2	*1-566-057-11	PIN, CONNECTOR 5P		C137	1-126-101-11	ELECT 100MF	20% 10V
B4	*1-566-055-11	PIN, CONNECTOR 3P		C138	1-126-101-11	ELECT 100MF	20% 10V
B5	*1-566-059-11	PIN, CONNECTOR 7P		C139	1-123-356-00	ELECT 10MF	20% 16V
B6	*1-566-056-11	PIN, CONNECTOR 4P		C140	1-123-356-00	ELECT 10MF	20% 16V
B7	*1-566-058-11	PIN, CONNECTOR 6P		C141	1-123-330-00	ELECT 22MF	20% 16V
B8	*1-566-059-11	PIN, CONNECTOR 7P		C150	1-123-379-00	ELECT 0.47MF	20% 50V
B9	*1-566-061-11	PIN, CONNECTOR 9P		C161	1-123-333-00	ELECT 100MF	20% 25V
B10	*1-566-065-11	PIN, CONNECTOR 13P		C162	1-123-321-00	ELECT 220MF	20% 16V
B11	*1-566-061-11	PIN, CONNECTOR 9P		C167	1-101-004-00	CERAMIC 0.01MF	50V
B13	*1-566-054-11	PIN, CONNECTOR 2P		C168	1-123-356-00	ELECT 10MF	20% 16V
B14	*1-566-057-11	PIN, CONNECTOR 5P		C169	1-123-356-00	ELECT 10MF	20% 25V
B15	*1-508-766-00	PIN, CONNECTOR (5MM PITCH) 4P		C170	1-101-004-00	CERAMIC 0.01MF	50V
B16	*1-566-056-11	PIN, CONNECTOR 4P		C171	1-123-356-00	ELECT 10MF	20% 16V
B17	*1-566-054-11	PIN, CONNECTOR 2P		C173	1-101-004-00	CERAMIC 0.01MF	50V
B18	*1-566-055-11	PIN, CONNECTOR 3P		C174	1-101-004-00	CERAMIC 0.01MF	50V
B19	*1-566-057-11	PIN, CONNECTOR 5P		C175	1-101-006-00	CERAMIC 0.047MF	50V
B20	*1-566-058-11	PIN, CONNECTOR 6P		C177	1-119-354-00	ELECT 330MF	10V
B21	*1-566-054-11	PIN, CONNECTOR 2P		C178	1-101-004-00	CERAMIC 0.01MF	50V
		<CAPACITOR>		C179	1-101-006-00	CERAMIC 0.047MF	50V
C101	1-123-356-00	ELECT 10MF	20% 16V	C180	1-126-101-11	ELECT 100MF	20% 10V
C103	1-102-973-00	CERAMIC 100PF	5% 50V	C181	1-123-332-00	ELECT 47MF	20% 16V
C104	1-123-306-00	ELECT 47MF	20% 10V	C182	1-101-006-00	CERAMIC 0.047MF	50V
C105	1-136-161-00	FILM 0.047MF	5% 50V	C183	1-119-352-00	ELECT 100MF	10V
C106	1-102-963-00	CERAMIC 33PF	5% 50V	C185	1-126-101-11	ELECT 100MF	20% 10V
C107	1-102-963-00	CERAMIC 33PF	5% 50V	C186	1-123-356-00	ELECT 10MF	20% 16V
C108	1-102-978-00	CERAMIC 220PF	5% 50V	C187	1-123-330-00	ELECT 22MF	20% 16V
C110	1-123-333-00	ELECT 100MF	20% 25V	C301	1-123-333-00	ELECT 100MF	20% 16V
C112	1-123-335-00	ELECT 330MF	20% 25V	C302	1-101-888-00	CERAMIC 68PF	5% 50V
C113	1-124-963-11	ELECT 33MF	20% 16V	C303	1-123-369-00	ELECT 4.7MF	20% 25V
C114	1-123-333-00	ELECT 100MF	20% 25V	C304	1-123-356-00	ELECT 10MF	20% 16V
C115	1-123-333-00	ELECT 100MF	20% 16V	C305	1-130-477-00	MYLAR 0.0033MF	5% 50V
C116	1-101-006-00	CERAMIC 0.047MF	50V	C306	1-101-006-00	CERAMIC 0.047MF	50V
C118	1-101-004-00	CERAMIC 0.01MF	50V	C307	1-101-006-00	CERAMIC 0.047MF	50V
C119	1-123-330-00	ELECT 22MF	20% 16V	C308	1-123-381-00	ELECT 2.2MF	20% 50V
C120	1-123-330-00	ELECT 22MF	20% 25V	C309	1-102-946-00	CERAMIC 9PF	0.5PF 50V
C123	1-101-006-00	CERAMIC 0.047MF	50V	C310	1-123-356-00	ELECT 10MF	20% 16V
C125	1-123-380-00	ELECT 1MF	20% 50V	C311	1-136-157-00	FILM 0.022MF	5% 50V
C126	1-123-380-00	ELECT 1MF	20% 50V	C312	1-136-157-00	FILM 0.022MF	5% 50V
C127	1-123-380-00	ELECT 1MF	20% 50V	C313	1-102-074-00	CERAMIC 0.001MF	10% 50V
C128	1-123-380-00	ELECT 1MF	20% 50V	C314	1-101-006-00	CERAMIC 0.047MF	50V
C131	1-130-475-00	MYLAR 0.0022MF	5% 50V	C315	1-101-006-00	CERAMIC 0.047MF	50V
C133	1-123-380-00	ELECT 1MF	20% 50V	C316	1-136-169-00	FILM 0.22MF	5% 50V
C134	1-123-380-00	ELECT 1MF	20% 50V	C317	1-102-074-00	CERAMIC 0.001MF	10% 50V
C135	1-123-381-00	ELECT 2.2MF	20% 50V	C322	1-101-006-00	CERAMIC 0.047MF	50V
				C323	1-124-464-11	ELECT 0.22MF	20% 50V
				C324	1-124-464-11	ELECT 0.22MF	20% 50V
				C325	1-123-333-00	ELECT 100MF	20% 16V
				C326	1-124-464-11	ELECT 0.22MF	20% 50V
				C327	1-102-111-00	CERAMIC 270PF	10% 50V

PVM-2730QM RM-668

B

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK				
C330	1-101-006-00	CERAMIC	0.047MF	50V	C1305	1-136-161-00	FILM	0.047MF	5%	50V	
C331	1-123-380-00	ELECT	1MF	20%	50V	C1306	1-123-380-00	ELECT	1MF	20%	50V
C332	1-136-161-00	FILM	0.047MF	5%	50V	C1316	1-123-356-00	ELECT	10MF	20%	25V
C333	1-102-959-00	CERAMIC	22PF	5%	50V	C1317	1-123-380-00	ELECT	1MF	20%	50V
C334	1-123-380-00	ELECT	1MF	20%	50V	C1318	1-123-380-00	ELECT	1MF	20%	50V
C335	1-126-101-11	ELECT	100MF	20%	10V	C1319	1-123-380-00	ELECT	1MF	20%	50V
C336	1-124-963-11	ELECT	33MF	20%	16V	C1320	1-123-382-00	ELECT	3.3MF	20%	50V
C337	1-102-112-00	CERAMIC	330PF	10%	50V	C1321	1-123-356-00	ELECT	10MF	20%	25V
C341	1-123-380-00	ELECT	1MF	20%	50V	C1322	1-101-004-00	CERAMIC	0.01MF		50V
C346	1-123-380-00	ELECT	1MF	20%	50V	C1323	1-123-356-00	ELECT	10MF	20%	25V
C347	1-102-111-00	CERAMIC	270PF	10%	50V	C1324	1-123-332-00	ELECT	47MF	20%	16V
C350	1-123-356-00	ELECT	10MF	20%	16V	C1325	1-101-006-00	CERAMIC	0.047MF		50V
C351	1-102-074-00	CERAMIC	0.001MF	10%	50V	C1326	1-101-006-00	CERAMIC	0.047MF		50V
C352	1-101-361-00	CERAMIC	150PF	5%	50V	C1329	1-123-382-00	ELECT	3.3MF	20%	50V
C353	1-102-959-00	CERAMIC	22PF	5%	50V	C1333	1-136-153-00	FILM	0.01MF	5%	50V
C354	1-123-380-00	ELECT	1MF	20%	50V	C1334	1-101-004-00	CERAMIC	0.01MF		50V
C355	1-101-005-00	CERAMIC	0.022MF		50V	C1336	1-130-479-00	MYLAR	0.0047MF	5%	50V
C360	1-136-153-00	FILM	0.01MF	5%	50V	C1338	1-136-161-00	FILM	0.047MF	5%	50V
C381	1-102-074-00	CERAMIC	0.001MF	10%	50V	C1339	1-136-153-00	FILM	0.01MF	5%	50V
C382	1-123-332-00	ELECT	47MF	20%	16V	C1341	1-130-479-00	MYLAR	0.0047MF	5%	50V
C402	1-136-167-00	FILM	0.15MF	5%	50V	C1343	1-136-161-00	FILM	0.047MF	5%	50V
C404	1-136-165-00	FILM	0.1MF	5%	50V	C1344	1-136-153-00	FILM	0.01MF	5%	50V
C405	1-102-961-00	CERAMIC	27PF	5%	50V	C1346	1-130-479-00	MYLAR	0.0047MF	5%	50V
C406	1-101-890-00	CERAMIC	75PF	5%	50V	C1351	1-123-356-00	ELECT	10MF	20%	25V
C408	1-123-356-00	ELECT	10MF	20%	16V	C1352	1-123-332-00	ELECT	47MF	20%	16V
C410	1-123-356-00	ELECT	10MF	20%	50V	C1353	1-102-973-00	CERAMIC	100PF	5%	50V
C411	1-136-161-00	FILM	0.047MF	5%	50V	C1354	1-136-157-00	FILM	0.022MF	5%	50V
C412	1-102-119-00	CERAMIC	0.0015MF	10%	50V	C1355	1-123-379-00	ELECT	0.47MF	20%	50V
C413	1-123-380-00	ELECT	1MF	20%	50V	C1356	1-136-165-00	FILM	0.1MF	5%	50V
C414	1-136-173-00	FILM	0.47MF	5%	50V	C1357	1-123-380-00	ELECT	1MF	20%	50V
C415	1-101-005-00	CERAMIC	0.022MF		50V	C1358	1-123-369-00	ELECT	4.7MF	20%	50V
C416	1-123-356-00	ELECT	10MF	20%	16V	C1359	1-102-820-00	CERAMIC	330PF	5%	50V
C417	1-123-356-00	ELECT	10MF	20%	16V	C1360	1-102-820-00	CERAMIC	330PF	5%	50V
C418	1-108-634-11	MYLAR	0.047MF	10%	100V	C1361	1-102-129-00	CERAMIC	0.01MF	10%	50V
C419	1-123-380-00	ELECT	1MF	20%	50V	C1362	1-130-475-00	MYLAR	0.0022MF	5%	50V
C420	1-101-890-00	CERAMIC	75PF	5%	50V	C1390	1-101-004-00	CERAMIC	0.01MF		50V
C421	1-102-961-00	CERAMIC	27PF	5%	50V	C1391	1-123-356-00	ELECT	10MF	20%	16V
C423	1-136-165-00	FILM	0.1MF	5%	50V	C1392	1-123-356-00	ELECT	10MF	20%	16V
C424	1-123-356-00	ELECT	10MF	20%	16V	C1393	1-101-004-00	CERAMIC	0.01MF		50V
C425	1-101-361-00	CERAMIC	150PF	5%	50V			<COMPOSITION CIRCUIT BLOCK>			
C426	1-136-153-00	FILM	0.01MF	5%	50V	CP105	1-232-096-00	COMPOSITION CIRCUIT BLOCK			
C427	1-101-006-00	CERAMIC	0.047MF		50V			<TRIMMER>			
C428	1-102-121-00	CERAMIC	0.0022MF	10%	50V	CT358	1-141-181-11	CAP,TRIMMER			
C429	1-136-161-00	FILM	0.047MF	5%	50V	CT443	1-141-181-11	CAP,TRIMMER			
C430	1-102-816-00	CERAMIC	120PF	5%	50V			<DIODE>			
C434	1-102-112-00	CERAMIC	330PF	10%	50V	D101	8-719-109-97	DIODE RD6.8ES-B2			
C452	1-136-169-00	FILM	0.22MF	5%	50V	D102	8-719-109-97	DIODE RD6.8ES-B2			
C453	1-123-333-00	ELECT	100MF	20%	16V	D103	8-719-911-19	DIODE 1SS119			
C454	1-102-963-00	CERAMIC	33PF	5%	50V	D104	8-719-109-68	DIODE RD3.6ES-B1			
C466	1-102-115-00	CERAMIC	560PF	10%	50V	D108	8-719-911-19	DIODE 1SS119			
C470	1-123-333-00	ELECT	100MF	20%	16V	D110	8-719-911-19	DIODE 1SS119			
C472	1-123-381-00	ELECT	2.2MF	20%	50V	D111	8-719-110-08	DIODE RD8.2ES-B2			
C473	1-102-978-00	CERAMIC	220PF	5%	50V	D112	8-719-911-19	DIODE 1SS119			
C474	1-102-944-00	CERAMIC	7PF	0.5PF	50V	D113	8-719-911-19	DIODE 1SS119			
C475	1-102-944-00	CERAMIC	7PF	0.5PF	50V	D114	8-719-911-19	DIODE 1SS119			
C476	1-102-944-00	CERAMIC	7PF	0.5PF	50V	D115	8-719-109-84	DIODE RD5.1ES-B1			
C477	1-102-944-00	CERAMIC	7PF	0.5PF	50V	D116	8-719-109-90	DIODE RD5.6ES-B3			
C481	1-108-614-11	MYLAR	0.001MF	10%	100V						
C482	1-102-820-00	CERAMIC	330PF	5%	50V						
C484	1-136-165-00	FILM	0.1MF	5%	50V						
C486	1-102-980-00	CERAMIC	270PF	5%	50V						
C1301	1-101-004-00	CERAMIC	0.01MF		50V						
C1302	1-124-767-00	ELECT	2.2MF	20%	50V						
C1304	1-123-356-00	ELECT	10MF	20%	16V						

PVM-2730QM
RM-668
B

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
Q355	8-729-119-78	TRANSISTOR 2SC2785-HFE		R130	1-247-706-11	CARBON 330 5%	1/4W
Q357	8-729-119-76	TRANSISTOR 2SA1175-HFE		R131	1-249-409-11	CARBON 220 5%	1/4W
Q358	8-729-900-36	TRANSISTOR DTC124ES		R132	1-249-409-11	CARBON 220 5%	1/4W
Q361	8-729-119-76	TRANSISTOR 2SA1175-HFE		R133	1-249-421-11	CARBON 2.2K 5%	1/4W
Q362	8-729-119-76	TRANSISTOR 2SA1175-HFE		R134	1-249-421-11	CARBON 2.2K 5%	1/4W
Q363	8-729-119-76	TRANSISTOR 2SA1175-HFE		R135	1-249-437-11	CARBON 47K 5%	1/4W
Q371	8-729-119-78	TRANSISTOR 2SC2785-HFE		R136	1-249-417-11	CARBON 1K 5%	1/4W
Q372	8-729-119-78	TRANSISTOR 2SC2785-HFE		R137	1-249-421-11	CARBON 2.2K 5%	1/4W
Q373	8-729-119-78	TRANSISTOR 2SC2785-HFE		R138	1-249-421-11	CARBON 2.2K 5%	1/4W
Q374	8-729-119-78	TRANSISTOR 2SC2785-HFE		R139	1-249-421-11	CARBON 2.2K 5%	1/4W
Q390	8-729-178-55	TRANSISTOR 2SC2785-E		R140	1-249-421-11	CARBON 2.2K 5%	1/4W
Q391	8-729-178-55	TRANSISTOR 2SC2785-E		R141	1-247-717-11	CARBON 2.2K 5%	1/4W
Q392	8-729-178-55	TRANSISTOR 2SC2785-E		R142	1-249-421-11	CARBON 2.2K 5%	1/4W
Q393	8-729-119-76	TRANSISTOR 2SA1175-HFE		R143	1-249-429-11	CARBON 10K 5%	1/4W
Q400	8-729-178-55	TRANSISTOR 2SC2785-E		R144	1-249-429-11	CARBON 10K 5%	1/4W
Q401	8-729-178-55	TRANSISTOR 2SC2785-E		R145	1-249-437-11	CARBON 47K 5%	1/4W
Q402	8-729-178-55	TRANSISTOR 2SC2785-E		R146	1-249-425-11	CARBON 4.7K 5%	1/4W
Q403	8-729-119-76	TRANSISTOR 2SA1175-HFE		R147	1-249-441-11	CARBON 100K 5%	1/4W
Q405	8-729-178-55	TRANSISTOR 2SC2785-E		R148	1-249-434-11	CARBON 27K 5%	1/4W
Q406	8-729-119-76	TRANSISTOR 2SA1175-HFE		R149	1-249-427-11	CARBON 6.8K 5%	1/4W
Q407	8-729-178-55	TRANSISTOR 2SC2785-E		R150	1-249-427-11	CARBON 6.8K 5%	1/4W
Q450	8-729-119-76	TRANSISTOR 2SA1175-HFE		R151	1-249-423-11	CARBON 3.3K 5%	1/4W
Q451	8-729-178-55	TRANSISTOR 2SC2785-E		R152	1-249-421-11	CARBON 2.2K 5%	1/4W
Q452	8-729-178-55	TRANSISTOR 2SC2785-E		R153	1-249-421-11	CARBON 2.2K 5%	1/4W
Q453	8-729-119-76	TRANSISTOR 2SA1175-HFE		R154	1-249-421-11	CARBON 2.2K 5%	1/4W
Q454	8-729-119-76	TRANSISTOR 2SA1175-HFE		R155	1-247-717-11	CARBON 2.2K 5%	1/4W
Q455	8-729-178-55	TRANSISTOR 2SC2785-E		R156	1-249-423-11	CARBON 3.3K 5%	1/4W
Q456	8-729-119-76	TRANSISTOR 2SA1175-HFE		R157	1-249-433-11	CARBON 22K 5%	1/4W
Q457	8-729-178-55	TRANSISTOR 2SC2785-E		R158	1-249-417-11	CARBON 1K 5%	1/4W
Q458	8-729-119-76	TRANSISTOR 2SA1175-HFE		R159	1-249-418-11	CARBON 1.2K 5%	1/4W
Q459	8-729-119-76	TRANSISTOR 2SA1175-HFE		R160	1-249-397-11	CARBON 22 5%	1/4W
Q460	8-729-178-55	TRANSISTOR 2SC2785-E		R161	1-249-397-11	CARBON 22 5%	1/4W
Q461	8-729-178-55	TRANSISTOR 2SC2785-E		R162	1-249-397-11	CARBON 22 5%	1/4W
Q1301	8-729-178-55	TRANSISTOR 2SC2785-E		R163	1-249-397-11	CARBON 22 5%	1/4W
Q1302	8-729-178-55	TRANSISTOR 2SC2785-E		R164	1-249-397-11	CARBON 22 5%	1/4W
Q1303	8-729-119-76	TRANSISTOR 2SA1175-HFE		R165	1-247-692-11	CARBON 22 5%	1/4W
<RESISTOR>				R166	1-249-397-11	CARBON 22 5%	1/4W
R101	1-249-395-11	CARBON 15 5%	1/4W	R167	1-249-397-11	CARBON 22 5%	1/4W
R102	1-249-395-11	CARBON 15 5%	1/4W	R168	1-249-397-11	CARBON 22 5%	1/4W
R103	1-249-441-11	CARBON 100K 5%	1/4W	R169	1-249-397-11	CARBON 22 5%	1/4W
R104	1-249-441-11	CARBON 100K 5%	1/4W	R170	1-249-397-11	CARBON 22 5%	1/4W
R105	1-249-404-00	CARBON 82 5%	1/4W	R171	1-249-397-11	CARBON 22 5%	1/4W
R106	1-249-413-11	CARBON 470 5%	1/4W	R172	1-249-397-11	CARBON 22 5%	1/4W
R107	1-249-411-11	CARBON 330 5%	1/4W	R173	1-249-397-11	CARBON 22 5%	1/4W
R108	1-249-441-11	CARBON 100K 5%	1/4W	R174	1-249-429-11	CARBON 10K 5%	1/4W
R109	1-249-433-11	CARBON 22K 5%	1/4W	R175	1-249-429-11	CARBON 10K 5%	1/4W
R110	1-249-465-11	CARBON 47K 5%	1/4W	R176	1-247-725-11	CARBON 10K 5%	1/4W
R111	1-249-437-11	CARBON 47K 5%	1/4W	R177	1-249-433-11	CARBON 22K 5%	1/4W
R114	1-249-437-11	CARBON 47K 5%	1/4W	R178	1-249-433-11	CARBON 22K 5%	1/4W
R116	1-249-414-11	CARBON 560 5%	1/4W	R179	1-249-425-11	CARBON 4.7K 5%	1/4W
R117	1-249-429-11	CARBON 10K 5%	1/4W	R181	1-249-435-11	CARBON 33K 5%	1/4W
R118	1-249-429-11	CARBON 10K 5%	1/4W	R182	1-249-426-11	CARBON 5.6K 5%	1/4W
R119	1-249-429-11	CARBON 10K 5%	1/4W	R183	1-249-433-11	CARBON 22K 5%	1/4W
R121	1-215-867-00	METAL OXIDE 470 5%	1W F	R184	1-249-435-11	CARBON 33K 5%	1/4W
R122	1-249-417-11	CARBON 1K 5%	1/4W	R185	1-247-713-11	CARBON 1K 5%	1/4W
R123	1-216-357-00	METAL OXIDE 4.7 5%	1W F	R186	1-249-417-11	CARBON 1K 5%	1/4W
R124	1-249-433-11	CARBON 22K 5%	1/4W	R187	1-249-417-11	CARBON 1K 5%	1/4W
R125	1-249-435-11	CARBON 33K 5%	1/4W	R188	1-249-417-11	CARBON 1K 5%	1/4W
R126	1-249-431-11	CARBON 15K 5%	1/4W	R189	1-249-417-11	CARBON 1K 5%	1/4W
R127	1-249-417-11	CARBON 1K 5%	1/4W	R190	1-249-417-11	CARBON 1K 5%	1/4W
R128	1-249-434-11	CARBON 27K 5%	1/4W	R191	1-249-414-11	CARBON 560 5%	1/4W
R129	1-247-717-11	CARBON 2.2K 5%	1/4W	R192	1-249-417-11	CARBON 1K 5%	1/4W
				R193	1-249-423-11	CARBON 3.3K 5%	1/4W

PVM-2730QM
 RM-668

B

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
D117	8-719-911-19	DIODE 1SS119				<COIL>	
D118	8-719-911-19	DIODE 1SS119		L101	1-408-424-00	INDUCTOR 180UH	
D120	8-719-911-19	DIODE 1SS119		L104	1-408-424-00	INDUCTOR 180UH	
D121	8-719-911-19	DIODE 1SS119		L105	1-408-424-00	INDUCTOR 180UH	
D123	8-719-911-19	DIODE 1SS119		L161	1-408-159-00	COIL, SPOOK CHOKE 3.3UH	
D124	8-719-911-19	DIODE 1SS119		L333	1-408-416-00	INDUCTOR 39UH	
D125	8-719-911-19	DIODE 1SS119		L337	1-408-160-00	INDUCTOR 15MMH	
D126	8-719-109-96	DIODE RD6.8ES-B1		L405	1-404-496-00	COIL	
D127	8-719-109-96	DIODE RD6.8ES-B1		L406	1-408-411-00	INDUCTOR 15UH	
D305	8-719-911-19	DIODE 1SS119		L420	1-408-411-00	INDUCTOR 15UH	
D306	8-719-911-19	DIODE 1SS119		L421	1-404-496-00	COIL	
D307	8-719-911-19	DIODE 1SS119		L430	1-408-245-00	INDUCTOR 22MMH	
D308	8-719-911-19	DIODE 1SS119		L431	1-408-414-00	INDUCTOR 27UH	
D309	8-719-911-19	DIODE 1SS119		L432	1-410-476-11	INDUCTOR 33UH	
D334	8-719-110-17	DIODE RD10ES-B2		L435	1-408-406-00	INDUCTOR 5.6UH	
D335	8-719-911-19	DIODE 1SS119		L451	1-404-495-00	COIL	
D339	8-719-911-19	DIODE 1SS119		L452	1-404-495-00	COIL	
D340	8-719-911-19	DIODE 1SS119		L455	1-408-163-00	INDUCTOR 5.6MMH	
D341	8-719-911-19	DIODE 1SS119				<IC LINK>	
D342	8-719-110-17	DIODE RD10ES-B2		PS1	1-532-605-00	LINK, IC (ICP-N10)	
D343	8-719-110-17	DIODE RD10ES-B2		PS2	1-532-637-00	LINK, IC	
D344	8-719-110-17	DIODE RD10ES-B2				<TRANSISTOR>	
D345	8-719-911-19	DIODE 1SS119		Q101	8-729-119-76	TRANSISTOR 2SA1175-HFE	
D351	8-719-911-19	DIODE 1SS119		Q102	8-729-119-76	TRANSISTOR 2SA1175-HFE	
D354	8-719-911-19	DIODE 1SS119		Q103	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D361	8-719-911-19	DIODE 1SS119		Q104	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D362	8-719-911-19	DIODE 1SS119		Q105	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D391	8-719-911-19	DIODE 1SS119		Q107	8-729-900-36	TRANSISTOR DTC124ES	
D392	8-719-911-19	DIODE 1SS119		Q108	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D401	8-719-911-19	DIODE 1SS119		Q109	8-729-119-76	TRANSISTOR 2SA1175-HFE	
D442	8-719-911-19	DIODE 1SS119		Q110	8-729-119-76	TRANSISTOR 2SA1175-HFE	
D443	8-719-911-19	DIODE 1SS119		Q111	8-729-140-97	TRANSISTOR 2SB734-34	
D444	8-719-911-19	DIODE 1SS119		Q112	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D445	8-719-911-19	DIODE 1SS119		Q113	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D450	8-719-911-19	DIODE 1SS119		Q114	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D454	8-719-911-19	DIODE 1SS119		Q115	8-729-900-36	TRANSISTOR DTC124ES	
D457	8-719-911-19	DIODE 1SS119		Q116	8-729-119-76	TRANSISTOR 2SA1175-HFE	
		<DELAY LINE>		Q117	8-729-119-78	TRANSISTOR 2SC2785-HFE	
DL301	1-415-122-31	DELAY LINE, 1H (PAL)		Q118	8-729-119-76	TRANSISTOR 2SA1175-HFE	
DL401	1-415-380-11	DELAY LINE, Y		Q119	8-729-119-76	TRANSISTOR 2SA1175-HFE	
		<IC>		Q121	8-729-133-42	TRANSISTOR 2SC2334-L	
IC101	8-759-140-16	IC UPD7508HCU-258		*4-363-146-00	HEAT SINK, V.OUT; Q121		
IC102	8-752-321-18	IC CXK1005P		Q122	8-729-119-76	TRANSISTOR 2SA1175-HFE	
IC103	8-759-102-28	IC UPD6326C		Q123	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC104	8-759-182-43	IC UPD8243C(M)		Q301	8-729-119-76	TRANSISTOR 2SA1175-HFE	
IC106	8-759-207-07	IC TD62381P		Q309	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC107	8-759-207-07	IC TD62381P		Q310	8-729-119-76	TRANSISTOR 2SA1175-HFE	
IC110	8-759-140-66	IC UPD4066BC		Q311	8-729-378-84	TRANSISTOR 2SD788-5	
IC121	8-759-604-29	IC M5F7805		Q315	8-729-119-78	TRANSISTOR 2SC2785-HFE	
*4-363-146-00	HEAT SINK, V.OUT; IC121			Q316	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC122	8-759-982-13	IC RC7812FA		Q321	8-729-119-78	TRANSISTOR 2SC2785-HFE	
*4-323-833-00	HEAT SINK, PIN OUT; IC122			Q322	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC301	8-752-030-86	IC CXA1001AP		Q324	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC302	8-752-030-31	IC CXA1024S		Q331	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC311	8-759-240-73	IC TC4073BP		Q341	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC401	8-751-750-00	IC CX-175		Q342	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC411	8-759-135-80	IC UPC358C		Q343	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC412	8-759-140-66	IC UPD4066BC		Q353	8-729-119-78	TRANSISTOR 2SC2785-HFE	
				Q354	8-729-900-36	TRANSISTOR DTC124ES	

PVM-2730QM
RM-668
B

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
R445	1-249-431-11	CARBON	15K 5% 1/4W	R1313	1-247-725-11	CARBON	10K 5% 1/4W
R446	1-249-417-11	CARBON	1K 5% 1/4W	R1314	1-249-429-11	CARBON	10K 5% 1/4W
R447	1-249-414-11	CARBON	560 5% 1/4W	R1315	1-249-435-11	CARBON	33K 5% 1/4W
R448	1-249-393-11	CARBON	10 5% 1/4W	R1316	1-249-435-11	CARBON	33K 5% 1/4W
R449	1-249-418-11	CARBON	1.2K 5% 1/4W	R1317	1-249-417-11	CARBON	1K 5% 1/4W
R450	1-249-419-11	CARBON	1.5K 5% 1/4W	R1318	1-249-417-11	CARBON	1K 5% 1/4W
R451	1-249-420-11	CARBON	1.8K 5% 1/4W	R1319	1-249-417-11	CARBON	1K 5% 1/4W
R452	1-249-393-11	CARBON	10 5% 1/4W	R1320	1-249-409-11	CARBON	220 5% 1/4W
R453	1-249-419-11	CARBON	1.5K 5% 1/4W	R1322	1-249-433-11	CARBON	22K 5% 1/4W
R454	1-249-419-11	CARBON	1.5K 5% 1/4W	R1323	1-249-429-11	CARBON	10K 5% 1/4W
R456	1-249-409-11	CARBON	220 5% 1/4W	R1324	1-249-435-11	CARBON	33K 5% 1/4W
R457	1-249-435-11	CARBON	33K 5% 1/4W	R1325	1-249-409-11	CARBON	220 5% 1/4W
R458	1-249-425-11	CARBON	4.7K 5% 1/4W	R1326	1-249-409-11	CARBON	220 5% 1/4W
R460	1-249-436-11	CARBON	39K 5% 1/4W	R1327	1-247-903-00	CARBON	1K 5% 1/4W
R461	1-249-431-11	CARBON	15K 5% 1/4W	R1328	1-249-417-11	CARBON	1K 5% 1/4W
R462	1-249-421-11	CARBON	2.2K 5% 1/4W	R1329	1-247-895-00	CARBON	470K 5% 1/4W
R463	1-249-422-11	CARBON	2.7K 5% 1/4W	R1330	1-249-417-11	CARBON	1K 5% 1/4W
R464	1-249-409-11	CARBON	220 5% 1/4W	R1331	1-249-426-11	CARBON	5.6K 5% 1/4W
R465	1-249-435-11	CARBON	33K 5% 1/4W	R1332	1-249-437-11	CARBON	47K 5% 1/4W
R466	1-247-721-11	CARBON	4.7K 5% 1/4W	R1333	1-249-418-11	CARBON	1.2K 5% 1/4W
R467	1-247-866-11	CARBON	30K 5% 1/4W	R1334	1-249-429-11	CARBON	10K 5% 1/4W
R468	1-249-429-11	CARBON	10K 5% 1/4W	R1335	1-249-409-11	CARBON	220 5% 1/4W
R470	1-249-420-11	CARBON	1.8K 5% 1/4W	R1337	1-249-405-11	CARBON	100 5% 1/4W
R471	1-249-425-11	CARBON	4.7K 5% 1/4W	R1339	1-249-414-11	CARBON	560 5% 1/4W
R472	1-249-420-11	CARBON	1.8K 5% 1/4W	R1340	1-249-409-11	CARBON	220 5% 1/4W
R473	1-249-425-11	CARBON	4.7K 5% 1/4W	R1341	1-249-437-11	CARBON	47K 5% 1/4W
R474	1-249-417-11	CARBON	1K 5% 1/4W	R1342	1-249-405-11	CARBON	100 5% 1/4W
R475	1-249-405-11	CARBON	100 5% 1/4W	R1344	1-247-834-11	CARBON	1.3K 5% 1/4W
R476	1-249-416-11	CARBON	820 5% 1/4W	R1345	1-249-409-11	CARBON	220 5% 1/4W
R477	1-249-413-11	CARBON	470 5% 1/4W	R1347	1-249-405-11	CARBON	100 5% 1/4W
R478	1-249-421-11	CARBON	2.2K 5% 1/4W	R1360	1-249-414-11	CARBON	560 5% 1/4W
R479	1-249-421-11	CARBON	2.2K 5% 1/4W	R1362	1-249-414-11	CARBON	560 5% 1/4W
R480	1-249-429-11	CARBON	10K 5% 1/4W	R1363	1-247-901-11	CARBON	820K 5% 1/4W
R481	1-249-429-11	CARBON	10K 5% 1/4W	R1364	1-249-424-11	CARBON	3.9K 5% 1/4W
R482	1-249-421-11	CARBON	2.2K 5% 1/4W	R1365	1-249-437-11	CARBON	47K 5% 1/4W
R483	1-249-421-11	CARBON	2.2K 5% 1/4W	R1366	1-249-422-11	CARBON	2.7K 5% 1/4W
R484	1-249-433-11	CARBON	22K 5% 1/4W	R1367	1-202-730-00	SOLID	8.2M 10% 1/2W
R485	1-249-417-11	CARBON	1K 5% 1/4W	R1368	1-249-411-11	CARBON	330 5% 1/4W
R486	1-249-435-11	CARBON	33K 5% 1/4W	R1369	1-249-413-11	CARBON	470 5% 1/4W
R487	1-249-435-11	CARBON	33K 5% 1/4W	R1370	1-249-409-11	CARBON	220 5% 1/4W
R488	1-249-435-11	CARBON	33K 5% 1/4W	R1371	1-249-413-11	CARBON	470 5% 1/4W
R1100	1-249-405-11	CARBON	100 5% 1/4W	R1375	1-249-425-11	CARBON	4.7K 5% 1/4W
R1101	1-249-437-11	CARBON	47K 5% 1/4W	R1376	1-247-889-00	CARBON	270K 5% 1/4W
R1102	1-249-429-11	CARBON	10K 5% 1/4W	R1377	1-249-434-11	CARBON	27K 5% 1/4W
R1105	1-249-431-11	CARBON	15K 5% 1/4W	R1378	1-249-410-11	CARBON	270 5% 1/4W
R1106	1-249-399-11	CARBON	33 5% 1/4W	R1379	1-249-405-11	CARBON	100 5% 1/4W
R1107	1-249-437-11	CARBON	47K 5% 1/4W	R1381	1-249-434-11	CARBON	27K 5% 1/4W
R1108	1-249-405-11	CARBON	100 5% 1/4W	R1382	1-249-424-11	CARBON	3.9K 5% 1/4W
R1109	1-249-429-11	CARBON	10K 5% 1/4W	R1383	1-249-419-11	CARBON	1.5K 5% 1/4W
R1110	1-249-421-11	CARBON	2.2K 5% 1/4W	R1384	1-249-411-11	CARBON	330 5% 1/4W
R1111	1-249-437-11	CARBON	47K 5% 1/4W	R1385	1-249-393-11	CARBON	10 5% 1/4W
R1112	1-249-441-11	CARBON	100K 5% 1/4W	R1386	1-249-421-11	CARBON	2.2K 5% 1/4W
R1113	1-249-409-11	CARBON	220 5% 1/4W	R1388	1-249-425-11	CARBON	4.7K 5% 1/4W
R1115	1-249-393-11	CARBON	10 5% 1/4W	R1389	1-249-429-11	CARBON	10K 5% 1/4W
R1115	1-249-425-11	CARBON	4.7K 5% 1/4W	R1390	1-249-421-11	CARBON	2.2K 5% 1/4W
R1304	1-247-704-11	CARBON	220 5% 1/4W	R1401	1-249-433-11	CARBON	22K 5% 1/4W
R1305	1-247-704-11	CARBON	220 5% 1/4W	R1402	1-249-433-11	CARBON	22K 5% 1/4W
R1306	1-247-704-11	CARBON	220 5% 1/4W	R1403	1-249-433-11	CARBON	22K 5% 1/4W
R1307	1-247-704-11	CARBON	220 5% 1/4W	R1404	1-249-433-11	CARBON	22K 5% 1/4W
R1308	1-249-429-11	CARBON	10K 5% 1/4W	R1405	1-249-437-11	CARBON	47K 5% 1/4W
R1309	1-247-704-11	CARBON	220 5% 1/4W	R1406	1-249-437-11	CARBON	47K 5% 1/4W
R1310	1-249-431-11	CARBON	15K 5% 1/4W	R1407	1-249-437-11	CARBON	47K 5% 1/4W
R1311	1-249-409-11	CARBON	220 5% 1/4W	R1408	1-249-437-11	CARBON	47K 5% 1/4W
R1312	1-249-440-11	CARBON	82K 5% 1/4W				

PVM-2730QM
 RM-668

B

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
R194	1-249-423-11	CARBON	3.3K 5% 1/4W	R368	1-249-428-11	CARBON	8.2K 5% 1/4W
R195	1-249-421-11	CARBON	2.2K 5% 1/4W	R370	1-249-419-11	CARBON	1.5K 5% 1/4W
R196	1-249-414-11	CARBON	560 5% 1/4W	R371	1-249-435-11	CARBON	33K 5% 1/4W
R197	1-249-421-11	CARBON	2.2K 5% 1/4W	R372	1-249-441-11	CARBON	100K 5% 1/4W
R198	1-249-405-11	CARBON	100 5% 1/4W	R373	1-249-435-11	CARBON	33K 5% 1/4W
R199	1-249-417-11	CARBON	1K 5% 1/4W	R374	1-249-435-11	CARBON	33K 5% 1/4W
R303	1-249-469-11	CARBON	100K 5% 1/4W	R375	1-249-423-11	CARBON	3.3K 5% 1/4W
R304	1-249-436-11	CARBON	39K 5% 1/4W	R377	1-249-412-11	CARBON	390 5% 1/4W
R305	1-247-883-00	CARBON	150K 5% 1/4W	R378	1-249-414-11	CARBON	560 5% 1/4W
R306	1-249-435-11	CARBON	33K 5% 1/4W	R379	1-249-429-11	CARBON	10K 5% 1/4W
R308	1-249-409-11	CARBON	220 5% 1/4W	R380	1-249-437-11	CARBON	47K 5% 1/4W
R310	1-249-462-11	CARBON	22K 5% 1/4W	R381	1-249-440-11	CARBON	82K 5% 1/4W
R311	1-249-439-11	CARBON	68K 5% 1/4W	R382	1-249-438-11	CARBON	56K 5% 1/4W
R312	1-249-439-11	CARBON	68K 5% 1/4W	R383	1-247-889-00	CARBON	270K 5% 1/4W
R313	1-249-421-11	CARBON	2.2K 5% 1/4W	R384	1-249-425-11	CARBON	4.7K 5% 1/4W
R314	1-249-409-11	CARBON	220 5% 1/4W	R385	1-249-414-11	CARBON	560 5% 1/4W
R315	1-249-433-11	CARBON	22K 5% 1/4W	R386	1-249-429-11	CARBON	10K 5% 1/4W
R316	1-249-435-11	CARBON	33K 5% 1/4W	R387	1-249-417-11	CARBON	1K 5% 1/4W
R317	1-249-421-11	CARBON	2.2K 5% 1/4W	R388	1-247-893-11	CARBON	390K 5% 1/4W
R318	1-249-409-11	CARBON	220 5% 1/4W	R389	1-249-433-11	CARBON	22K 5% 1/4W
R319	1-249-433-11	CARBON	22K 5% 1/4W	R390	1-249-433-11	CARBON	22K 5% 1/4W
R320	1-249-435-11	CARBON	33K 5% 1/4W	R391	1-249-437-11	CARBON	47K 5% 1/4W
R321	1-249-435-11	CARBON	33K 5% 1/4W	R392	1-249-431-11	CARBON	15K 5% 1/4W
R322	1-249-429-11	CARBON	10K 5% 1/4W	R393	1-249-435-11	CARBON	33K 5% 1/4W
R323	1-249-441-11	CARBON	100K 5% 1/4W	R394	1-249-429-11	CARBON	10K 5% 1/4W
R324	1-249-441-11	CARBON	100K 5% 1/4W	R395	1-247-895-00	CARBON	470K 5% 1/4W
R326	1-249-441-11	CARBON	100K 5% 1/4W	R396	1-249-419-11	CARBON	1.5K 5% 1/4W
R327	1-249-423-11	CARBON	3.3K 5% 1/4W	R398	1-249-420-11	CARBON	1.8K 5% 1/4W
R328	1-249-423-11	CARBON	3.3K 5% 1/4W	R401	1-249-412-11	CARBON	390 5% 1/4W
R329	1-249-423-11	CARBON	3.3K 5% 1/4W	R402	1-247-717-11	CARBON	2.2K 5% 1/4W
R330	1-249-417-11	CARBON	1K 5% 1/4W	R403	1-249-427-11	CARBON	6.8K 5% 1/4W
R331	1-247-903-00	CARBON	1M 5% 1/4W	R404	1-249-429-11	CARBON	10K 5% 1/4W
R332	1-247-889-00	CARBON	270K 5% 1/4W	R406	1-249-412-11	CARBON	390 5% 1/4W
R333	1-249-414-11	CARBON	560 5% 1/4W	R410	1-249-422-11	CARBON	2.7K 5% 1/4W
R334	1-247-883-00	CARBON	150K 5% 1/4W	R411	1-247-899-11	CARBON	680K 5% 1/4W
R335	1-249-413-11	CARBON	470 5% 1/4W	R412	1-249-417-11	CARBON	1K 5% 1/4W
R336	1-249-409-11	CARBON	220 5% 1/4W	R413	1-249-425-11	CARBON	4.7K 5% 1/4W
R337	1-249-427-11	CARBON	6.8K 5% 1/4W	R414	1-249-438-11	CARBON	56K 5% 1/4W
R338	1-249-421-11	CARBON	2.2K 5% 1/4W	R415	1-249-429-11	CARBON	10K 5% 1/4W
R339	1-249-417-11	CARBON	1K 5% 1/4W	R418	1-247-720-11	CARBON	3.9K 5% 1/4W
R340	1-249-421-11	CARBON	2.2K 5% 1/4W	R419	1-249-429-11	CARBON	10K 5% 1/4W
R341	1-249-422-11	CARBON	2.7K 5% 1/4W	R420	1-249-412-11	CARBON	390 5% 1/4W
R342	1-249-428-11	CARBON	8.2K 5% 1/4W	R421	1-249-438-11	CARBON	56K 5% 1/4W
R343	1-249-433-11	CARBON	22K 5% 1/4W	R422	1-249-427-11	CARBON	6.8K 5% 1/4W
R345	1-249-439-11	CARBON	68K 5% 1/4W	R425	1-249-408-11	CARBON	180 5% 1/4W
R346	1-249-426-11	CARBON	5.6K 5% 1/4W	R426	1-249-435-11	CARBON	33K 5% 1/4W
R350	1-249-413-11	CARBON	470 5% 1/4W	R427	1-249-423-11	CARBON	3.3K 5% 1/4W
R351	1-249-405-11	CARBON	100 5% 1/4W	R429	1-249-429-11	CARBON	10K 5% 1/4W
R352	1-249-433-11	CARBON	22K 5% 1/4W	R430	1-249-423-11	CARBON	3.3K 5% 1/4W
R353	1-249-420-11	CARBON	1.8K 5% 1/4W	R431	1-249-425-11	CARBON	4.7K 5% 1/4W
R354	1-249-435-11	CARBON	33K 5% 1/4W	R432	1-249-428-11	CARBON	8.2K 5% 1/4W
R355	1-249-433-11	CARBON	22K 5% 1/4W	R433	1-249-428-11	CARBON	8.2K 5% 1/4W
R356	1-249-437-11	CARBON	47K 5% 1/4W	R434	1-249-418-11	CARBON	1.2K 5% 1/4W
R357	1-249-430-11	CARBON	12K 5% 1/4W	R435	1-249-417-11	CARBON	1K 5% 1/4W
R358	1-249-435-11	CARBON	33K 5% 1/4W	R436	1-249-421-11	CARBON	2.2K 5% 1/4W
R359	1-247-883-00	CARBON	150K 5% 1/4W	R437	1-249-431-11	CARBON	15K 5% 1/4W
R360	1-247-708-11	CARBON	470 5% 1/4W	R438	1-249-431-11	CARBON	15K 5% 1/4W
R361	1-249-417-11	CARBON	1K 5% 1/4W	R439	1-249-418-11	CARBON	1.2K 5% 1/4W
R362	1-249-429-11	CARBON	10K 5% 1/4W	R440	1-249-417-11	CARBON	1K 5% 1/4W
R363	1-249-417-11	CARBON	1K 5% 1/4W	R441	1-249-420-11	CARBON	1.8K 5% 1/4W
R364	1-249-412-11	CARBON	390 5% 1/4W	R442	1-249-421-11	CARBON	2.2K 5% 1/4W
R365	1-247-723-11	CARBON	6.8K 5% 1/4W	R443	1-249-408-11	CARBON	180 5% 1/4W
R366	1-247-891-00	CARBON	330K 5% 1/4W	R444	1-249-439-11	CARBON	68K 5% 1/4W
R367	1-249-437-11	CARBON	47K 5% 1/4W				

The components identified by shading and mark Δ are critical for safety.
Replace only with part number specified.

PVM-2730QM
RM-668

B FB FA

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
R1409	1-247-704-11	CARBON 220 5% 1/4W	F	C608 Δ	1-162-738-12	CERAMIC 0.0047MF	20% 400V
R1410	1-249-421-11	CARBON 2.2K 5% 1/4W		C610	1-125-222-41	ELECT(BLOCK) 330MF	20% 400V
R1411	1-247-725-11	CARBON 10K 5% 1/4W		C617	1-162-599-12	CERAMIC 0.0047MF	20% 400V
R1412	1-249-429-11	CARBON 10K 5% 1/4W		C618	1-102-030-00	CERAMIC 330PF	10% 500V
R1413	1-249-421-11	CARBON 2.2K 5% 1/4W		C619	1-130-202-00	FILM 0.022MF	10% 400V
<VARIABLE RESISTOR>				C620	1-124-126-00	ELECT 47MF	20% 16V
RV301	1-228-989-00	RES, ADJ, CARBON 470		C621	1-130-062-00	FILM 0.0056MF	5% 630V
RV302	1-228-995-00	RES, ADJ, CARBON 22K		C622	1-124-929-11	ELECT 22MF	20% 100V
RV303	1-228-994-00	RES, ADJ, CARBON 10K		C623	1-161-973-00	CERAMIC 220PF	10% 400V
RV318	1-228-993-00	RES, ADJ, CARBON 4.7K		C624	1-161-973-00	CERAMIC 220PF	10% 400V
RV1301	1-228-991-00	RES, ADJ, CARBON 2.2K		C632	1-102-002-00	CERAMIC 680PF	10% 500V
RV1302	1-228-991-00	RES, ADJ, CARBON 2.2K		C651	1-162-115-00	CERAMIC 330PF	10% 2KV
<TRANSFORMER>				C652	1-125-494-11	ELECT(BLOCK) 560MF	20% 160V
T301	1-404-524-11	DAT		C653	1-126-170-11	ELECT 1000MF	20% 50V
T401	1-404-584-11	COIL		C654	1-124-563-11	ELECT 2200MF	20% 25V
<CRYSTAL>				C655	1-124-563-11	ELECT 2200MF	20% 25V
X101	1-567-192-11	OSCILLATOR, CERAMIC		C656	1-162-318-11	CERAMIC 0.001MF	10% 500V
X358	1-567-505-11	OSCILLATOR, CRYSTAL		C658	1-124-126-00	ELECT 47MF	20% 25V
X443	1-567-504-11	OSCILLATOR, CRYSTAL		C659	1-102-030-00	CERAMIC 330PF	10% 500V
*****				C661	1-123-333-00	ELECT 100MF	20% 25V
*1-621-546-11	FB BOARD	*****		C662	1-136-601-11	FILM 0.01MF	5% 630V
<CAPACITOR>				C663	1-124-791-11	ELECT 1MF	20% 50V
C1601	1-108-692-11	MYLAR 0.01MF 10% 200V		C664	1-124-791-11	ELECT 1MF	20% 50V
<CONNECTOR>				C666	1-126-101-11	ELECT 100MF	20% 10V
FB1	*1-506-348-99	PIN, CONNECTOR 4P		C667	1-102-121-00	CERAMIC 0.0022MF	10% 50V
FB2	*1-508-784-00	PIN, CONNECTOR (5MM PITCH) 1P		C668 Δ	1-136-360-51	FILM 0.22MF	20% 250V (ABP, AUS ONLY)
<COIL>				Δ	1-136-415-51	FILM 0.33MF	20% 250V (WG ONLY)
L1601	1-459-407-00	COIL, FERRITE CHOKE		C669 Δ	1-161-738-12	CERAMIC 0.0047MF	20% 400V
<NEON LAMP>				C670 Δ	1-161-738-12	CERAMIC 0.0047MF	20% 400V
NL1691	1-519-108-99	LAMP, NEON		C671 Δ	1-161-738-12	CERAMIC 0.0047MF	20% 400V
<RESISTOR>				C672 Δ	1-161-738-12	CERAMIC 0.0047MF	20% 400V
R1601	1-216-423-11	METAL OXIDE 27 5% 1W	F	C673 Δ	1-161-738-12	CERAMIC 0.0047MF	20% 400V
*****				C674 Δ	1-136-360-51	FILM 0.22MF	20% 250V (ABP, AUS ONLY)
*A-1245-387-A	FA BOARD, COMPLETE (ABP, AUS ONLY)	*****		Δ	1-136-415-51	FILM 0.33MF	20% 250V (WG ONLY)
*A-1245-411-A	FA BOARD, COMPLETE (WG ONLY)	*****		C676	1-126-170-11	ELECT 1000MF	20% 50V (ABP, AUS ONLY)
<CAPACITOR>					1-136-173-00	FILM 0.47MF	5% 50V (WG ONLY)
C601 Δ	1-136-360-51	FILM 0.22MF	20% 250V (ABP, AUS ONLY)	C677	1-136-173-00	FILM 0.47MF	5% 50V (ABP, AUS ONLY)
Δ	1-136-415-51	FILM 0.33MF	20% 250V (WG ONLY)	C678	1-136-415-51	FILM 0.33MF	20% 250V (WG ONLY)
C607	1-162-599-12	CERAMIC 0.0047MF	20% 400V	C681	1-136-153-00	FILM 0.01MF	5% 50V
<DIODE>				C682	1-130-062-00	FILM 0.0056MF	5% 630V
D601	8-719-503-06	DIODE S3WB60Z		C686	1-136-173-00	FILM 0.47MF	5% 50V (ABP, AUS ONLY)
D602	8-719-110-31	DIODE RD12ES-B2		<DIODE>			
D605	8-719-971-20	DIODE ERC38-06		D601	8-719-503-06	DIODE S3WB60Z	
D607	8-719-911-19	DIODE ISS119		D602	8-719-110-31	DIODE RD12ES-B2	
D608	8-719-911-19	DIODE ISS119		D605	8-719-971-20	DIODE ERC38-06	
D609	8-719-300-33	DIODE RU-3AM		D607	8-719-911-19	DIODE ISS119	
D651	8-719-300-53	DIODE CTU-38S		D608	8-719-911-19	DIODE ISS119	
D653	8-719-300-59	DIODE CTU-12S		D609	8-719-300-33	DIODE RU-3AM	
D654	8-719-300-59	DIODE CTU-12S		D651	8-719-300-53	DIODE CTU-38S	
*4-347-706-00	HEAT SINK (TR); D654			D653	8-719-300-59	DIODE CTU-12S	

PVM-2730QM RM-668

FA

The components identified by shading and mark **Δ** are critical for safety.
Replace only with part number specified.

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
D655	8-719-016-42	DIODE MC932		R613	1-215-895-11	METAL OXIDE 3.3K 5% 2W	F
D656	8-719-300-59	DIODE CTU-12S		R614	1-216-458-11	METAL OXIDE 1.8K 5% 2W	F
	*4-347-706-00	HEAT SINK (TR); D656		R615	1-205-737-00	WIREWOUND 30 10% 7W	
D658	8-719-110-03	DIODE RD7.5ES-B2		R623	1-247-718-11	CARBON 2.7K 5% 1/4W	
D659	8-719-110-03	DIODE RD7.5ES-B2		R627	1-249-409-11	CARBON 220 5% 1/4W	
D660	8-719-911-19	DIODE 1SS119		R628	1-247-889-00	CARBON 270K 5% 1/4W	
D661	8-719-911-55	DIODE U05G		R629	1-249-427-11	CARBON 6.8K 5% 1/4W	
D663	8-719-109-93	DIODE RD6.2ES-B2		R630	1-247-692-11	CARBON 22 5% 1/4W	F
D664	8-719-110-31	DIODE RD12ES-B2		R631	1-207-945-00	WIREWOUND 390 10% 7W	F
D665	8-719-300-59	DIODE CTU-12S		R632	1-217-192-21	WIREWOUND 0.22 10% 2W	F
D666	8-719-911-19	DIODE 1SS119		R652	1-216-430-11	METAL OXIDE 390 5% 1W	F
D667	8-719-911-55	DIODE U05G		R653	1-249-425-11	CARBON 4.7K 5% 1/4W	
<FUSE>				R654	1-216-464-11	METAL OXIDE 18K 5% 2W	F
F601	Δ 1-532-299-11	FUSE, TIME-LAG 5A/250V		R662	1-249-436-11	CARBON 39K 5% 1/4W	
	*1-533-189-11	HOLDER, FUSE; F601		R663	1-249-430-11	CARBON 12K 5% 1/4W	
<CONNECTOR>				R664	1-249-441-11	CARBON 100K 5% 1/4W	
FA1	*1-506-348-99	PIN, CONNECTOR 3P		R665	1-215-436-00	METAL 4.3K 1% 1/6W	
FA2	*1-506-348-99	PIN, CONNECTOR 3P		R666	1-247-713-11	CARBON 1K 5% 1/4W	
FA3	*1-508-765-00	PIN, CONNECTOR (5MM PITCH) 3P		R667	1-247-703-11	CARBON 180 5% 1/4W	
FA4	*1-508-767-00	PIN, CONNECTOR (5MM PITCH) 5P		R669	1-247-720-11	CARBON 3.9K 5% 1/4W	
FA6	*1-508-765-00	PIN, CONNECTOR (5MM PITCH) 3P		R670	1-249-420-11	CARBON 1.8K 5% 1/4W	
FA7	*1-566-058-11	PIN, CONNECTOR 6P		R671	Δ 1-205-758-11	WIREWOUND 100 10% 10W	F
FA8	*1-566-054-11	PIN, CONNECTOR 2P		R673	Δ 1-244-945-91	CARBON 1M 5% 1/2W	
FA9	*1-564-529-11	CONNECTOR, BOARD TO BOARD 5P		R677	1-216-346-00	METAL OXIDE 0.56 5% 1W	F
FA10	*1-564-529-11	CONNECTOR, BOARD TO BOARD 5P		R678	1-247-749-11	CARBON 560 5% 1/2W	F
<IC>				R679	1-215-924-00	METAL OXIDE 15K 5% 3W	F
IC602	8-719-802-22	DIODE TLP581-Y		R680	1-207-971-00	WIREWOUND 470 10% 7W	F
IC651	8-759-945-58	IC RC4558P		R681	1-249-448-11	CARBON 1.2 5% 1/4W	(AEP, AUS ONLY)
<COIL>				R682	1-249-429-11	CARBON 10K 5% 1/4W	(WG ONLY)
L601	1-407-365-00	COIL, CHOKE		R683	1-216-488-11	METAL OXIDE 18K 5% 3W	(AEP, AUS ONLY)
L652	1-408-159-00	COIL, SPOOK CHOKE		R684	1-249-448-11	CARBON 1.2 5% 1/4W	F
L653	1-408-159-00	COIL, SPOOK CHOKE		R685	1-249-440-11	CARBON 82K 5% 1/4W	(AEP, AUS ONLY)
<IC LINK>				R689	1-249-429-11	CARBON 10K 5% 1/4W	(AEP, AUS ONLY)
PS651	1-532-675-00	LINK, IC		R690	1-249-449-11	CARBON 1.5 5% 1/4W	(AEP, AUS ONLY)
PS652	1-532-686-00	LINK, IC		<VARIABLE RESISTOR>			
PS653	1-532-686-00	LINK, IC		RV651	1-226-771-11	RES, ADJ, METAL GLAZE 1K	
PS654	1-532-637-00	LINK, IC		RV652	1-226-702-00	RES, ADJ, METAL GLAZE 2.2K	
<TRANSISTOR>				<TRANSFORMER>			
Q601	8-729-195-82	TRANSISTOR 2SC2958-L		T601	Δ 1-421-758-11	TRANSFORMER, LINE FILTER (LFT)	(AEP, AUS ONLY)
Q602	8-729-802-07	TRANSISTOR 2SD1403-CA			Δ 1-421-974-11	TRANSFORMER, LINE FILTER (WG ONLY)	
	3-704-359-01	SCREW (M3X10), SW (+) P; Q602		T602	Δ 1-421-758-11	TRANSFORMER, LINE FILTER (LFT)	(AEP, AUS ONLY)
	4-365-216-00	SPACER, MICA; Q602			Δ 1-421-974-11	TRANSFORMER, LINE FILTER (WG ONLY)	
Q651	8-729-109-55	TRANSISTOR 2SD795A-Q1		T603	Δ 1-437-079-11	TRANSFORMER, HORIZONTAL DRIVE	
	*4-347-706-00	HEAT SINK (TR); Q651		T605	Δ 1-448-901-11	SRT	
Q652	8-729-178-55	TRANSISTOR 2SC2785-E		T607	1-421-975-11	TRANSFORMER, LINE FILTER (WG ONLY)	
Q653	8-719-000-28	THYRISTOR CRO2AM-8		<THERMISTOR>			
<RESISTOR>				TH651	1-800-070-99	THERMISTOR TH-4700	
R601	Δ 1-217-328-11	WIREWOUND 2.7 10% 7W	F	THP601	Δ 1-806-387-12	THERMISTOR (POSITIVE)	
R604	Δ 1-247-289-11	CARBON 8.2M 5% 1W		*****			
R609	1-215-894-11	METAL OXIDE 2.2K 5% 2W	F				
R612	1-215-904-11	METAL OXIDE 100K 5% 2W	F				

PVM-2730QM
RM-668
QA QB

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
<JACK>							
J25	1-561-534-41	SOCKET 21P		R1751	1-247-104-00	CARBON 75 5% 1/4W	
<COIL>				R1752	1-247-696-11	CARBON 47 5% 1/4W	
L1700	1-408-410-00	INDUCTOR 12UH (WG ONLY)		R1753	1-247-696-11	CARBON 47 5% 1/4W	
<TRANSISTOR>				R1754	1-247-696-11	CARBON 47 5% 1/4W	
Q1894	8-729-119-78	TRANSISTOR 2SC2785-HFE		R1755	1-249-418-11	CARBON 1.2K 5% 1/4W	
Q1895	8-729-119-78	TRANSISTOR 2SC2785-HFE		R1756	1-249-418-11	CARBON 1.2K 5% 1/4W	
Q1896	8-729-119-78	TRANSISTOR 2SC2785-HFE		R1760	1-247-893-11	CARBON 390K 5% 1/4W	
<CONNECTOR>				R1761	1-247-893-11	CARBON 390K 5% 1/4W	
QA1	*1-566-055-11	PIN, CONNECTOR 3P		R1762	1-247-893-11	CARBON 390K 5% 1/4W	
QA2	*1-560-278-00	PLUG, CONNECTOR 3P		R1763	1-247-893-11	CARBON 390K 5% 1/4W	
QA11	*1-566-054-11	PIN, CONNECTOR 2P		R1764	1-247-743-11	CARBON 220 5% 1/2W	
<RESISTOR>				R1765	1-247-743-11	CARBON 220 5% 1/2W	
R1700	1-247-104-00	CARBON 75 5% 1/4W		R1768	1-249-406-11	CARBON 120 5% 1/4W	
R1701	1-249-417-11	CARBON 1K 5% 1/4W		R1769	1-247-710-11	CARBON 560 5% 1/4W	
R1702	1-249-439-11	CARBON 68K 5% 1/4W		R2800	1-247-104-00	CARBON 75 5% 1/4W	
R1703	1-249-417-11	CARBON 1K 5% 1/4W		R2801	1-247-104-00	CARBON 75 5% 1/4W	
R1704	1-249-439-11	CARBON 68K 5% 1/4W		R2802	1-249-433-11	CARBON 22K 5% 1/4W	
R1705	1-247-804-11	CARBON 75 5% 1/4W		R2803	1-249-462-11	CARBON 22K 5% 1/4W	
R1706	1-249-417-11	CARBON 1K 5% 1/4W		R2804	1-247-713-11	CARBON 1K 5% 1/4W	
R1707	1-249-439-11	CARBON 68K 5% 1/4W		R2805	1-249-433-11	CARBON 22K 5% 1/4W	
R1708	1-249-417-11	CARBON 1K 5% 1/4W		R2806	1-249-433-11	CARBON 22K 5% 1/4W	
R1709	1-249-439-11	CARBON 68K 5% 1/4W		R2807	1-249-417-11	CARBON 1K 5% 1/4W	
R1715	1-247-104-00	CARBON 75 5% 1/4W		R2808	1-249-433-11	CARBON 22K 5% 1/4W	
R1716	1-249-421-11	CARBON 2.2K 5% 1/4W		R2809	1-249-462-11	CARBON 22K 5% 1/4W	
R1717	1-247-901-11	CARBON 820K 5% 1/4W		R2810	1-247-713-11	CARBON 1K 5% 1/4W	
R1718	1-247-708-11	CARBON 470 5% 1/4W		R2811	1-249-405-11	CARBON 100 5% 1/4W	
R1719	1-249-408-11	CARBON 180 5% 1/4W		R2812	1-249-405-11	CARBON 100 5% 1/4W	
R1720	1-249-421-11	CARBON 2.2K 5% 1/4W		R2813	1-249-405-11	CARBON 100 5% 1/4W	
R1721	1-247-708-11	CARBON 470 5% 1/4W		<SWITCH>			
R1722	1-249-408-11	CARBON 180 5% 1/4W		S1	1-570-145-11	SWITCH, SLIDE	
R1723	1-249-421-11	CARBON 2.2K 5% 1/4W		S2	1-570-145-11	SWITCH, SLIDE	
R1724	1-247-708-11	CARBON 470 5% 1/4W		S3	1-570-145-11	SWITCH, SLIDE	
R1725	1-249-408-11	CARBON 180 5% 1/4W		S4	1-570-145-11	SWITCH, SLIDE	
R1726	1-247-895-00	CARBON 470K 5% 1/4W		S5	1-570-145-11	SWITCH, SLIDE	
R1727	1-247-713-11	CARBON 1K 5% 1/4W		S6	1-570-145-11	SWITCH, SLIDE	
R1728	1-247-901-11	CARBON 820K 5% 1/4W		<SPARK GAP>			
R1729	1-247-710-11	CARBON 560 5% 1/4W		SG1701	1-519-063-99	DISCHARGING GAP	
R1730	1-247-895-00	CARBON 470K 5% 1/4W		SG1702	1-519-063-99	DISCHARGING GAP	
R1731	1-247-713-11	CARBON 1K 5% 1/4W		*****			
R1732	1-247-901-11	CARBON 820K 5% 1/4W		*A-1270-282-A QB BOARD, COMPLETE			
R1733	1-247-104-00	CARBON 75 5% 1/4W		*****			
R1735	1-247-104-00	CARBON 75 5% 1/4W		<CAPACITOR>			
R1736	1-247-104-00	CARBON 75 5% 1/4W		C1761	1-123-356-00	ELECT 10MF 20% 16V	
R1737	1-247-104-00	CARBON 75 5% 1/4W		C1777	1-102-074-00	CERAMIC 0.001MF 10% 50V	
R1738	1-249-409-11	CARBON 220 5% 1/4W		C1778	1-102-074-00	CERAMIC 0.001MF 10% 50V	
R1739	1-247-104-00	CARBON 75 5% 1/4W		C1779	1-126-103-11	ELECT 470MF 20% 16V	
R1740	1-249-429-11	CARBON 10K 5% 1/4W		C1781	1-101-004-00	CERAMIC 0.01MF 50V	
R1742	1-249-412-11	CARBON 390 5% 1/4W		C1782	1-126-101-11	ELECT 100MF 20% 16V	
R1743	1-247-713-11	CARBON 1K 5% 1/4W		C1788	1-123-356-00	ELECT 10MF 20% 25V	
R1744	1-247-901-11	CARBON 820K 5% 1/4W		C1789	1-123-356-00	ELECT 10MF 20% 25V	
R1746	1-249-406-11	CARBON 120 5% 1/4W		C1790	1-124-477-11	ELECT 47MF 20% 16V	
R1750	1-249-417-11	CARBON 1K 5% 1/4W		C1791	1-124-477-11	ELECT 47MF 20% 16V	
				C1792	1-102-959-00	CERAMIC 22PF 5% 50V	
				C1794	1-124-477-11	ELECT 47MF 20% 16V	
				C1799	1-124-471-00	ELECT 1000MF 20% 6.3V	
				C1800	1-124-477-11	ELECT 47MF 20% 16V	
				C1801	1-126-103-11	ELECT 470MF 20% 16V	

The components identified by shading and mark Δ are critical for safety.
Replace only with part number specified.

PVM-2730QM
RM-668

FC QA

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
	*1-621-548-11	FC BOARD *****		1-537-075-21	1-537-076-11	TERMINAL BOARD, INPUT/OUTPUT TERMINAL BOARD, INPUT/OUTPUT	
		<CAPACITOR>				<CAPACITOR>	
C611	1-108-638-11	MYLAR	0.1MF 10% 100V	C1700	1-124-477-11	ELECT	47MF 20% 16V
C612	1-108-796-11	MYLAR	0.0022MF 5% 50V	C1701	1-126-096-11	ELECT	10MF 20% 25V
C613	1-123-356-00	ELECT	10MF 20% 16V	C1702	1-126-096-11	ELECT	10MF 20% 25V
C614	1-123-330-00	ELECT	22MF 20% 25V	C1703	1-124-477-11	ELECT	47MF 20% 16V
C615	1-102-074-00	CERAMIC	0.001MF 10% 50V	C1704	1-126-096-11	ELECT	10MF 20% 25V
C616	1-123-875-11	ELECT	10MF 20% 50V	C1705	1-126-096-11	ELECT	10MF 20% 25V
C625	1-123-380-00	ELECT	1MF 20% 50V	C1708	1-124-589-11	ELECT	47MF 20% 16V
C627	1-136-153-00	FILM	0.01MF 5% 50V	C1709	1-126-096-11	ELECT	10MF 20% 25V
C628	1-102-820-00	CERAMIC	330PF 5% 50V	C1710	1-101-880-00	CERAMIC	47PF 5% 50V
C634	1-108-638-11	MYLAR	0.1MF 10% 100V	C1712	1-101-880-00	CERAMIC	47PF 5% 50V
		<DIODE>		C1714	1-101-880-00	CERAMIC	47PF 5% 50V
D603	8-719-911-19	DIODE ISS119		C1715	1-123-356-00	ELECT	10MF 20% 25V
D604	8-759-157-40	IC UPC574J		C1716	1-123-356-00	ELECT	10MF 20% 25V
D606	8-719-911-19	DIODE ISS119		C1717	1-123-356-00	ELECT	10MF 20% 25V
		<CONNECTOR>		C1718	1-123-356-00	ELECT	10MF 20% 25V
FC1	*1-562-516-11	CONNECTOR, BOARD TO BOARD 5P		C1719	1-124-477-11	ELECT	47MF 20% 16V
FC2	*1-562-516-11	CONNECTOR, BOARD TO BOARD 5P		C1720	1-124-477-11	ELECT	47MF 20% 16V
		<IC>		C1721	1-124-477-11	ELECT	47MF 20% 16V
IC601	8-759-100-75	IC UPC1394C		C1722	1-124-589-11	ELECT	47MF 20% 16V
		<TRANSISTOR>		C1723	1-123-356-00	ELECT	10MF 20% 25V
Q603	8-729-178-55	TRANSISTOR 2SC2785-E		C1728	1-102-973-00	CERAMIC	100PF 5% 50V
		<RESISTOR>		C1729	1-102-973-00	CERAMIC	100PF 5% 50V
R605	1-247-891-00	CARBON	330K 5% 1/4W	C1731	1-102-973-00	CERAMIC	100PF 5% 50V
R606	1-249-433-11	CARBON	22K 5% 1/4W	C1732	1-102-973-00	CERAMIC	100PF 5% 50V
R608	1-249-421-11	CARBON	2.2K 5% 1/4W	C1738	1-102-973-00	CERAMIC	100PF 5% 50V
R611	1-215-457-00	METAL	33K 1% 1/6W	C1743	1-102-973-00	CERAMIC	100PF 5% 50V
R616	1-247-862-11	CARBON	20K 5% 1/4W	C1744	1-102-973-00	CERAMIC	100PF 5% 50V
R621	1-249-429-11	CARBON	10K 5% 1/4W	C1747	1-102-965-00	CERAMIC	39PF 5% 50V
R622	1-249-433-11	CARBON	22K 5% 1/4W	C1748	1-102-965-00	CERAMIC	39PF 5% 50V
R624	1-249-425-11	CARBON	4.7K 5% 1/4W	C1749	1-102-965-00	CERAMIC	39PF 5% 50V
R625	1-249-441-11	CARBON	100K 5% 1/4W	C1750	1-102-965-00	CERAMIC	39PF 5% 50V
R626	1-247-712-11	CARBON	820 5% 1/4W	C1752	1-161-047-00	CERAMIC	0.0047MF 10% 50V
R633	1-247-887-00	CARBON	220K 5% 1/4W	C1753	1-102-965-00	CERAMIC	39PF 5% 50V
R634	1-249-437-11	CARBON	47K 5% 1/4W	C1754	1-126-157-11	ELECT	10MF 20% 16V
R636	1-215-471-00	METAL	120K 1% 1/6W	C1755	1-123-356-00	ELECT	10MF 20% 16V
R637	1-249-433-11	CARBON	22K 5% 1/4W	C1756	1-101-004-00	CERAMIC	0.01MF 50V
R638	1-215-435-00	METAL	3.9K 1% 1/6W	C1757	1-101-004-00	CERAMIC	0.01MF 50V
R639	1-249-425-11	CARBON	4.7K 5% 1/4W	C1758	1-123-356-00	ELECT	10MF 20% 16V
R674	1-249-440-11	CARBON	82K 5% 1/4W	C1759	1-101-006-00	CERAMIC	0.047MF 50V
		<THERMISTOR>		C1760	1-124-477-11	ELECT	47MF 20% 16V
TH601A	1-800-944-11	THERMISTOR TH-4700		C1763	1-130-479-00	MYLAR	0.0047MF 5% 50V
		*****		C1764	1-130-479-00	MYLAR	0.0047MF 5% 50V
	*A-1270-281-A	QA BOARD, COMPLETE (AEP,AUS ONLY)				<DIODE>	
		*****		D1703	8-719-109-93	DIODE RD6.2ES-B2	
	*A-1270-283-A	QA BOARD, COMPLETE (WG ONLY)		D1706	8-719-109-93	DIODE RD6.2ES-B2	
		*****		D1707	8-719-109-93	DIODE RD6.2ES-B2	
				D1708	8-719-109-93	DIODE RD6.2ES-B2	
				D1709	8-719-109-93	DIODE RD6.2ES-B2	
				D1710	8-719-109-93	DIODE RD6.2ES-B2	
				D1711	8-719-109-93	DIODE RD6.2ES-B2	
				D1712	8-719-110-30	DIODE RD12ES-B1	
				D1713	8-719-110-30	DIODE RD12ES-B1	
				D1714	8-719-110-30	DIODE RD12ES-B1	
				D1715	8-719-110-30	DIODE RD12ES-B1	
				D1716	8-719-110-30	DIODE RD12ES-B1	

PVM-2730QM
RM-668

QB

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
C1802	1-102-971-00	CERAMIC 82PF	5%	50V	<TRANSISTOR>		
C1804	1-101-004-00	CERAMIC 0.01MF		50V			
C1806	1-101-361-00	CERAMIC 150PF	5%	50V			
C1807	1-102-111-00	CERAMIC 270PF	10%	50V	Q1773	8-729-119-76	TRANSISTOR 2SA1175-HFE
C1808	1-101-004-00	CERAMIC 0.01MF		50V	Q1774	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1810	1-124-477-11	ELECT 47MF	20%	16V	Q1775	8-729-119-76	TRANSISTOR 2SA1175-HFE
C1811	1-124-477-11	ELECT 47MF	20%	16V	Q1776	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1813	1-124-477-11	ELECT 47MF	20%	16V	Q1777	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1820	1-124-477-11	ELECT 47MF	20%	16V	Q1780	8-729-119-76	TRANSISTOR 2SA1175-HFE
C1821	1-101-004-00	CERAMIC 0.01MF		50V	Q1781	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1823	1-136-165-00	FILM 0.1MF	5%	50V	Q1784	8-729-900-89	TRANSISTOR DTC144ES
C1824	1-136-165-00	FILM 0.1MF	5%	50V	Q1785	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1825	1-136-165-00	FILM 0.1MF	5%	50V	Q1786	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1830	1-124-477-11	ELECT 47MF	20%	16V	Q1787	8-729-140-96	TRANSISTOR 2SD774-34
C1831	1-101-004-00	CERAMIC 0.01MF		50V	Q1788	8-729-119-76	TRANSISTOR 2SA1175-HFE
C1832	1-124-477-11	ELECT 47MF	20%	16V	Q1789	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1833	1-101-004-00	CERAMIC 0.01MF		50V	Q1794	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1834	1-101-004-00	CERAMIC 0.01MF		50V	Q1795	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1835	1-124-477-11	ELECT 47MF	20%	16V	Q1796	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1838	1-101-880-00	CERAMIC 47PF	5%	50V	Q1797	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1839	1-124-477-11	ELECT 47MF	20%	16V	Q1798	8-729-119-76	TRANSISTOR 2SA1175-HFE
C1840	1-101-004-00	CERAMIC 0.01MF		50V	Q1799	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1850	1-101-880-00	CERAMIC 47PF	5%	50V	Q1802	8-729-900-36	TRANSISTOR DTC124ES
C1851	1-101-880-00	CERAMIC 47PF	5%	50V	Q1803	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1852	1-101-880-00	CERAMIC 47PF	5%	50V	Q1804	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1893	1-101-004-00	CERAMIC 0.01MF		50V	Q1805	8-729-119-78	TRANSISTOR 2SC2785-HFE
C1894	1-102-129-00	CERAMIC 0.01MF	10%	50V	Q1806	8-729-119-78	TRANSISTOR 2SC2785-HFE
<DIODE>				Q1807	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1770	8-719-911-19	DIODE 1SS119		Q1808	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1772	8-719-911-19	DIODE 1SS119		Q1809	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1773	8-719-911-19	DIODE 1SS119		Q1810	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1774	8-719-911-19	DIODE 1SS119		Q1811	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1775	8-719-911-19	DIODE 1SS119		Q1812	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1776	8-719-911-19	DIODE 1SS119		Q1813	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1777	8-719-911-19	DIODE 1SS119		Q1814	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1780	8-719-911-19	DIODE 1SS119		Q1815	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1781	8-719-911-19	DIODE 1SS119		Q1816	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1782	8-719-911-19	DIODE 1SS119		Q1817	8-729-119-78	TRANSISTOR 2SC2785-HFE	
D1784	8-719-110-14	DIODE RD9.1ES-B3		Q1818	8-729-900-36	TRANSISTOR DTC124ES	
D1787	8-719-109-90	DIODE RD5.6ES-B3		Q1819	8-729-900-36	TRANSISTOR DTC124ES	
D1788	8-719-911-19	DIODE 1SS119		Q1820	8-729-900-36	TRANSISTOR DTC124ES	
D1789	8-719-911-19	DIODE 1SS119		Q1822	8-729-119-78	TRANSISTOR 2SC2785-HFE	
<IC>				Q1823	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC1770	8-759-800-65	IC LA7910		Q1825	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC1771	8-759-140-66	IC UPD4066BC		Q1826	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC1772	8-759-102-37	IC UPD4052BC		Q1827	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC1773	8-759-102-37	IC UPD4052BC		Q1831	8-729-900-36	TRANSISTOR DTC124ES	
IC1774	8-759-989-69	IC SN74LS86AN		Q1832	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC1775	8-759-901-38	IC SN74LS138N		Q1891	8-729-900-36	TRANSISTOR DTC124ES	
IC1776	8-759-900-09	IC SN74LS09N		Q1900	8-729-119-78	TRANSISTOR 2SC2785-HFE	
IC1777	8-759-710-40	IC NJM2234D		<CONNECTOR>			
IC1778	8-759-710-40	IC NJM2234D		QB11	*1-566-058-11	PIN, CONNECTOR 6P	
<COIL>				QB12	*1-566-056-11	PIN, CONNECTOR 4P	
L1801	1-408-404-00	INDUCTOR 3.9UH		QB13	*1-566-056-11	PIN, CONNECTOR 4P	
L1802	1-408-404-00	INDUCTOR 3.9UH		QB14	*1-566-054-11	PIN, CONNECTOR 2P	
L1803	1-408-404-00	INDUCTOR 3.9UH		QB15	*1-566-057-11	PIN, CONNECTOR 5P	
				QB16	*1-566-056-11	PIN, CONNECTOR 4P	
				QB17	*1-566-059-11	PIN, CONNECTOR 7P	
				QB21	*1-566-055-11	PIN, CONNECTOR 3P	
				QB22	*1-566-057-11	PIN, CONNECTOR 5P	
				QB23	*1-566-054-11	PIN, CONNECTOR 2P	

PVM-2730QM
RM-668
QB

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
<RESISTOR>				R1854	1-249-416-11	CARBON 820 5% 1/4W	
R1771	1-249-469-11	CARBON 100K 5% 1/4W		R1855	1-249-417-11	CARBON 1K 5% 1/4W	
R1776	1-249-405-11	CARBON 100 5% 1/4W		R1856	1-249-417-11	CARBON 1K 5% 1/4W	
R1777	1-249-405-11	CARBON 100 5% 1/4W		R1857	1-247-713-11	CARBON 1K 5% 1/4W	
R1778	1-249-405-11	CARBON 100 5% 1/4W		R1858	1-249-433-11	CARBON 22K 5% 1/4W	
R1779	1-249-441-11	CARBON 100K 5% 1/4W		R1859	1-249-417-11	CARBON 1K 5% 1/4W	
R1780	1-249-433-11	CARBON 22K 5% 1/4W		R1860	1-249-429-11	CARBON 10K 5% 1/4W	
R1781	1-249-441-11	CARBON 100K 5% 1/4W		R1861	1-249-417-11	CARBON 1K 5% 1/4W	
R1782	1-249-425-11	CARBON 4.7K 5% 1/4W		R1862	1-249-417-11	CARBON 1K 5% 1/4W	
R1783	1-249-469-11	CARBON 100K 5% 1/4W		R1863	1-249-433-11	CARBON 22K 5% 1/4W	
R1784	1-249-433-11	CARBON 22K 5% 1/4W		R1864	1-249-417-11	CARBON 1K 5% 1/4W	
R1785	1-249-441-11	CARBON 100K 5% 1/4W		R1865	1-249-425-11	CARBON 4.7K 5% 1/4W	
R1786	1-249-441-11	CARBON 100K 5% 1/4W		R1866	1-249-412-11	CARBON 390 5% 1/4W	
R1787	1-249-433-11	CARBON 22K 5% 1/4W		R1867	1-249-417-11	CARBON 1K 5% 1/4W	
R1789	1-249-401-11	CARBON 47 5% 1/4W		R1868	1-249-412-11	CARBON 390 5% 1/4W	
R1793	1-249-417-11	CARBON 1K 5% 1/4W		R1869	1-249-421-11	CARBON 2.2K 5% 1/4W	
R1794	1-247-895-00	CARBON 470K 5% 1/4W		R1870	1-249-421-11	CARBON 2.2K 5% 1/4W	
R1795	1-249-422-11	CARBON 2.7K 5% 1/4W		R1871	1-249-421-11	CARBON 2.2K 5% 1/4W	
R1796	1-249-440-11	CARBON 82K 5% 1/4W		R1872	1-249-433-11	CARBON 22K 5% 1/4W	
R1797	1-249-434-11	CARBON 27K 5% 1/4W		R1873	1-249-429-11	CARBON 10K 5% 1/4W	
R1798	1-249-425-11	CARBON 4.7K 5% 1/4W		R1874	1-249-413-11	CARBON 470 5% 1/4W	
R1799	1-249-419-11	CARBON 1.5K 5% 1/4W		R1875	1-247-842-11	CARBON 3K 5% 1/4W	
R1804	1-249-429-11	CARBON 10K 5% 1/4W		R1876	1-249-420-11	CARBON 1.8K 5% 1/4W	
R1805	1-247-725-11	CARBON 10K 5% 1/4W		R1877	1-247-725-11	CARBON 10K 5% 1/4W	
R1806	1-249-406-11	CARBON 120 5% 1/4W		R1879	1-249-469-11	CARBON 100K 5% 1/4W	
R1807	1-249-426-11	CARBON 5.6K 5% 1/4W		R1880	1-249-417-11	CARBON 1K 5% 1/4W	
R1808	1-249-426-11	CARBON 5.6K 5% 1/4W		R1881	1-249-422-11	CARBON 2.7K 5% 1/4W	
R1809	1-249-408-11	CARBON 180 5% 1/4W		R1882	1-249-417-11	CARBON 1K 5% 1/4W	
R1810	1-247-832-11	CARBON 1.1K 5% 1/4W		R1883	1-249-433-11	CARBON 22K 5% 1/4W	
R1811	1-249-413-11	CARBON 470 5% 1/4W		R1884	1-249-417-11	CARBON 1K 5% 1/4W	
R1813	1-249-413-11	CARBON 470 5% 1/4W		R1885	1-249-416-11	CARBON 820 5% 1/4W	
R1814	1-249-413-11	CARBON 470 5% 1/4W		R1886	1-249-417-11	CARBON 1K 5% 1/4W	
R1820	1-249-406-11	CARBON 120 5% 1/4W		R1888	1-249-417-11	CARBON 1K 5% 1/4W	
R1821	1-249-406-11	CARBON 120 5% 1/4W		R1892	1-249-415-11	CARBON 680 5% 1/4W	
R1822	1-249-406-11	CARBON 120 5% 1/4W		R1893	1-249-433-11	CARBON 22K 5% 1/4W	
R1823	1-249-406-11	CARBON 120 5% 1/4W		R1894	1-249-428-11	CARBON 8.2K 5% 1/4W	
R1824	1-247-881-00	CARBON 120K 5% 1/4W		R1896	1-249-415-11	CARBON 680 5% 1/4W	
R1825	1-247-881-00	CARBON 120K 5% 1/4W		R1898	1-249-426-11	CARBON 5.6K 5% 1/4W	
R1826	1-247-881-00	CARBON 120K 5% 1/4W		R1899	1-249-426-11	CARBON 5.6K 5% 1/4W	
R1827	1-249-429-11	CARBON 10K 5% 1/4W		R1901	1-249-429-11	CARBON 10K 5% 1/4W	
R1828	1-249-417-11	CARBON 1K 5% 1/4W		R1902	1-249-417-11	CARBON 1K 5% 1/4W	
R1829	1-249-429-11	CARBON 10K 5% 1/4W		R1903	1-249-412-11	CARBON 390 5% 1/4W	
R1830	1-249-429-11	CARBON 10K 5% 1/4W		R1920	1-249-429-11	CARBON 10K 5% 1/4W	
R1831	1-249-417-11	CARBON 1K 5% 1/4W		R1921	1-249-424-11	CARBON 3.9K 5% 1/4W	
R1832	1-249-429-11	CARBON 10K 5% 1/4W		R1922	1-249-424-11	CARBON 3.9K 5% 1/4W	
R1833	1-249-429-11	CARBON 10K 5% 1/4W		R1923	1-249-421-11	CARBON 2.2K 5% 1/4W	
R1834	1-249-417-11	CARBON 1K 5% 1/4W		R1925	1-249-440-11	CARBON 82K 5% 1/4W	
R1835	1-249-428-11	CARBON 8.2K 5% 1/4W		R1926	1-249-440-11	CARBON 82K 5% 1/4W	
R1836	1-249-422-11	CARBON 2.7K 5% 1/4W		R1927	1-249-440-11	CARBON 82K 5% 1/4W	
R1837	1-249-417-11	CARBON 1K 5% 1/4W		R1929	1-247-722-11	CARBON 5.6K 5% 1/4W	
R1838	1-249-426-11	CARBON 5.6K 5% 1/4W		R1930	1-247-714-11	CARBON 1.2K 5% 1/4W	
R1839	1-249-426-11	CARBON 5.6K 5% 1/4W		R1931	1-249-417-11	CARBON 1K 5% 1/4W	
R1841	1-249-433-11	CARBON 22K 5% 1/4W		R1932	1-249-417-11	CARBON 1K 5% 1/4W	
R1842	1-249-433-11	CARBON 22K 5% 1/4W		R1935	1-249-428-11	CARBON 8.2K 5% 1/4W	
R1843	1-249-462-11	CARBON 22K 5% 1/4W		R1936	1-249-459-11	CARBON 12K 5% 1/4W	
R1844	1-249-405-11	CARBON 100 5% 1/4W		R1937	1-249-428-11	CARBON 8.2K 5% 1/4W	
R1845	1-249-433-11	CARBON 22K 5% 1/4W		R1938	1-249-428-11	CARBON 8.2K 5% 1/4W	
R1846	1-247-714-11	CARBON 1.2K 5% 1/4W		R1939	1-249-428-11	CARBON 8.2K 5% 1/4W	
R1847	1-249-437-11	CARBON 47K 5% 1/4W		R1940	1-249-428-11	CARBON 8.2K 5% 1/4W	
R1848	1-249-428-11	CARBON 8.2K 5% 1/4W		R1950	1-249-428-11	CARBON 8.2K 5% 1/4W	
R1849	1-249-465-11	CARBON 47K 5% 1/4W		R1951	1-249-429-11	CARBON 10K 5% 1/4W	
R1850	1-249-428-11	CARBON 8.2K 5% 1/4W		R1953	1-249-423-11	CARBON 3.3K 5% 1/4W	
R1851	1-249-465-11	CARBON 47K 5% 1/4W		R1965	1-247-712-11	CARBON 820 5% 1/4W	
R1852	1-249-428-11	CARBON 8.2K 5% 1/4W					
R1853	1-249-416-11	CARBON 820 5% 1/4W					

PVM-2730QM
RM-668
C D2

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
R716	1-216-486-00	METAL OXIDE	8.2K 5% 3W F	*A-1340-940-A	D2 BOARD, COMPLETE		
R717	1-249-409-11	CARBON	220 5% 1/4W		*****		
R718	1-249-429-11	CARBON	10K 5% 1/4W		<CAPACITOR>		
R719	1-249-429-11	CARBON	10K 5% 1/4W				
R720	1-216-486-00	METAL OXIDE	8.2K 5% 3W F	C2501	1-106-351-00	MYLAR	0.0022MF 10% 100V
R721	1-249-409-11	CARBON	220 5% 1/4W	C2502	1-108-632-11	MYLAR	0.033MF 10% 100V
R722	1-249-405-11	CARBON	100 5% 1/4W	C2503	1-108-620-11	MYLAR	0.0033MF 10% 100V
R723	1-247-700-11	CARBON	100 5% 1/4W	C2504	1-102-074-00	CERAMIC	0.001MF 10% 50V
R724	1-249-405-11	CARBON	100 5% 1/4W	C2505	1-108-626-11	MYLAR	0.01MF 10% 100V
R725	1-249-429-11	CARBON	10K 5% 1/4W				
R726	1-249-408-11	CARBON	180 5% 1/4W	C2506	1-108-620-11	MYLAR	0.0033MF 10% 100V
R727	1-249-429-11	CARBON	10K 5% 1/4W	C2507	1-108-626-11	MYLAR	0.01MF 10% 100V
R728	1-247-812-11	CARBON	160 5% 1/4W	C2508	1-123-379-00	ELECT	0.47MF 20% 50V
R729	1-249-441-11	CARBON	100K 5% 1/4W	C2509	1-123-356-00	ELECT	10MF 20% 50V
R730	1-247-812-11	CARBON	160 5% 1/4W	C2510	1-123-356-00	ELECT	10MF 20% 50V
R731	1-247-719-11	CARBON	3.3K 5% 1/4W F	C2511	1-123-359-00	ELECT	47MF 20% 50V
R732	1-247-719-11	CARBON	3.3K 5% 1/4W F	C2512	1-123-359-00	ELECT	47MF 20% 50V
R733	1-247-719-11	CARBON	3.3K 5% 1/4W F	C2513	1-123-357-00	ELECT	22MF 20% 50V
R734	1-247-714-11	CARBON	1.2K 5% 1/4W	C2514	1-123-361-00	ELECT	220MF 20% 50V
R735	1-247-714-11	CARBON	1.2K 5% 1/4W	C2515	1-123-333-00	ELECT	100MF 20% 25V
R736	1-247-134-00	CARBON	1.3K 5% 1/4W	C2516	1-123-360-00	ELECT	100MF 20% 50V
R737	1-249-439-11	CARBON	68K 5% 1/4W	C2517	1-130-736-11	FILM	0.01MF 5% 100V
R739	1-247-881-00	CARBON	120K 5% 1/4W	C2518	1-102-231-11	CERAMIC	47PF 10% 500V
R740	1-215-902-11	METAL OXIDE	47K 5% 2W F	C2520	1-123-380-00	ELECT	1MF 20% 50V
R741	1-249-435-11	CARBON	33K 5% 1/4W	C2521	1-108-816-11	MYLAR	0.1MF 5% 50V
R742	1-247-725-11	CARBON	10K 5% 1/4W F	C2522	1-123-332-00	ELECT	47MF 20% 25V
R743	1-247-725-11	CARBON	10K 5% 1/4W F	C2523	1-108-637-11	MYLAR	0.082MF 10% 100V
R744	1-247-725-11	CARBON	10K 5% 1/4W F	C2524	1-106-393-00	MYLAR	0.12MF 10% 100V
R745	1-247-713-11	CARBON	1K 5% 1/4W F	C2525	1-123-379-00	ELECT	0.47MF 20% 50V
R746	1-215-902-11	METAL OXIDE	47K 5% 1W F	C2526	1-108-634-11	MYLAR	0.047MF 10% 100V
R747	1-247-725-11	CARBON	10K 5% 1/4W F	C2527	1-108-614-11	MYLAR	0.001MF 10% 100V
R751	1-249-409-11	CARBON	220 5% 1/4W	C2530	1-108-640-11	MYLAR	0.15MF 10% 100V
R752	1-249-409-11	CARBON	220 5% 1/4W	C2532	1-108-626-11	MYLAR	0.01MF 10% 100V
R753	1-249-418-11	CARBON	1.2K 5% 1/4W	C2535	1-106-375-12	MYLAR	0.022MF 10% 100V
R754	1-249-412-11	CARBON	390 5% 1/4W	C2536	1-123-379-00	ELECT	0.47MF 20% 50V
R755	1-215-871-11	METAL OXIDE	2.2K 5% 1W F	C2537	1-123-332-00	ELECT	47MF 20% 25V
R756	1-249-414-11	CARBON	560 5% 1/4W	C2538	1-123-369-00	ELECT	4.7MF 20% 50V
R757	1-249-426-11	CARBON	5.6K 5% 1/4W				
R758	1-249-435-11	CARBON	33K 5% 1/4W		<CONNECTOR>		
R759	1-249-393-11	CARBON	10 5% 1/4W F	D21	*1-566-058-11	PIN, CONNECTOR 6P	
R760	1-249-411-11	CARBON	330 5% 1/4W	D22	*1-508-767-00	PIN, CONNECTOR (5MM PITCH) 5P	
R761	1-249-409-11	CARBON	220 5% 1/4W	D23	*1-508-766-00	PIN, CONNECTOR (5MM PITCH) 4P	
R762	1-249-409-11	CARBON	220 5% 1/4W	D24	*1-508-765-00	PIN, CONNECTOR (5MM PITCH) 3P	
R763	1-249-437-11	CARBON	47K 5% 1/4W	D25	*1-508-784-00	PIN, CONNECTOR (5MM PITCH) 1P	
R764	1-249-397-11	CARBON	22 5% 1/4W F	D26	*1-566-054-11	PIN, CONNECTOR 2P	
R765	1-249-417-11	CARBON	1K 5% 1/4W				
R766	1-249-435-11	CARBON	33K 5% 1/4W		<DIODE>		
R767	1-249-441-11	CARBON	100K 5% 1/4W	D2501	8-719-911-19	DIODE 1SS119	
R768	1-249-435-11	CARBON	33K 5% 1/4W	D2502	8-719-911-55	DIODE U05G	
R769	1-249-417-11	CARBON	1K 5% 1/4W	D2503	8-719-911-55	DIODE U05G	
R770	1-249-389-11	CARBON	4.7 5% 1/4W F	D2504	8-719-911-19	DIODE 1SS119	
R771	1-249-389-11	CARBON	4.7 5% 1/4W F	D2505	8-719-911-19	DIODE 1SS119	
R772	1-249-402-11	CARBON	56 5% 1/4W	D2506	8-719-911-55	DIODE U05G	
				D2507	8-719-110-53	DIODE RD20ES-B2	
					<COIL>		
				L2501	1-410-748-11	INDUCTOR 15MMH	
				L2502	1-459-119-00	COIL,DUST CORE(ARC)	
				L2503	1-407-504-00	INDUCTOR 10MMH	
				L2504	1-459-583-11	COIL (WITH CORE)	
				L2505	1-443-012-00	TRANSFORMER,DYNAMIC CONVERSION	
				L2506	1-459-123-00	COIL,DUST CORE(PAC)	

<VARIABLE RESISTOR>

RV701	1-226-157-00	RES, ADJ, METAL GLAZE 1M
RV703	1-228-729-00	RES, ADJ, CERAMIC CARBON 220K
RV705	1-228-728-00	RES, ADJ, CERAMIC CARBON 100K
RV706	1-228-724-00	RES, ADJ, CERAMIC CARBON 10K

PVM-2730QM
RM-668

QB C

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
R1966	1-247-712-11	CARBON 820 5% 1/4W		D706	8-719-911-19	DIODE 1SS119	
R1967	1-247-712-11	CARBON 820 5% 1/4W		D707	8-719-911-19	DIODE 1SS119	
R1968	1-247-881-00	CARBON 120K 5% 1/4W		D708	8-719-911-19	DIODE 1SS119	
R1969	1-249-440-11	CARBON 82K 5% 1/4W		D709	8-719-911-19	DIODE 1SS119	
R1971	1-249-417-11	CARBON 1K 5% 1/4W		D710	8-719-901-83	DIODE 1SS83	
R1972	1-249-417-11	CARBON 1K 5% 1/4W		D711	8-719-901-83	DIODE 1SS83	
R1973	1-249-417-11	CARBON 1K 5% 1/4W		D712	8-719-901-83	DIODE 1SS83	
R1974	1-249-417-11	CARBON 1K 5% 1/4W		D713	8-719-901-83	DIODE 1SS83	
R1978	1-249-405-11	CARBON 100 5% 1/4W		D751	8-719-911-19	DIODE 1SS119	
				D752	8-719-911-19	DIODE 1SS119	

*A-1330-789-A C BOARD, COMPLETE				<COIL>			

1-526-644-71 SOCKET, PICTURE TUBE				L701	1-408-092-00	INDUCTOR 330UH	
<CONNECTOR>				L702	1-407-708-00	INDUCTOR 180UH	
C1	*1-506-371-00	PIN, CONNECTOR 2P		L703	1-407-708-00	INDUCTOR 180UH	
C2	*1-566-054-11	PIN, CONNECTOR 2P		L704	1-408-121-00	INDUCTOR 22UH	
C3	*1-566-055-11	PIN, CONNECTOR 3P		L705	1-408-121-00	INDUCTOR 22UH	
C5	*1-566-061-11	PIN, CONNECTOR 9P		L706	1-408-088-00	INDUCTOR 220UH	
C6	*1-566-054-11	PIN, CONNECTOR 2P		L707	1-408-121-00	INDUCTOR 22UH	
C7	*1-508-768-00	PIN, CONNECTOR (5MM PITCH) 6P		L721	1-408-413-00	INDUCTOR 22UH	
<CAPACITOR>				L751	1-408-399-00	INDUCTOR 1.5UH	
C701	1-162-115-00	CERAMIC 330PF 10% 2KV		<TRANSISTOR>			
C702	1-129-779-00	FILM 0.022MF 20% 1KV		Q701	8-729-326-11	TRANSISTOR 2SC2611	
C703	1-124-927-11	ELECT 4.7MF 20% 100V		Q702	8-729-178-55	TRANSISTOR 2SC2785-E	
C704	1-123-948-00	ELECT 22MF 20% 250V		Q703	8-729-200-17	TRANSISTOR 2SA1091-0	
C705	1-108-704-11	MYLAR 0.1MF 10% 200V		Q704	8-729-326-11	TRANSISTOR 2SC2611	
C706	1-108-704-11	MYLAR 0.1MF 10% 200V		Q705	8-729-178-55	TRANSISTOR 2SC2785-E	
C707	1-102-116-00	CERAMIC 680PF 10% 50V		Q706	8-729-200-17	TRANSISTOR 2SA1091-0	
C708	1-102-116-00	CERAMIC 680PF 10% 50V		Q707	8-729-200-17	TRANSISTOR 2SA1091-0	
C709	1-102-116-00	CERAMIC 680PF 10% 50V		Q708	8-729-326-11	TRANSISTOR 2SC2611	
C710	1-102-115-00	CERAMIC 560PF 10% 50V		Q709	8-729-178-55	TRANSISTOR 2SC2785-E	
C711	1-123-356-00	ELECT 10MF 20% 25V		Q710	8-729-255-12	TRANSISTOR 2SC2551-0	
C712	1-102-116-00	CERAMIC 680PF 10% 50V		Q712	8-729-255-12	TRANSISTOR 2SC2551-0	
C713	1-102-116-00	CERAMIC 680PF 10% 50V		Q714	8-729-200-17	TRANSISTOR 2SA1091-0	
C714	1-123-321-00	ELECT 220MF 20% 16V		Q715	8-729-200-17	TRANSISTOR 2SA1091-0	
C715	1-102-125-00	CERAMIC 0.0047MF 10% 50V		Q716	8-729-200-17	TRANSISTOR 2SA1091-0	
C718	1-102-125-00	CERAMIC 0.0047MF 10% 50V		Q751	8-729-178-55	TRANSISTOR 2SC2785-E	
C723	1-108-634-11	MYLAR 0.047MF 10% 100V		Q752	8-729-178-55	TRANSISTOR 2SC2785-E	
C753	1-102-971-00	CERAMIC 82PF 5% 50V		Q753	8-729-178-55	TRANSISTOR 2SC2785-E	
C754	1-108-617-11	MYLAR 0.0018MF 10% 100V		Q754	8-729-140-96	TRANSISTOR 2SD774-34	
C755	1-123-356-00	ELECT 10MF 20% 25V		Q755	8-729-178-55	TRANSISTOR 2SC2785-E	
C756	1-108-626-11	MYLAR 0.01MF 10% 100V		Q756	8-729-140-97	TRANSISTOR 2SB734-34	
C757	1-108-626-11	MYLAR 0.01MF 10% 100V		Q757	8-729-140-96	TRANSISTOR 2SD774-34	
C758	1-102-963-00	CERAMIC 33PF 5% 50V		<RESISTOR>			
C759	1-102-963-00	CERAMIC 33PF 5% 50V		R701	1-216-341-11	METAL OXIDE 0.22 5% 1W	F
C760	1-108-614-11	MYLAR 0.001MF 10% 100V		R702	1-202-846-00	SOLID 470K 10% 1/2W	
C762	1-136-177-00	FILM 1MF 5% 50V		R703	1-202-844-00	SOLID 330K 10% 1/2W	
C763	1-123-356-00	ELECT 10MF 20% 50V		R704	1-202-815-11	SOLID 47K 10% 1/2W	
C764	1-108-638-11	MYLAR 0.1MF 10% 100V		R705	1-202-846-00	SOLID 470K 10% 1/2W	
C765	1-123-380-00	ELECT 1MF 20% 50V		R706	1-202-720-00	SOLID 1.2M 10% 1/2W	
C766	1-124-122-11	ELECT 100MF 20% 50V		R707	1-202-842-11	SOLID 220K 10% 1/2W	
<DIODE>				R708	1-202-818-00	SOLID 1K 10% 1/2W	
D701	8-719-911-19	DIODE 1SS119		R709	1-202-818-00	SOLID 1K 10% 1/2W	
D702	8-719-911-19	DIODE 1SS119		R710	1-202-818-00	SOLID 1K 10% 1/2W	
D703	8-719-911-19	DIODE 1SS119		R711	1-202-549-00	SOLID 100 10% 1/2W	
D704	8-719-911-19	DIODE 1SS119		R712	1-202-543-00	SOLID 56 10% 1/2W	
D705	8-719-911-19	DIODE 1SS119		R713	1-216-486-00	METAL OXIDE 8.2K 5% 3W	F
				R714	1-249-409-11	CARBON 220 5% 1/4W	
				R715	1-249-429-11	CARBON 10K 5% 1/4W	

PVM-2730QM
 RM-668

D2 D3

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
<TRANSISTOR>							
Q2501	8-729-178-55	TRANSISTOR 2SC2785-E		R2554	1-247-895-00	CARBON 470K 5%	1/4W
Q2502	8-729-178-55	TRANSISTOR 2SC2785-E		R2555	1-249-424-11	CARBON 3.9K 5%	1/4W
Q2503	8-729-178-55	TRANSISTOR 2SC2785-E		R2556	1-249-425-11	CARBON 4.7K 5%	1/4W
Q2504	8-729-178-55	TRANSISTOR 2SC2785-E		R2557	1-249-429-11	CARBON 10K 5%	1/4W
Q2505	8-729-178-55	TRANSISTOR 2SC2785-E		R2558	1-249-425-11	CARBON 4.7K 5%	1/4W
Q2506	8-729-122-03	TRANSISTOR 2SA1220A-P		R2559	1-249-429-11	CARBON 10K 5%	1/4W
Q2507	8-729-169-02	TRANSISTOR 2SC2690A-Q		R2560	1-249-430-11	CARBON 12K 5%	1/4W
Q2510	8-729-195-82	TRANSISTOR 2SC2958-L		R2561	1-249-429-11	CARBON 10K 5%	1/4W
Q2511	8-729-119-76	TRANSISTOR 2SA1175-HFE		R2562	1-247-704-11	CARBON 220 5%	1/4W
Q2512	8-729-122-03	TRANSISTOR 2SA1220A-P		R2563	1-249-425-11	CARBON 4.7K 5%	1/4W
Q2515	8-729-119-76	TRANSISTOR 2SA1175-HFE		R2564	1-249-437-11	CARBON 47K 5%	1/4W
Q2516	8-729-178-55	TRANSISTOR 2SC2785-E		R2565	1-249-441-11	CARBON 100K 5%	1/4W
<RESISTOR>				R2566	1-249-409-11	CARBON 220 5%	1/4W
R2501	1-249-435-11	CARBON 33K 5%	1/4W	R2567	1-249-421-11	CARBON 2.2K 5%	1/4W
R2502	1-249-429-11	CARBON 10K 5%	1/4W	<VARIABLE RESISTOR>			
R2503	1-249-435-11	CARBON 33K 5%	1/4W	RV2501	1-228-727-00	RES, ADJ, CERAMIC CARBON 47K	
R2504	1-249-429-11	CARBON 10K 5%	1/4W	RV2502	1-228-727-00	RES, ADJ, CERAMIC CARBON 47K	
R2505	1-249-420-11	CARBON 1.8K 5%	1/4W	RV2503	1-228-727-00	RES, ADJ, CERAMIC CARBON 47K	
R2506	1-249-429-11	CARBON 10K 5%	1/4W	RV2504	1-228-724-00	RES, ADJ, CERAMIC CARBON 10K	
R2507	1-249-437-11	CARBON 47K 5%	1/4W	RV2505	1-228-724-00	RES, ADJ, CERAMIC CARBON 10K	
R2508	1-249-437-11	CARBON 47K 5%	1/4W	<TRANSFORMER>			
R2509	1-249-418-11	CARBON 1.2K 5%	1/4W	T2501	1-407-849-00	TRANSFORMER, D.F	
R2510	1-249-438-11	CARBON 56K 5%	1/4W	*****			
R2511	1-249-439-11	CARBON 68K 5%	1/4W	*A-1340-941-A D3 BOARD, COMPLETE			
R2512	1-249-429-11	CARBON 10K 5%	1/4W	*****			
R2513	1-249-417-11	CARBON 1K 5%	1/4W	*1-566-054-11	PIN, CONNECTOR 2P		
R2514	1-247-700-11	CARBON 100 5%	1/4W	*1-566-057-11	PIN, CONNECTOR 5P		
R2515	1-249-439-11	CARBON 68K 5%	1/4W	*1-566-058-11	PIN, CONNECTOR 6P		
R2516	1-249-425-11	CARBON 4.7K 5%	1/4W	<CAPACITOR>			
R2517	1-249-439-11	CARBON 68K 5%	1/4W	C2601	1-124-598-11	ELECT 22MF 20%	25V
R2518	1-249-439-11	CARBON 68K 5%	1/4W	C2602	1-123-381-00	ELECT 2.2MF 20%	50V
R2519	1-249-437-11	CARBON 47K 5%	1/4W	C2603	1-123-381-00	ELECT 2.2MF 20%	50V
R2520	1-249-421-11	CARBON 2.2K 5%	1/4W	C2604	1-123-369-00	ELECT 4.7MF 20%	50V
R2521	1-249-439-11	CARBON 68K 5%	1/4W	C2606	1-101-004-00	CERAMIC 0.01MF	50V
R2522	1-249-430-11	CARBON 12K 5%	1/4W	C2607	1-123-333-00	ELECT 100MF 20%	25V
R2523	1-249-423-11	CARBON 3.3K 5%	1/4W	C2608	1-123-381-00	ELECT 2.2MF 20%	50V
R2524	1-249-426-11	CARBON 5.6K 5%	1/4W	C2609	1-124-598-11	ELECT 22MF 20%	25V
R2525	1-249-417-11	CARBON 1K 5%	1/4W	C2610	1-126-163-11	ELECT 4.7MF 20%	50V
R2526	1-249-423-11	CARBON 3.3K 5%	1/4W	C2611	1-124-261-00	ELECT 10MF 20%	50V
R2527	1-249-433-11	CARBON 22K 5%	1/4W	C2612	1-126-163-11	ELECT 4.7MF 20%	50V
R2528	1-249-425-11	CARBON 4.7K 5%	1/4W	C2613	1-126-163-11	ELECT 4.7MF 20%	50V
R2529	1-249-433-11	CARBON 22K 5%	1/4W	C2615	1-101-004-00	CERAMIC 0.01MF	50V
R2530	1-249-423-11	CARBON 3.3K 5%	1/4W	C2616	1-124-598-11	ELECT 22MF 20%	25V
R2531	1-249-401-11	CARBON 47 5%	1/4W F	C2617	1-124-598-11	ELECT 22MF 20%	25V
R2532	1-249-401-11	CARBON 47 5%	1/4W F	C2618	1-124-598-11	ELECT 22MF 20%	25V
R2533	1-249-399-11	CARBON 33 5%	1/4W F	<DIODE>			
R2534	1-249-429-11	CARBON 10K 5%	1/4W	D2601	8-719-016-42	DIODE MC932	
R2540	1-249-434-11	CARBON 27K 5%	1/4W	D2602	8-719-016-42	DIODE MC932	
R2541	1-247-883-00	CARBON 150K 5%	1/4W	D2603	8-719-110-60	DIODE RD24ES-B	
R2542	1-216-426-11	METAL OXIDE 82 5%	1W F	D2604	8-719-911-19	DIODE ISS119	
R2543	1-212-960-00	FUSIBLE 12 5%	1/2W F	<IC>			
R2544	1-215-884-11	METAL OXIDE 47 5%	2W F	IC2601	8-759-981-95	IC RC4558S	
R2545	1-249-421-11	CARBON 2.2K 5%	1/4W	IC2602	8-759-909-70	IC CX23025	
R2546	1-247-706-11	CARBON 330 5%	1/4W				
R2547	1-249-435-11	CARBON 33K 5%	1/4W				
R2548	1-249-439-11	CARBON 68K 5%	1/4W				
R2549	1-249-441-11	CARBON 100K 5%	1/4W				
R2550	1-249-424-11	CARBON 3.9K 5%	1/4W				

PVM-2730QM
RM-668
D3 **D**

REF. NO.	PART NO.	DESCRIPTION	REMARK	REF. NO.	PART NO.	DESCRIPTION	REMARK
<TRANSISTOR>				<VARIABLE RESISTOR>			
Q2601	8-729-119-78	TRANSISTOR 2SC2785-HFE		RV2601	1-228-728-00	RES, ADJ, CERAMIC CARBON 100K	
Q2602	8-729-900-36	TRANSISTOR DTC124ES		RV2602	1-228-728-00	RES, ADJ, CERAMIC CARBON 100K	
Q2603	8-729-119-78	TRANSISTOR 2SC2785-HFE		RV2603	1-228-724-00	RES, ADJ, CERAMIC CARBON 10K	
Q2604	8-729-119-78	TRANSISTOR 2SC2785-HFE		RV2604	1-228-724-00	RES, ADJ, CERAMIC CARBON 10K	
Q2605	8-729-119-78	TRANSISTOR 2SC2785-HFE		RV2605	1-228-725-00	RES, ADJ, CERAMIC CARBON 22K	
Q2606	8-729-119-78	TRANSISTOR 2SC2785-HFE		RV2606	1-228-727-00	RES, ADJ, CERAMIC CARBON 47K	
Q2607	8-729-105-73	TRANSISTOR 2SK523-L2		RV2607	1-228-993-00	RES, ADJ, CARBON 4.7K	
Q2608	8-729-119-78	TRANSISTOR 2SC2785-HFE		*****			
<RESISTOR>				*A-1345-699-A D BOARD, COMPLETE			

R2601	1-249-438-11	CARBON	56K 5% 1/4W	<CAPACITOR>			
R2602	1-249-435-11	CARBON	33K 5% 1/4W	C501	1-123-380-00	ELECT	1MF 20% 50V
R2603	1-249-424-11	CARBON	3.9K 5% 1/4W	C502	1-108-622-11	MYLAR	0.0047MF 10% 100V
R2604	1-249-424-11	CARBON	3.9K 5% 1/4W	C503	1-106-351-00	MYLAR	0.0022MF 10% 100V
R2605	1-247-704-11	CARBON	220 5% 1/4W	C504	1-126-103-11	ELECT	470MF 20% 16V
R2609	1-249-441-11	CARBON	100K 5% 1/4W	C505	1-123-379-00	ELECT	0.47MF 20% 50V
R2610	1-249-441-11	CARBON	100K 5% 1/4W	C506	1-124-963-11	ELECT	33MF 20% 16V
R2611	1-247-725-11	CARBON	10K 5% 1/4W	C507	1-123-379-00	ELECT	0.47MF 20% 50V
R2612	1-249-438-11	CARBON	56K 5% 1/4W	C508	1-136-173-00	FILM	0.47MF 5% 50V
R2613	1-247-881-00	CARBON	120K 5% 1/4W	C509	1-123-357-00	ELECT	22MF 20% 50V
R2614	1-249-429-11	CARBON	10K 5% 1/4W	C512	1-136-162-00	FILM	0.056MF 5% 50V
R2615	1-249-429-11	CARBON	10K 5% 1/4W	C514	1-124-517-11	ELECT	470MF 10% 50V
R2616	1-249-429-11	CARBON	10K 5% 1/4W	C515	1-126-233-11	ELECT	22MF 10% 50V
R2617	1-249-429-11	CARBON	10K 5% 1/4W	C516	1-123-336-00	ELECT	470MF 20% 25V
R2618	1-249-429-11	CARBON	10K 5% 1/4W	C520	1-102-244-00	CERAMIC	220PF 10% 500V
R2619	1-249-441-11	CARBON	100K 5% 1/4W	C521	1-126-170-11	ELECT	1000MF 20% 50V
R2620	1-249-441-11	CARBON	100K 5% 1/4W	C522	1-123-875-11	ELECT	10MF 20% 50V
R2622	1-249-429-11	CARBON	10K 5% 1/4W	C523	1-108-704-11	MYLAR	0.1MF 10% 200V
R2623	1-249-429-11	CARBON	10K 5% 1/4W	C524	1-106-381-12	MYLAR	0.039MF 10% 200V
R2624	1-249-417-11	CARBON	1K 5% 1/4W	C525	1-102-244-00	CERAMIC	220PF 10% 500V
R2625	1-249-429-11	CARBON	10K 5% 1/4W	C526	1-124-342-00	ELECT	3.3MF 20% 160V
R2626	1-249-433-11	CARBON	22K 5% 1/4W	C527	1-106-371-00	MYLAR	0.015MF 10% 200V
R2627	1-249-433-11	CARBON	22K 5% 1/4W	C528	1-162-318-11	CERAMIC	0.001MF 10% 500V
R2628	1-249-429-11	CARBON	10K 5% 1/4W	C531	1-123-379-00	ELECT	0.47MF 20% 50V
R2629	1-249-405-11	CARBON	100 5% 1/4W	C545	1-123-330-00	ELECT	22MF 20% 25V
R2630	1-249-405-11	CARBON	100 5% 1/4W	C546	1-123-381-00	ELECT	2.2MF 20% 50V
R2631	1-247-700-11	CARBON	100 5% 1/4W	C547	1-123-333-00	ELECT	100MF 20% 25V
R2632	1-249-423-11	CARBON	3.3K 5% 1/4W	C548	1-123-321-00	ELECT	220MF 20% 16V
R2633	1-249-423-11	CARBON	3.3K 5% 1/4W	C551	1-123-357-00	ELECT	22MF 20% 50V
R2634	1-247-700-11	CARBON	100 5% 1/4W	C552	1-123-356-00	ELECT	10MF 20% 50V
R2635	1-247-722-11	CARBON	5.6K 5% 1/4W	C555	1-123-379-00	ELECT	0.47MF 20% 50V
R2636	1-249-427-11	CARBON	6.8K 5% 1/4W	C556	1-136-175-00	FILM	0.68MF 5% 50V
R2637	1-249-433-11	CARBON	22K 5% 1/4W	C557	1-136-169-00	FILM	0.22MF 5% 50V
R2638	1-249-431-11	CARBON	15K 5% 1/4W	C1501	1-136-161-00	FILM	0.047MF 5% 50V
R2639	1-249-437-11	CARBON	47K 5% 1/4W	C1502	1-108-638-11	MYLAR	0.1MF 10% 100V
R2640	1-249-429-11	CARBON	10K 5% 1/4W	C1503	1-108-628-11	MYLAR	0.015MF 10% 100V
R2642	1-249-424-11	CARBON	3.9K 5% 1/4W	C1504	1-123-330-00	ELECT	22MF 20% 16V
R2643	1-249-423-11	CARBON	3.3K 5% 1/4W	C1505	1-108-626-11	MYLAR	0.01MF 10% 100V
R2644	1-247-885-00	CARBON	180K 5% 1/4W	C1506	1-123-356-00	ELECT	10MF 20% 25V
R2645	1-249-429-11	CARBON	10K 5% 1/4W	C1507	1-123-332-00	ELECT	47MF 20% 25V
R2646	1-249-405-11	CARBON	100 5% 1/4W	C1508	1-130-480-00	FILM	0.0056MF 5% 50V
R2647	1-249-439-11	CARBON	68K 5% 1/4W	C1509	1-123-369-00	ELECT	4.7MF 20% 25V
R2648	1-249-437-11	CARBON	47K 5% 1/4W	C1510	1-102-820-00	CERAMIC	330PF 5% 50V
R2649	1-249-417-11	CARBON	1K 5% 1/4W	C1511	1-123-321-00	ELECT	220MF 20% 16V
R2650	1-249-417-11	CARBON	1K 5% 1/4W	C1512	1-123-379-00	ELECT	0.47MF 20% 50V
R2651	1-247-881-00	CARBON	120K 5% 1/4W	C1520	1-102-125-00	CERAMIC	0.0047MF 10% 50V
				C1521	1-108-631-11	MYLAR	0.027MF 10% 100V
				C1522	1-123-333-00	ELECT	100MF 20% 25V
				C1523	1-102-978-00	CERAMIC	220PF 5% 50V
				C1524	1-108-698-11	MYLAR	0.033MF 10% 200V
				C1525	1-162-117-00	CERAMIC	100PF 10% 500V

PVM-2730QM
RM-668
D

The components identified by shading and mark **Δ** are critical for safety.
Replace only with part number specified.

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
<COIL>				<RESISTOR>			
L501	1-459-060-00	COIL,DYNAMIC CONVERSION CHOKE		R501	1-247-895-00	CARBON 470K 5%	1/4W
L1501	1-408-159-00	COIL, SPOOK CHOKE 3.3UH		R502	1-249-427-11	CARBON 6.8K 5%	1/4W
L1502	1-459-215-00	CORE COIL		R503	1-249-425-11	CARBON 4.7K 5%	1/4W
L1503	1-407-365-00	COIL,CHOKE		R504	1-249-429-11	CARBON 10K 5%	1/4W
L1504	1-407-365-00	COIL,CHOKE		R505	1-249-421-11	CARBON 2.2K 5%	1/4W
L1505	1-407-365-00	COIL,CHOKE		R506	1-249-435-11	CARBON 33K 5%	1/4W
L1506	1-459-104-00	COIL, DUST CORE		R507	1-249-424-11	CARBON 3.9K 5%	1/4W
L1507	1-407-365-00	COIL,CHOKE		R508	1-247-726-11	CARBON 33K 5%	1/4W
L1508Δ	1-424-059-11	PMC		R509	1-249-428-11	CARBON 8.2K 5%	1/4W
L1510	1-407-365-00	COIL,CHOKE		R510	1-249-431-11	CARBON 15K 5%	1/4W
L1511	1-407-365-00	COIL,CHOKE		R511	1-249-432-11	CARBON 18K 5%	1/4W
L1512Δ	1-459-308-32	COIL, HORIZONTAL LINEARITY		R512	1-247-858-11	CARBON 13K 5%	1/4W
<IC LINK>				R513	1-249-430-11	CARBON 12K 5%	1/4W
PS501	1-532-727-11	LINK, IC		R514	1-247-876-11	CARBON 75K 5%	1/4W
<TRANSISTOR>				R515	1-249-468-11	CARBON 82K 5%	1/4W
Q501	8-729-178-55	TRANSISTOR 2SC2785-E		R516	1-247-713-11	CARBON 1K 5%	1/4W
Q502	8-729-178-55	TRANSISTOR 2SC2785-E		R517	1-249-420-11	CARBON 1.8K 5%	1/4W
Q503	8-729-119-76	TRANSISTOR 2SA1175-HFE		R518	1-247-721-11	CARBON 4.7K 5%	1/4W
Q505	8-729-119-76	TRANSISTOR 2SA1175-HFE		R519	1-247-715-11	CARBON 1.5K 5%	1/4W
Q506	8-729-178-55	TRANSISTOR 2SC2785-E		R520	1-249-429-11	CARBON 10K 5%	1/4W
Q510	8-729-195-82	TRANSISTOR 2SC2958-L		R521	1-249-434-11	CARBON 27K 5%	1/4W
Q511	8-729-122-03	TRANSISTOR 2SA1220A-P		R522	1-249-438-11	CARBON 56K 5%	1/4W
Q512	8-729-169-02	TRANSISTOR 2SC2690A-Q		R523	1-214-765-00	METAL 33K 1%	1/4W
Q515	8-729-119-76	TRANSISTOR 2SA1175-HFE		R525	1-216-353-00	METAL OXIDE 2.2 5%	1W F
Q516	8-729-140-96	TRANSISTOR 2SD774-34		R526	1-249-423-11	CARBON 3.3K 5%	1/4W
Q518	8-729-178-55	TRANSISTOR 2SC2785-E		R527	1-249-420-11	CARBON 1.8K 5%	1/4W
Q522	8-729-119-76	TRANSISTOR 2SA1175-HFE		R528	1-249-413-11	CARBON 470 5%	1/4W
Q523	8-729-119-76	TRANSISTOR 2SA1175-HFE		R529	1-249-414-11	CARBON 560 5%	1/4W
Q1501	8-729-119-76	TRANSISTOR 2SA1175-HFE		R530	1-247-705-11	CARBON 270 5%	1/4W
Q1503	8-729-203-81	TRANSISTOR 2SC2238B-0		R536	1-249-393-11	CARBON 10 5%	1/4W F
Q1504	8-729-301-74	TRANSISTOR 2SD1497-04		R537	1-249-399-11	CARBON 33 5%	1/4W F
	4-374-410-01	SPACER, MICA; Q1504		R538	1-215-869-11	METAL OXIDE 1K 5%	1W F
	*4-374-413-01	RETAINER (A), TR; Q1504		R539	1-216-350-11	METAL OXIDE 1.2 5%	1W F
Q1505	8-729-140-96	TRANSISTOR 2SD774-34		R540	1-249-405-11	CARBON 100 5%	1/4W F
Q1506	8-729-140-97	TRANSISTOR 2SB734-34		R541	1-216-350-11	METAL OXIDE 1.2 5%	1W F
Q1507	8-769-330-03	THYRISTOR SG-264A		R542	1-215-865-11	METAL OXIDE 220 5%	1W F
	3-701-609-00	BUSHING (B), TR; Q1507		R543	1-249-382-11	CARBON 1.2 5%	1/4W F
	4-303-844-00	SPACER, MICA (4) MD-17; Q1507		R544	1-215-869-11	METAL OXIDE 1K 5%	1W F
	*4-309-762-00	RETAINER (MD-17), TRANSISTOR; Q1507		R546	1-247-715-11	CARBON 1.5K 5%	1/4W
Q1508	8-729-301-74	TRANSISTOR 2SD1497-04		R551	1-216-432-00	METAL OXIDE 820 5%	1W F
	4-374-410-01	SPACER, MICA; Q1508		R552	1-247-720-11	CARBON 3.9K 5%	1/4W
	*4-374-413-01	RETAINER (A), TR; Q1508		R553	1-215-891-11	METAL OXIDE 680 5%	2W F
Q1511	8-729-140-97	TRANSISTOR 2SB734-34		R554	1-247-721-11	CARBON 4.7K 5%	1/4W
Q1512	8-729-119-76	TRANSISTOR 2SA1175-HFE		R557	1-247-725-11	CARBON 10K 5%	1/4W
Q1513	8-729-178-55	TRANSISTOR 2SC2785-E		R558	1-249-427-11	CARBON 6.8K 5%	1/4W
Q1514	8-729-178-55	TRANSISTOR 2SC2785-E		R560	1-249-417-11	CARBON 1K 5%	1/4W
Q1515	8-729-178-55	TRANSISTOR 2SC2785-E		R561	1-247-708-11	CARBON 470 5%	1/4W
Q1520	8-729-119-80	TRANSISTOR 2SC2688-LK		R562	1-247-704-11	CARBON 220 5%	1/4W
	4-377-115-01	SPACER, MICA; Q1520		R563	1-247-704-11	CARBON 220 5%	1/4W
	*4-381-170-01	HOLDER, TR; Q1520		R564	1-247-711-11	CARBON 680 5%	1/4W
Q1521	8-729-900-36	TRANSISTOR DTC124ES		R581	1-249-427-11	CARBON 6.8K 5%	1/4W
Q1522	8-729-900-36	TRANSISTOR DTC124ES		R582	1-249-441-11	CARBON 100K 5%	1/4W
Q1523	8-729-900-36	TRANSISTOR DTC124ES		R593	1-215-926-00	METAL OXIDE 33K 5%	3W F
Q1524	8-729-900-36	TRANSISTOR DTC124ES		R593A	1-215-926-00	METAL OXIDE 33K 5%	3W F
Q1525	8-729-900-36	TRANSISTOR DTC124ES		R594	1-249-460-11	CARBON 15K 5%	1/4W
Q1526	8-729-900-36	TRANSISTOR DTC124ES		R595	1-249-431-11	CARBON 15K 5%	1/4W
				R596	1-247-146-00	CARBON 4.3K 5%	1/4W
				R597	1-249-461-11	CARBON 18K 5%	1/4W
				R598	1-214-750-00	METAL 7.5K 1%	1/4W
				R599	1-214-741-00	METAL 3.3K 1%	1/4W

The components identified by shading and mark Δ are critical for safety.
Replace only with part number specified.

PVM-2730QM
RM-668

D

REF.NO.	PART NO.	DESCRIPTION	REMARK
C1526	1-102-157-00	CERAMIC 560PF 10%	500V
C1527	1-102-038-00	CERAMIC 0.001MF	500V
C1528	1-108-698-11	MYLAR 0.033MF 10%	200V
C1529	1-102-820-00	CERAMIC 330PF 5%	50V
C1530	1-123-361-00	ELECT 220MF 20%	50V
C1531	1-125-494-11	ELECT (BLOCK) 560MF 20%	160V
C1532	1-124-006-11	ELECT 10MF 20%	25V
C1533 Δ	1-162-115-51	CERAMIC 330PF 10%	2KV
C1534 Δ	1-136-330-11	FILM 0.014MF 3%	1.6KV
C1535	1-129-953-00	FILM 0.068MF 20%	1.5KV
C1536	1-123-333-00	ELECT 100MF 20%	16V
C1537	1-123-333-00	ELECT 100MF 20%	16V
C1539 Δ	1-162-116-11	CERAMIC 680PF 10%	2KV
C1540	1-162-115-00	CERAMIC 330PF 10%	2KV
C1541	1-106-375-12	MYLAR 0.022MF 10%	100V
C1542	1-136-541-11	FILM 1.5MF 5%	200V
C1543	1-102-820-00	CERAMIC 330PF 5%	50V
C1544	1-136-127-00	FILM 1MF 5%	400V
C1549	1-108-626-11	MYLAR 0.01MF 10%	100V
C1550	1-102-973-00	CERAMIC 100PF 5%	50V
C1551	1-102-030-00	CERAMIC 330PF 10%	500V
C1552	1-108-626-11	MYLAR 0.01MF 10%	100V
C1553	1-123-379-00	ELECT 0.47MF 20%	50V
C1554	1-108-626-11	MYLAR 0.01MF 10%	100V
C1555	1-102-110-00	CERAMIC 220PF 10%	50V
C1556	1-123-333-00	ELECT 100MF 20%	25V
C1557	1-108-622-11	MYLAR 0.0047MF 10%	100V
C1558	1-123-330-00	ELECT 22MF 20%	16V
C1559	1-123-379-00	ELECT 0.47MF 20%	50V
C1560	1-123-379-00	ELECT 0.47MF 20%	50V
C1565	1-108-638-11	MYLAR 0.1MF 10%	100V
C1566 Δ	1-162-115-51	CERAMIC 330PF 10%	2KV
C1567 Δ	1-162-115-51	CERAMIC 330PF 10%	2KV
C1568 Δ	1-130-706-11	FILM 0.008MF 3%	1.6KV
C1569 Δ	1-129-747-11	FILM 0.047MF 10%	400V
C1570	1-129-751-00	FILM 0.1MF 20%	400V
C1571	1-102-030-00	CERAMIC 330PF 10%	500V
C1572	1-123-321-00	ELECT 220MF 20%	16V
C1576	1-123-332-00	ELECT 47MF 20%	25V
C1577	1-124-963-11	ELECT 33MF 20%	16V
C1578	1-106-375-12	MYLAR 0.022MF 10%	100V
C1579	1-108-638-11	MYLAR 0.1MF 10%	100V
C1585	1-123-357-00	ELECT 22MF 20%	50V
C1586	1-108-621-11	MYLAR 0.0039MF 10%	100V
C1587	1-131-351-00	TANTALUM 4.7MF 10%	35V
C1591	1-124-768-11	ELECT 4.7MF 20%	50V
C1592	1-108-692-11	MYLAR 0.01MF 10%	200V
C1593	1-136-171-00	FILM 0.33MF 5%	50V
C1595	1-123-381-00	ELECT 2.2MF 20%	50V
C1596	1-123-369-00	ELECT 4.7MF 20%	50V
C1597	1-136-175-00	FILM 0.68MF 5%	50V
C1598	1-102-816-00	CERAMIC 120PF 5%	50V
C1599	1-108-626-11	MYLAR 0.01MF 10%	100V
C1601	1-108-626-11	MYLAR 0.01MF 10%	100V
C1602	1-108-626-11	MYLAR 0.01MF 10%	100V
C1603	1-108-626-11	MYLAR 0.01MF 10%	100V
C1604	1-108-626-11	MYLAR 0.01MF 10%	100V
C1605	1-123-381-00	ELECT 2.2MF 20%	50V
C1606	1-124-360-00	ELECT 1000MF 20%	16V
C1607	1-136-162-00	FILM 0.056MF 5%	50V

<CONNECTOR>

D1 *1-508-766-00 PIN, CONNECTOR (5MM PITCH) 4P

REF.NO.	PART NO.	DESCRIPTION	REMARK
D2	*1-566-055-11	PIN, CONNECTOR 3P	
D3	*1-566-054-11	PIN, CONNECTOR 2P	
D4	*1-508-767-00	PIN, CONNECTOR (5MM PITCH) 5P	
D5	*1-506-348-99	PIN, CONNECTOR 4P	
D6	*1-508-767-00	PIN, CONNECTOR (5MM PITCH) 5P	
D7	*1-566-056-11	PIN, CONNECTOR 4P	
D8	*1-508-765-00	PIN, CONNECTOR (5MM PITCH) 3P	
D9	*1-508-765-00	PIN, CONNECTOR (5MM PITCH) 3P	
D10	*1-508-768-00	PIN, CONNECTOR (5MM PITCH) 6P	
D11	*1-508-768-00	PIN, CONNECTOR (5MM PITCH) 6P	
D12	*1-566-055-11	PIN, CONNECTOR 3P	
D15	*1-566-058-11	PIN, CONNECTOR 6P	
D27	*1-566-058-11	PIN, CONNECTOR 6P	
D28	*1-566-057-11	PIN, CONNECTOR 5P	
D29	*1-566-054-11	PIN, CONNECTOR 2P	
<DIODE>			
D501	8-719-911-19	DIODE 1SS119	
D502	8-719-200-02	DIODE 10B-2	
D503	8-719-300-76	DIODE RH-1A	
D504	8-719-300-76	DIODE RH-1A	
D506	8-719-200-02	DIODE 10B-2	
D508	8-719-110-36	DIODE RD13ES-B2	
D510	8-719-109-88	DIODE RD5.6ES-B1	
D511	8-719-911-19	DIODE 1SS119	
D513	8-719-110-41	DIODE RD15ES-B2	
D520	8-719-190-00	DIODE RD24E-BZ7	
D521	8-719-911-19	DIODE 1SS119	
D522	8-719-101-61	DIODE RD6.2E-L2	
D1502	8-719-911-19	DIODE 1SS119	
D1503	8-719-110-41	DIODE RD15ES-B2	
D1508	8-719-911-19	DIODE 1SS119	
D1509	8-719-200-02	DIODE 10B-2	
D1510	8-719-300-76	DIODE RH-1A	
D1511	8-719-300-76	DIODE RH-1A	
D1512	8-719-300-76	DIODE RH-1A	
D1513	8-719-901-19	DIODE V11N	
D1515	8-719-200-02	DIODE 10B-2	
D1516	8-719-903-09	DIODE V30N	
D1517 Δ	8-719-906-15	DIODE ERC26-15S	
D1517 Δ	8-719-906-15	DIODE ERC26-15S	
D1518 Δ	8-719-302-98	DIODE RG4C	
D1518 Δ	8-719-302-98	DIODE RG4C	
D1525	8-719-911-19	DIODE 1SS119	
D1527	8-719-300-76	DIODE RH-1A	
D1528	8-719-945-81	DIODE ERC26-15SA	
D1529	8-719-300-76	DIODE RH-1A	
D1530	8-719-300-76	DIODE RH-1A	
D1531	8-719-300-38	DIODE GU-3A	
D1535	8-719-110-60	DIODE RD24ES-B	
D1536	8-719-109-81	DIODE RD4.7ES-B2	
D1537	8-719-109-93	DIODE RD6.2ES-B2	
D1538	8-719-911-19	DIODE 1SS119	
D1540	8-719-109-89	DIODE RD5.6ES-B2	
D1541	8-719-300-76	DIODE RH-1A	

<IC>

IC501 8-759-982-26 IC RC78L12A
IC503 8-759-982-26 IC RC78L12A
IC1501 8-759-100-60 IC UPC1377C
IC1502 8-759-981-95 IC RC4558S
IC1503 8-759-981-95 IC RC4558S

PVM-2730QM
RM-668


REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
	*1-621-541-11	HD BOARD *****		U4	*1-566-057-11	PIN, CONNECTOR 5P	
		<SWITCH>				*****	
S996	1-570-145-11	SWITCH, SLIDE			*A-1375-066-A	HC BOARD, COMPLETE *****	
S997	1-570-145-11	SWITCH, SLIDE				<CAPACITOR>	

	*1-633-571-11	U BOARD *****		C982	1-130-729-00	FILM 0.0027MF 5% 50V	
		<CAPACITOR>		C983	1-130-734-00	FILM 0.0068MF 5% 50V	
C1842	1-101-888-00	CERAMIC 68PF 5% 50V		C984	1-130-483-00	MYLAR 0.01MF 5% 50V	
C1843	1-102-816-00	CERAMIC 120PF 5% 50V		C985	1-126-157-11	ELECT 10MF 20% 16V	
C1844	1-124-631-11	ELECT 47MF 20% 16V		C986	1-123-356-00	ELECT 10MF 20% 25V	
C1845	1-124-477-11	ELECT 47MF 20% 16V				<DIODE>	
C1846	1-101-004-00	CERAMIC 0.01MF 50V		D971	8-719-109-85	DIODE RD5.1ES-B2	
C1847	1-124-477-11	ELECT 47MF 20% 16V				<CONNECTOR>	
C1848	1-101-004-00	CERAMIC 0.01MF 50V		HC1	*1-566-057-11	PIN, CONNECTOR 5P	
		<DIODE>		HC2	*1-566-056-11	PIN, CONNECTOR 4P	
D1793	8-719-109-85	DIODE RD5.1ES-B2		HC3	*1-566-054-11	PIN, CONNECTOR 2P	
		<IC>		HC4	*1-566-054-11	PIN, CONNECTOR 2P	
IC1779	8-759-240-82	IC TC4082BP				<IC>	
		<COIL>		IC985	8-759-933-23	IC BA236	
L1771	1-408-406-00	INDUCTOR 5.6UH				<RESISTOR>	
L1772	1-408-409-00	INDUCTOR 10UH		R982	1-249-429-11	CARBON 10K 5% 1/4W	
		<TRANSISTOR>		R983	1-249-417-11	CARBON 1K 5% 1/4W	
Q1897	8-729-119-78	TRANSISTOR 2SC2785-HFE		R984	1-249-429-11	CARBON 10K 5% 1/4W	
Q1898	8-729-119-76	TRANSISTOR 2SA1175-HFE		R985	1-249-417-11	CARBON 1K 5% 1/4W	
Q1899	8-729-900-36	TRANSISTOR DTC124ES		R986	1-249-429-11	CARBON 10K 5% 1/4W	
		<RESISTOR>		R988	1-249-405-11	CARBON 100 5% 1/4W	
R2812	1-249-406-11	CARBON 120 5% 1/4W		R989	1-249-417-11	CARBON 1K 5% 1/4W	
R2813	1-249-411-11	CARBON 330 5% 1/4W		R990	1-249-432-11	CARBON 18K 5% 1/4W	
R2814	1-249-418-11	CARBON 1.2K 5% 1/4W		R991	1-249-408-11	CARBON 180 5% 1/4W	
R2815	1-249-417-11	CARBON 1K 5% 1/4W		R992	1-249-427-11	CARBON 6.8K 5% 1/4W	
R2816	1-249-430-11	CARBON 12K 5% 1/4W		R993	1-249-418-11	CARBON 1.2K 5% 1/4W	
R2817	1-249-419-11	CARBON 1.5K 5% 1/4W		R994	1-249-420-11	CARBON 1.8K 5% 1/4W	
R2818	1-249-431-11	CARBON 12K 5% 1/4W				<VARIABLE RESISTOR>	
R2819	1-249-433-11	CARBON 22K 5% 1/4W		RV982	1-237-349-11	RES, VAR, CARBON 10K	
R2820	1-249-431-11	CARBON 15K 5% 1/4W		RV983	1-237-712-11	RES, VAR, CARBON 10K	
R2821	1-249-421-11	CARBON 2.2K 5% 1/4W		RV984	1-237-712-11	RES, VAR, CARBON 10K	
R2822	1-249-433-11	CARBON 22K 5% 1/4W		RV985	1-237-350-11	RES, VAR, CARBON 20K	
R2823	1-249-431-11	CARBON 15K 5% 1/4W		RV986	1-228-995-00	RES, ADJ, CARBON 22K	
R2824	1-249-441-11	CARBON 100K 5% 1/4W		RV987	1-237-348-11	RES, VAR, CARBON 5K	
R2825	1-249-419-11	CARBON 1.5K 5% 1/4W				*****	
R2826	1-249-411-11	CARBON 330 5% 1/4W			*A-1380-192-A	K BOARD, COMPLETE *****	
		<CONNECTOR>			4-309-378-00	WASHER	
U1	*1-566-055-11	PIN, CONNECTOR 3P				<CAPACITOR>	
U2	*1-566-055-11	PIN, CONNECTOR 3P		C201	1-123-379-00	ELECT 0.47MF 20% 50V	
U3	*1-566-054-11	PIN, CONNECTOR 2P		C202	1-123-379-00	ELECT 0.47MF 20% 50V	
				C203	1-124-477-11	ELECT 47MF 20% 16V	

The components identified by shading and mark Δ are critical for safety.
Replace only with part number specified.

PVM-2730QM
RM-668

D

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
R1501	1-249-411-11	CARBON	330 5% 1/4W	R1577	1-249-425-11	CARBON	4.7K 5% 1/4W
R1502	1-247-723-11	CARBON	6.8K 5% 1/4W	R1578	1-202-723-00	SOLID	2.2M 10% 1/2W
R1503	1-249-405-11	CARBON	100 5% 1/4W	R1579	1-247-718-11	CARBON	2.7K 5% 1/4W
R1504	1-249-435-11	CARBON	33K 5% 1/4W	R1580	1-249-439-11	CARBON	68K 5% 1/4W
R1505	1-249-436-11	CARBON	39K 5% 1/4W	R1581	1-249-441-11	CARBON	100K 5% 1/4W
R1506	1-247-894-11	CARBON	430K 5% 1/4W	R1582	1-249-429-11	CARBON	10K 5% 1/4W
R1507	1-249-462-11	CARBON	22K 5% 1/4W	R1583	1-249-427-11	CARBON	6.8K 5% 1/4W
R1508	1-249-429-11	CARBON	10K 5% 1/4W	R1584	1-249-421-11	CARBON	2.2K 5% 1/4W
R1509	1-249-405-11	CARBON	100 5% 1/4W	R1585	1-247-713-11	CARBON	1K 5% 1/4W
R1510	1-249-433-11	CARBON	22K 5% 1/4W	R1588	1-215-871-11	METAL OXIDE	2.2K 5% 1W F
R1511	1-247-881-00	CARBON	120K 5% 1/4W	R1589	1-247-726-11	CARBON	33K 5% 1/4W
R1512	1-249-440-11	CARBON	82K 5% 1/4W	R1590	1-247-726-11	CARBON	33K 5% 1/4W
R1513	1-249-425-11	CARBON	4.7K 5% 1/4W	R1592	1-214-779-00	METAL	120K 1% 1/4W
R1514	1-247-868-11	CARBON	36K 5% 1/4W	R1593	1-214-781-00	METAL	150K 1% 1/4W
R1516	1-249-430-11	CARBON	12K 5% 1/4W	R1594	1-247-722-11	CARBON	5.6K 5% 1/4W
R1518	1-249-429-11	CARBON	10K 5% 1/4W	R1595	1-214-777-00	METAL	100K 1% 1/4W
R1520	1-249-435-11	CARBON	33K 5% 1/4W	R1597	1-214-752-00	METAL	9.1K 1% 1/4W
R1521	1-247-701-11	CARBON	120 5% 1/4W	R1598	1-214-749-00	METAL	6.8K 1% 1/4W
R1525	1-247-723-11	CARBON	6.8K 5% 1/4W	R1599	1-247-883-00	CARBON	150K 5% 1/4W
R1530	1-247-700-11	CARBON	100 5% 1/4W	R1600	1-249-405-11	CARBON	100 5% 1/4W
R1531	1-247-713-11	CARBON	1K 5% 1/4W F	R1601	1-246-531-00	CARBON	270K 5% 1/4W
R1532	1-215-922-11	METAL OXIDE	6.8K 5% 3W F	R1602	1-247-887-00	CARBON	220K 5% 1/4W
R1532A	1-215-922-11	METAL OXIDE	6.8K 5% 3W F	R1603	1-247-725-11	CARBON	10K 5% 1/4W
R1533	1-247-721-11	CARBON	4.7K 5% 1/4W	R1604	1-247-725-11	CARBON	10K 5% 1/4W
R1534	1-215-918-00	METAL OXIDE	1.5K 5% 3W F	R1605	1-247-725-11	CARBON	10K 5% 1/4W
R1534A	1-216-482-11	METAL OXIDE	1.8K 5% 3W F	R1606	1-247-725-11	CARBON	10K 5% 1/4W
R1535	1-216-388-11	METAL OXIDE	0.82 5% 3W F	R1607	1-247-725-11	CARBON	10K 5% 1/4W
R1536	1-247-697-11	CARBON	56 5% 1/4W	R1608	1-249-469-11	CARBON	100K 5% 1/4W
R1537	1-249-385-11	CARBON	2.2 5% 1/4W F	R1609	1-249-433-11	CARBON	22K 5% 1/4W
R1538	1-249-385-11	CARBON	2.2 5% 1/4W F	R1610	1-247-725-11	CARBON	10K 5% 1/4W
R1539	1-216-434-11	METAL OXIDE	1.8K 5% 1W F	R1611	1-249-433-11	CARBON	22K 5% 1/4W
R1541	1-215-915-11	METAL OXIDE	470 5% 3W F	R1612	1-249-422-11	CARBON	2.7K 5% 1/4W
R1541A	1-216-479-11	METAL OXIDE	560 5% 3W F	R1613	1-249-451-11	CARBON	2.2 5% 1/4W F
R1542	1-215-880-00	METAL OXIDE	10 5% 2W F	R1614	1-247-700-11	CARBON	100 5% 1/4W
R1543	1-215-869-11	METAL OXIDE	1K 5% 1W F	R1617	1-249-469-11	CARBON	100K 5% 1/4W
R1544	1-216-448-11	METAL OXIDE	39 5% 2W F	<VARIABLE RESISTOR>			
R1545	1-247-693-11	CARBON	27 5% 1/4W	RV501	1-228-717-00	RES, ADJ, CERAMIC CARBON	220
R1546	1-216-371-00	METAL OXIDE	1.5 5% 2W F	RV503	1-228-727-00	RES, ADJ, CERAMIC CARBON	47K
R1547	1-247-697-11	CARBON	56 5% 1/4W	RV1501	1-228-723-00	RES, ADJ, CERAMIC CARBON	4.7K
R1548	1-249-382-11	CARBON	1.2 5% 1/4W F	RV1503	1-228-720-00	RES, ADJ, CERAMIC CARBON	1K
R1549	1-249-382-11	CARBON	1.2 5% 1/4W F	RV1505	1-228-720-00	RES, ADJ, CERAMIC CARBON	1K
R1552	1-247-725-11	CARBON	10K 5% 1/4W	RV1506	1-228-727-00	RES, ADJ, CERAMIC CARBON	47K
R1553	1-249-425-11	CARBON	4.7K 5% 1/4W F	RV1510	1-228-720-00	RES, ADJ, CERAMIC CARBON	1K
R1554	1-247-705-11	CARBON	270 5% 1/4W	RV1511	1-228-729-00	RES, ADJ, CERAMIC CARBON	220K
R1555	1-249-465-11	CARBON	47K 5% 1/4W	<SPARK GAP>			
R1556	1-249-425-11	CARBON	4.7K 5% 1/4W	SG1501	1-519-063-99	DISCHARGING GAP	
R1557	1-249-429-11	CARBON	10K 5% 1/4W	<TRANSFORMER>			
R1558	1-249-425-11	CARBON	4.7K 5% 1/4W	T1501 Δ	1-437-089-11	TRANSFORMER, HORIZONTAL DRIVE	
R1559	1-249-417-11	CARBON	1K 5% 1/4W	T1502	1-437-089-00	TRANSFORMER, HORIZONTAL DRIVE	
R1560	1-247-862-11	CARBON	20K 5% 1/4W	T1503 Δ	1-439-356-11	HOT	
R1561	1-214-746-00	METAL	5.1K 1% 1/4W	T1513 Δ	1-421-388-11	LOT	
R1562	1-247-713-11	CARBON	1K 5% 1/4W	<THERMISTOR>			
R1563	1-249-422-11	CARBON	2.7K 5% 1/4W	TH501	1-800-070-99	THERMISTOR TH-4700	
R1564	1-249-405-11	CARBON	100 5% 1/4W F	*****			
R1565	1-249-462-11	CARBON	22K 5% 1/4W				
R1566	1-249-439-11	CARBON	68K 5% 1/4W				
R1567	1-249-435-11	CARBON	33K 5% 1/4W				
R1568	1-247-713-11	CARBON	1K 5% 1/4W				
R1571	1-249-382-11	CARBON	1.2 5% 1/4W F				
R1572	1-249-448-11	CARBON	1.2 5% 1/4W F				
R1573	1-249-382-11	CARBON	1.2 5% 1/4W F				
R1574	1-216-424-11	METAL OXIDE	39 5% 1W F				
R1575	1-249-382-11	CARBON	1.2 5% 1/4W F				
R1576	1-215-869-11	METAL OXIDE	1K 5% 1W F				

PVM-2730QM
 RM-668

K HA

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
C204	1-124-477-11	ELECT	47MF	20%	16V		
C205	1-130-496-00	MYLAR	0.12MF	5%	50V		
C206	1-102-125-00	CERAMIC	0.0047MF	10%	50V		
C207	1-102-125-00	CERAMIC	0.0047MF	10%	50V		
C208	1-130-496-00	MYLAR	0.12MF	5%	50V		
C209	1-123-369-00	ELECT	4.7MF	20%	25V		
C210	1-123-369-00	ELECT	4.7MF	20%	25V		
C211	1-123-369-00	ELECT	4.7MF	20%	25V		
C212	1-123-369-00	ELECT	4.7MF	20%	25V		
C213	1-124-120-11	ELECT	220MF	20%	16V		
C218	1-124-360-00	ELECT	1000MF	20%	16V		
C219	1-126-101-11	ELECT	100MF	20%	16V		
C220	1-123-379-00	ELECT	0.47MF	20%	50V		
C221	1-123-379-00	ELECT	0.47MF	20%	50V		
C222	1-162-283-31	CERAMIC	120PF	10%	50V		
C223	1-162-283-31	CERAMIC	120PF	10%	50V		
C224	1-124-963-11	ELECT	33MF	20%	16V		
C225	1-124-477-11	ELECT	47MF	20%	16V		
C227	1-108-816-11	MYLAR	0.1MF	5%	50V		
C228	1-123-379-00	ELECT	0.47MF	20%	50V		
C229	1-123-379-00	ELECT	0.47MF	20%	50V		
C230	1-162-283-31	CERAMIC	120PF	10%	50V		
C231	1-162-283-31	CERAMIC	120PF	10%	50V		
C232	1-124-963-11	ELECT	33MF	20%	16V		
C233	1-124-477-11	ELECT	47MF	20%	16V		
C235	1-108-816-11	MYLAR	0.1MF	5%	50V		
C236	1-124-471-00	ELECT	1000MF	20%	6.3V		
C237	1-102-074-00	CERAMIC	0.001MF	10%	50V		
C238	1-102-074-00	CERAMIC	0.001MF	10%	50V		
C239	1-101-006-00	CERAMIC	0.047MF		50V		
C240	1-101-006-00	CERAMIC	0.047MF		50V		
C241	1-101-006-00	CERAMIC	0.047MF		50V		
C242	1-125-296-00	ELECT(BLOCK)	4700MF		35V		
C243	1-125-296-00	ELECT(BLOCK)	4700MF		35V		
C244	1-124-477-11	ELECT	47MF	20%	16V		
C246	1-123-356-00	ELECT	10MF	20%	16V		
C251	1-123-356-00	ELECT	10MF	20%	25V		
C252	1-123-875-11	ELECT	10MF	20%	50V		
C253	1-123-875-11	ELECT	10MF	20%	50V		
<DIODE>							
D201	8-719-109-93	DIODE RD6.2ES-B2					
D202	8-719-911-19	DIODE 1SS119					
D203	8-719-110-36	DIODE RD13ES-B2					
D204	8-719-110-36	DIODE RD13ES-B2					
<IC>							
IC201	8-759-276-30	IC TA7630P					
IC204	8-759-111-88	IC UPC1188H					
IC205	8-759-111-88	IC UPC1188H					
<CONNECTOR>							
K1	*1-566-057-11	PIN, CONNECTOR 5P					
K2	*1-508-767-00	PIN, CONNECTOR (5MM PITCH) 5P					
K3	*1-566-056-11	PIN, CONNECTOR 4P					
K4	*1-566-054-11	PIN, CONNECTOR 2P					
K5	*1-508-765-00	PIN, CONNECTOR (5MM PITCH) 3P					
K7	*1-566-054-11	PIN, CONNECTOR 2P					
<COIL>							
L201	1-408-424-00	INDUCTOR	180UH				
<TRANSISTOR>							
Q201	8-729-178-55	TRANSISTOR 2SC2785-E					
Q204	8-729-178-55	TRANSISTOR 2SC2785-E					
Q205	8-729-178-55	TRANSISTOR 2SC2785-E					
Q206	8-729-119-76	TRANSISTOR 2SA1175-HFE					
Q209	8-729-119-76	TRANSISTOR 2SA1175-HFE					
Q211	8-729-140-96	TRANSISTOR 2SD774-34					
<RESISTOR>							
R201	1-249-441-11	CARBON	100K	5%	1/4W		
R202	1-249-441-11	CARBON	100K	5%	1/4W		
R203	1-249-419-11	CARBON	1.5K	5%	1/4W		
R204	1-249-429-11	CARBON	10K	5%	1/4W		
R205	1-249-430-11	CARBON	12K	5%	1/4W		
R206	1-249-430-11	CARBON	12K	5%	1/4W		
R207	1-249-419-11	CARBON	1.5K	5%	1/4W		
R208	1-249-419-11	CARBON	1.5K	5%	1/4W		
R211	1-249-420-11	CARBON	1.8K	5%	1/4W		
R221	1-249-403-11	CARBON	68	5%	1/4W		
R222	1-249-429-11	CARBON	10K	5%	1/4W		
R223	1-249-432-11	CARBON	18K	5%	1/4W		
R224	1-249-437-11	CARBON	47K	5%	1/4W		
R225	1-249-409-11	CARBON	220	5%	1/4W		
R227	1-249-430-11	CARBON	12K	5%	1/4W		
R228	1-249-390-11	CARBON	5.6	5%	1/4W		
R229	1-249-429-11	CARBON	10K	5%	1/4W		
R230	1-249-432-11	CARBON	18K	5%	1/4W		
R231	1-249-437-11	CARBON	47K	5%	1/4W		
R232	1-249-409-11	CARBON	220	5%	1/4W		
R234	1-249-430-11	CARBON	12K	5%	1/4W		
R235	1-249-390-11	CARBON	5.6	5%	1/4W		
R236	1-249-429-11	CARBON	10K	5%	1/4W		
R237	1-249-429-11	CARBON	10K	5%	1/4W		
R238	1-249-423-11	CARBON	3.3K	5%	1/4W		
R239	1-249-437-11	CARBON	47K	5%	1/4W		
R240	1-249-430-11	CARBON	12K	5%	1/4W		
R241	1-249-441-11	CARBON	100K	5%	1/4W		
R242	1-249-429-11	CARBON	10K	5%	1/4W		
R243	1-249-417-11	CARBON	1K	5%	1/4W		
R244	1-249-417-11	CARBON	1K	5%	1/4W		
R245	1-249-417-11	CARBON	1K	5%	1/4W		
R246	1-249-417-11	CARBON	1K	5%	1/4W		
R252	1-249-419-11	CARBON	1.5K	5%	1/4W		
R257	1-249-423-11	CARBON	3.3K	5%	1/4W		
R280	1-249-449-11	CARBON	1.5	5%	1/4W		
<DIODE>							
D905	8-719-911-19	DIODE 1SS119					
D906	8-719-911-19	DIODE 1SS119					
D907	8-719-911-19	DIODE 1SS119					
D908	8-719-911-19	DIODE 1SS119					
D909	8-719-911-19	DIODE 1SS119					
D910	8-719-911-19	DIODE 1SS119					
D911	9-990-893-01	LED TLY263P					

 *9-992-247-01 HA BOARD (KEY BOARD UNIT A)

<DIODE>

PVM-2730QM
RM-668
HA HB N

REF.NO.	PART NO.	DESCRIPTION	REMARK	REF.NO.	PART NO.	DESCRIPTION	REMARK
D912	9-990-893-01	LED TLY263P		D945	8-719-911-19	DIODE 1SS119	
D913	9-990-893-01	LED TLY263P		D946	8-719-911-19	DIODE 1SS119	
D914	9-990-893-01	LED TLY263P		D947	8-719-911-19	DIODE 1SS119	
D915	9-990-893-01	LED TLY263P		D948	9-990-901-01	LED TLS263P	
D916	9-990-893-01	LED TLY263P		D949	9-990-901-01	LED TLS263P	
D917	9-990-893-01	LED TLY263P		D950	9-990-893-01	LED TLY263P	
D918	9-990-893-01	LED TLY263P		D951	9-990-893-01	LED TLY263P	
D919	9-990-893-01	LED TLY263P		D952	9-990-893-01	LED TLY263P	
D920	9-990-893-01	LED TLY263P		D953	9-990-893-01	LED TLY263P	
D921	9-990-893-01	LED TLY263P		D954	9-990-893-01	LED TLY263P	
D922	9-990-893-01	LED TLY263P		D955	9-990-893-01	LED TLY263P	
D923	9-990-893-01	LED TLY263P		D956	9-990-893-01	LED TLY263P	
D924	9-990-893-01	LED TLY263P		D957	9-990-893-01	LED TLY263P	
D925	9-990-893-01	LED TLY263P		D958	9-990-893-01	LED TLY263P	
D926	9-990-893-01	LED TLY263P		D959	9-990-893-01	LED TLY263P	
D927	9-990-893-01	LED TLY263P		D960	9-990-893-01	LED TLY263P	
D928	9-990-893-01	LED TLY263P		D961	9-990-893-01	LED TLY263P	
D929	9-990-893-01	LED TLY263P		D962	9-990-893-01	LED TLY263P	
D930	9-990-893-01	LED TLY263P		D963	9-990-893-01	LED TLY263P	
D931	9-990-893-01	LED TLY263P		D964	9-990-893-01	LED TLY263P	
<RESISTOR>				D965	9-990-893-01	LED TLY263P	
R905	1-247-700-11	CARBON	100 5% 1/4W	D968	9-990-901-01	LED TLS263P	
R906	1-247-704-11	CARBON	220 5% 1/4W	<RESISTOR>			
R907	1-247-700-11	CARBON	100 5% 1/4W	R940	1-247-703-11	CARBON	180 5% 1/4W
R908	1-247-704-11	CARBON	220 5% 1/4W	R941	1-247-700-11	CARBON	100 5% 1/4W
R909	1-247-700-11	CARBON	100 5% 1/4W	R942	1-247-704-11	CARBON	220 5% 1/4W
R910	1-247-704-11	CARBON	220 5% 1/4W	R943	1-247-700-11	CARBON	100 5% 1/4W
R911	1-247-700-11	CARBON	100 5% 1/4W	R944	1-247-704-11	CARBON	220 5% 1/4W
R912	1-247-704-11	CARBON	220 5% 1/4W	R945	1-247-700-11	CARBON	100 5% 1/4W
R913	1-247-700-11	CARBON	100 5% 1/4W	R946	1-247-700-11	CARBON	100 5% 1/4W
R914	1-247-704-11	CARBON	220 5% 1/4W	R947	1-247-700-11	CARBON	100 5% 1/4W
R915	1-247-700-11	CARBON	100 5% 1/4W	R948	1-247-700-11	CARBON	100 5% 1/4W
R916	1-247-704-11	CARBON	220 5% 1/4W	R949	1-247-700-11	CARBON	100 5% 1/4W
R917	1-247-704-11	CARBON	220 5% 1/4W	R950	1-247-700-11	CARBON	100 5% 1/4W
R918	1-247-704-11	CARBON	220 5% 1/4W	R951	1-247-700-11	CARBON	100 5% 1/4W
R919	1-247-704-11	CARBON	220 5% 1/4W	<SWITCH>			
<SWITCH>				S940	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
S905	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		S941	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
S906	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		S942	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
S907	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		S943	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
S908	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		S944	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
S909	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		S945	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
S910	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		S946	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
S911	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		S947	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
S912	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		S948	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
S913	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		S949	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)	
S914	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		*****			
S915	1-553-766-00	MT SWITCH (KEY BOARD SWITCH)		*9-990-898-01	N BOARD (KEY BOARD UNIT B)	*****	
*****				<IC>			
*9-992-243-01	HB BOARD (KEY BOARD UNIT B)	*****		IC935	8-741-138-70	IC BX-1387 (DETECTOR)	
<DIODE>				*****			
D940	8-719-911-19	DIODE 1SS119					
D941	8-719-911-19	DIODE 1SS119					
D942	8-719-911-19	DIODE 1SS119					
D943	8-719-911-19	DIODE 1SS119					
D944	8-719-911-19	DIODE 1SS119					

The components identified by shading and mark Δ are critical for safety.
Replace only with part number specified.

PVM-2730QM
RM-668

REF.NO.	PART NO.	DESCRIPTION	REMARK
		MISCELLANEOUS *****	
	Δ 1-230-712-22	RESISTOR ASSY, HIGH-VOLTAGE	
	Δ 1-426-278-22	COIL, DEMAGNETIZATION	
	Δ 1-451-255-23	DEFLECTION YOKE (Y27FXA)	
	1-452-032-00	MAGNET, DISK; 10MM ϕ	
	1-452-094-00	MAGNET, ROTATABLE DISK; 15MM ϕ	
	1-452-146-21	MAGNET, BMC	
	Δ 1-452-351-22	NECK ASSY, PICTURE TUBE (NA302)	
	1-464-792-11	KEY BOARD UNIT (A)	
	1-464-793-11	KEY BOARD UNIT (B)	
	Δ 1-534-820-13	POWER CORD (AEP, AUS ONLY)	
	1-559-409-11	CORD POWER (WG ONLY)	
	*1-941-403-25	CONNECTOR ASSY, MICRO 13P	
	*1-941-403-26	CONNECTOR ASSY, MICRO 9P	
	*1-941-403-27	CONNECTOR ASSY, MICRO 7P	
S1901	Δ 1-554-966-12	SWITCH, PUSH (AC POWER) (1 KEY)	
T1691	Δ 1-439-339-14	TRANSFORMER ASSY, FLYBACK	
V901	Δ 8-736-652-05	PICTURE TUBE (A64JKJ10X) (AEP, WG ONLY)	
	Δ 8-736-654-05	PICTURE TUBE (A64JKJ10X) (AUS ONLY)	

ACCESSORIES AND PACKING MATERIALS

PART NO.	DESCRIPTION	REMARK
A-1470-789-A	COMMANDER ASSY (RM-668)	
*4-371-192-01	CUSHION (FRONT)	
*4-382-051-01	CUSHION (LOWER) (ASSY)	
*4-382-053-01	CUSHION (UPPER) (ASSY)	
4-482-400-11	MANUAL, INSTRUCTION	
*4-384-027-01	BAG, PROTECTION	
*4-385-601-01	INDIVIDUAL CARTON	

PVM-2730QM
RM-668